

DAFTAR PUSTAKA

1. Yee AH, Burns JD, Wijdicks EFM. Cerebral Salt Wasting: Pathophysiology, Diagnosis, and Treatment. *Neurosurg Clin N Am.* 2010;21:339–52.
2. Tisdall M, Crocker M, Watkiss J, Smith M. Disturbances of sodium in critically ill adult neurologic patients : a clinical review. *Neurosurg Anesth.* 2006;18(1):57–63.
3. Oh JY, Shin J Il. Syndrome of inappropriate antidiuretic hormone secretion and cerebral / renal salt wasting syndrome : similarities and differences. *Front Pediatr.* 2015;2(146):1–5.
4. Jain A. Body fluid composition. *Pediatr Rev.* 2015;36(4):141–52.
5. Pardede SO. Poliuria pada Anak. *Sari Pediatr.* 2003;5(3):103–10.
6. S. Gubbi, Shmounni H.F, CA Kock et al. Diagnostic Testing for Diabetes Insipidus. 2022.
7. Dholke H, Campos A, Reddy CNK, Panigrahi MK. Cerebral salt wasting syndrome. *J Neuroanaesth Crit Care.* 2016;3:205–10.
8. Zieg J. Pathophysiology of hyponatremia in children. *Front Pediatr.* 2017;5(213):1–8.
9. Rabinstein AA, Wijdicks EFM. Hyponatremia in critically ill neurological patients. *Neurologist.* 2003;9:290–300.
10. Moritz ML, Ayus JC. Management of hyponatremia in various clinical situations. *Curr Treat Options Neurol.* 2014;16(310):1–14.
11. Carandang F, Anglemeyer A, Longhurst CA, Krishnan G, Alexander SR, Kahana M, et al. Association between maintenance fluid tonicity and hospital-acquired hyponatremia. *J Pediatr.* 2013;163:1646–51.
12. Carpenter J, Weinstein AES, Myseros J, Vezina AEG, Bell AEMJ. Inadvertent hyponatremia leading to acute cerebral edema and early evidence of herniation. *Neurocrit Care.* 2007;6:195–9.
13. Tzamaloukas AH, Malhotra D, Rosen BH, Raj DSC, Murata GH, Shapiro JI. Principles of management of severe hyponatremia. *J Am Heart Assoc.* 2013;2:1–9.
14. Kamoi, K., Toyama, M., Ishibashi, M., & Yamaji T. Hyponatremia and osmoregulation of vasopressin secretion in patients with intracranial bleeding. *J Clin Endocrinol Metab.* 1995;80:2906–11.
15. Harrigan MR. Cerebral salt wasting syndrome. *Endocr Metab Dysfunct Syndr Crit Ill.* 2001;17:125–38.
16. Betjes MGH. Hyponatremia in acute brain disease : the cerebral salt wasting syndrome. *Eur J Intern Med.* 2002;13:9–14.
17. Bradshaw K, Frca M, Smith M, Frca M. Disorders of sodium balance after brain injury. *Br J Anaesth.* 2008;8:129–33.
18. Palmer BF. Hyponatremia in patients with central nervous system disease : SIADH versus CSW. *Trends Endocrinol Metab.* 2003;14:182–7.
19. Levin, Ellis R; Gardner, David G; Samson WK. Biochemistry and molecular biology. *N Engl J Med.* 1998;339:321–8.
20. Isbandiyah. BRAIN NATRIURETIC PEPTIDE (BNP). *ejurnal Univ Muhammadiyah Malang.* 2011;7(15):37–47.

21. Potter LR, Yoder AR, Flora DR, Antos LK, Dickey DM. Natriuretic Peptides: Their Structures, Receptors, Physiologic Functions and Therapeutic Applications. *Handb Exp Pharmacol*. 2016;191:341–66.
22. Berendes E, Walter M, Cullen P, Prien T, Aken H Van, Horsthemke J, et al. Secretion of brain natriuretic peptide in patients with aneurysmal subarachnoid haemorrhage. *Lancet*. 1997;349:245–9.
23. Bunnag S and Pattanasombatsakul. NT pro BNP for differential diagnosis of hypovolemia vs euvolemia in hyponatremic patient. *JMed Assoc*. 2012;95:569–74.
24. Pal Rimesh, Rai Ashutosh, Dhandapani S DP. Role of NT pro-BNP to Differentiate Syndrome of Inappropriate Antidiuretic Hormone Secretion and Cerebral Salt Wasting Syndrome: Conundrum. *Neurol India*. 2018;66(5):1389–91.
25. Tobin G CA. and SR. Evaluation of NT pro-BNP as a Marker of the Volume Status of Neurosurgical Patients Developing Hyponatremia and Natriuresis : a pilot study. *Neurol India*. 2018;66:1383–8.
26. Misra U, Kalita J, Bhoi S, Singh R. Cerebral salt wasting is the commonest cause of hyponatremia in tuberculous meningitis. *J Neurol Sci*. 2017;381:1003–4.
27. Wilson L. Keseimbangan Cairan dan Elektrolit serta Penilaiannya. Dalam: *Patofisiologi konsep klinis proses-proses penyakit*. 4th ed. Jakarta: Buku Kedokteran EGC; 1995. p. 283–301.
28. Sacher R., Mcpherson R. Pengaturan asam basa dan elektrolit. Dalam: *Tinjauan klinis hasil pemeriksaan laboratorium*. 2nd ed. Jakarta: Buku Kedokteran EGC; 2002. p. 320–40.
29. Darwis D, Moenajat Y, Nur B.M MA., Siregar P, Aniwidyaningsih W D. Fisiologi keseimbangan air dan elektrolit. Dalam: *Gangguan keseimbangan air-elektrolit dan asam-basa, fisiologi, patofisiologi, diagnosis dan tatalaksana*. 2nd ed. Jakarta: FK-UI; 2008. p. 29–114.
30. Matfin G, Porth C. Disorders of fluid and electrolyte balance. Dalam: *Pathophysiology Concepts of Altered Health States*. 8th ed. USA: McGraw Hill Companies; 2009. p. 761–803.
31. M.G. S, LeGrys VA, J K. Electrochemistry and chemical sensors and electrolytes and blood gases. Dalam: *Clinical Chemistry and Molecular Diagnostics*. 4th ed. Philadelphia: Elsevier Saunders Inc.; 2006. p. 93–114.
32. Diringner MN, Zazulia AR. Hyponatremia in neurologic patients : consequences and approaches to treatment. *J Neurol*. 2006;12:117–26.
33. Lee YY, Lin S, Shin JT, Lai Y, Lin Y-T, Juei-Hsiung T. Brain natriuretic peptide is synthesized in the human adrenal medulla and its messenger ribonucleic acid expression along with that of atrial natriuretic peptide are enhanced in patients with primary aldosteronism. *Clin Endocrinol Metab*. 1994;79:1476–82.
34. Takahashi K, Totsune K, Sone M, Ohneda M, Murakami O, Itoi K, et al. Human brain natriuretic peptide-like immunoreactivity in human brain. *Peptides*. 1992;13:121–3.
35. Leaf A, Bartter FC, Santos RF, Wrong O. Evidence in man that urinary electrolyte loss induced by pitressin is a function of water retention. *J Clin Investig*. 1953;32:868–78.

36. Schwartz WB, Bennett W, Relop SC. A syndrome of renal sodium loss and hyponatremia probably resulting from inappropriate secretion of antidiuretic hormone. *Am J Med.* 1957;23:529–42.
37. Nelson Paul B., Seif Said M., Maroon Joshep C. RAG. Hyponatremia in intracranial disease: perhaps not the syndrome of inappropriate secretion of antidiuretic hormone (SIADH). *J Neurosurg.* 1981;55:938–41.
38. TI LK, Kang S., Cheong K. Acute hyponatremia secondary to cerebral salt wasting syndrome in a patient with tuberculosis meningitis. *Anaesth intensive care.* 1998;26:420–3.
39. Leonard J, Garrett RE, Salottolo K, Slone DS, Mains CW, Carrick MM, et al. Cerebral salt wasting after traumatic brain injury: A review of the literature. *Scand J Trauma Resusc Emerg Med.* 2015;23(98):1–7.
40. Misra UK, Kalita J, Bhoi SK, Singh RK. A study of hyponatremia in tuberculous meningitis. *J Neurol Sci.* 2016;367:152–7.
41. Ruiz-juretschke F, Arístegui M, García-leal R, Fernández-carballal C, Lowy A, Martin-oviedo C, et al. Cerebral salt wasting syndrome: postoperative complication in tumours of the cerebellopontine angle. *Neurocirugia.* 2012;23:40–3.
42. Byeon J, Yoo G. Cerebral salt wasting syndrome after calvarial remodeling in craniostylosis. *J korean Med Sci.* 2005;20:866–9.
43. Zomp A, Alexander E. Syndrome of inappropriate antidiuretic hormone and cerebral salt wasting in critically ill patients. *AACN Adv Crit Care.* 2012;23:233–9.
44. Cerdà-esteve M, Cuadrado-godia E, Chillaron JJ, Pont-sunyer C, Cucurella G, Fernandez M. Cerebral salt wasting syndrome : Review. 2008;19:249–54.
45. Maesaka JK, Imbriano LJ, Ali NM, Ilamathi E. Is it cerebral or renal salt wasting ? *Kidney Int.* 2009;76:934–8.
46. Parwata WSS, Hartawan INB, Suwarba IGN, Suparyatha IB, Wati DK. Perbedaan pemberian cairan isotonis dan hipotonis terhadap osmolalitas plasma pada penderita gangguan intrakranial akut di RSUP Sanglah , Denpasar , Bali. *Intisari Sains Medis.* 2019;10:82–7.
47. Johnson AL, Criddle LM. Pass the salt indications for and implications of using hypertonic saline. *J Crit care nurse.* 2004;24:36–48.
48. Ahmad S, Majid Z, Mehdi M, Mubarak M. Cerebral salt wasting syndrome due to tuberculous meningitis ; a case report. *J Ren Inj Prev.* 2016;5:53–4.
49. Moro N, Katayama Y, Kojima J, Mori T, Kawamata T. Prophylactic management of excessive natriuresis with hydrocortisone for efficient hypervolemic therapy after. *J Am Heart Assoc.* 2003;34:2807–11.
50. Mori T, Katayama Y, Kawamata T, Hirayama T. Improved efficiency of hypervolemic therapy with inhibition of natriuresis by fludrocortisone in patients with aneurysmal subarachnoid hemorrhage. *J Neurosurg.* 1999;91:947–52.
51. Taplin CE, Cowell CT, Silink M, Ambler GR. Fludrocortisone therapy in cerebral salt wasting. *J Am Acad Pediatr.* 2006;118:1904–8.
52. Zaki SA, Lad V, Shanbag P. Case report cerebral salt wasting following tuberculous meningoencephalitis in an infant. *Ann Indian Acad Neurol.* 2012;15:148–50.

53. Palm C, Pistrosch F, Herbrig K, Gross P. Vasopressin antagonists as aquaretic agents for the treatment of hyponatremia. *Am J Med.* 2006;119:87– 92.
54. Bioassay Technology Laboratory. Human Epididymal Protein 4 ELISA Kit. publish online. 2020. p. 1–8.
55. Septhiandi N, Dewi R, Yanuarso PB, Ifran EKB, Amelia N, Hidayati EL. Insiden Hiponatremia Pasca operasi Mayor pada Anak di Ruang Rawat Intensif. *Sari Pediatr.* 2016;17(5):327–34.
56. Bettinelli A, Longoni L TF dkk. Renal Salt-Wasting Syndrome in Children with Intracranial disorders. *Pediatr Nephrol.* 2012;27:733–9.

