

## DAFTAR PUSTAKA

- Aithal, H. P., Kinjavdekar, P., Pawde, A., Dubey, P., Kumar, R., Tyagi, S., & Madhu, D. N. (2019). Epoxy-pin external skeletal fixation for management of open bone fractures in calves and foals: A review of 32 cases. *Veterinary and Comparative Orthopaedics and Traumatology*, 32(3), 257–268. <https://doi.org/10.1055/s-0039-1678736>
- Alhammoud, A. (2019). External fixation for primary and definitive management of open long bone fractures : the Syrian war experience. *International Orthopedics*, 1(1), 1–10.
- Arif, M., & Suryati, I. (2020). Pengetahuan dan sikap terhadap pelaksanaan mobilisasi dini pada pasien post operasi. *Prosiding Seminar Kesehatan Perintis*, 3(1), 52–52. <https://jurnal.upertis.ac.id/index.php/PSKP/article/view/570>
- Arina, M. (2013). Hubungan tingkat depresi dengan lama pemasangan external fixation di RS Prof. DR. R. Soeharso Surakarta. *Prosiding Konferensi Nasional PPNI Jawa Tengahrosiding Konferensi Nasional PPNI Jawa Tengah*, 2, 88–91.
- Aryani, R., & Nurhaeni, H. (2014). Body image klien akibat pemasangan fiksasi eksternal ekstremitas bawah client ' s body image because of lower extremities external fixation. *Jurnal Kesehatan Masyarakat Nasional*, 47, 4–9.
- Axelrod, D., Rubinger, L., Shah, A., Guy, P., & Johal, H. (2021). How should we lengthen post-traumatic limb defects? a systematic review and comparison of motorized lengthening systems, combined internal and external fixation and external fixation alone. *European Journal of Orthopedic Surgery and Traumatology*, 31(6), 1015–1022. <https://doi.org/10.1007/s00590-020-02831-y>
- Badan Penelitian dan Pengembangan Kesehatan Kementrian Kesehatan RI. (2018). Riset kesehatan dasar provinsi Sumatera Barat tahun 2018. In *Laporan Riskesdas Nasional 2018*.
- Bejo, & Wahyudin. (2015). Gambaran pengetahuan dan sikap pasien fraktur tentang tehnik relaksasi nafas dalam di RSUD Raden Mattaher Jambi tahun 2014. *Scientia Journal*, 4(1), 9–14.
- Bilir, M., & Tekin, S. B. (2020). Evaluation of complications in patients with open fractures of the upper and lower extremity treated with internal fixation after the external fixation. *Turkish Association of Trauma and Emergency Surgery*, 26(6), 865–869. <https://doi.org/10.14744/tjtes.2020.80236>
- Buyukyilmaz, F., Sendir, M., & Salmond, S. (2018). Evaluation of body image and self- esteem in patients with external fixation Devices : A Turkish perspective. *Orthopedic Nursing*, 28(4), 169–175.

- Cam, R., & Korkmaz, F. D. (2014). The effect of long-term care and follow-up on complications in patients with external fixators. *International Journal of Nursing Practice*, 20(1), 89–96. <https://doi.org/10.1111/ijn.12126>
- Campbell, F., & Watt, E. (2020). An exploration of nursing practices related to care of orthopaedic external fixators (pin/wire sites) in the Australian context. *International Journal of Orthopaedic and Trauma Nursing*, 36(July), 1–7. <https://doi.org/10.1016/j.ijotn.2019.100711>
- Carter, T. H., Duckworth, A. D., Oliver, W. M., Molyneux, S. G., Amin, A. K., & White, T. O. (2019). Open reduction and internal fixation of distal tibial pilon fractures. *JBJS Essential Surgical Techniques*, 9(3), e29. <https://doi.org/10.2106/jbjs.st.18.00093>
- Castillo, R. C., Wegener, S. T., Heins, S. E., Haythornthwaite, J. A., Mackenzie, E. J., Bosse, M. J., & Group, S. (2013). Longitudinal relationships between anxiety, depression, and pain: Results from a two-year cohort study of lower extremity trauma patients. *Pain*, 154(12), 2860–2866. <https://doi.org/10.1016/j.pain.2013.08.025>
- Djaja, S., Widyastuti, R., Tobing, K., Lasut, D., & Irianto, J. (2016). Gambaran kecelakaan lalu lintas di Indonesia. *Jurnal Ekologi Kesehatan*, 15(1), 30–42.
- Donsu, M. B., Lengkong, A., & Rawung, R. (2021). Gambaran penyembuhan tulang sekunder pada fraktur dengan anatomical reduction fixation tipe plate and screw di RSUP Prof. Dr. R. D. Kandou periode 2019 – 2020. *E-CliniC*, 9(1), 149–153. <https://doi.org/10.35790/ecl.v9i1.32120>
- Emily, A., Markus, K. B., Simon, G., & Augat, P. (2019). External fixation of the lower extremities: biomechanical perspective and recent innovations. *Injury*, 1(1), 1–32. <https://doi.org/10.1016/j.injury.2019.03.041>
- Emzir. (2021). *Metodologi penelitian kualitatif analisis data*. 1st ed. Depok: Rajawali Pers.
- Gheorghita, A., Webster, F., Thielke, S., & Sale, J. E. M. (2018). Long-term experiences of pain after a fragility fracture. *Osteoporosis International*, 1(1), 1–12.
- Gontung, A. T. (2017). Orthopedic dan traumalogy center di Manado: Sustainable healthcare architecture. *Jurnal Arsitektur Daseng*, 6(1), 93–102.
- Guo, J., Yin, Y., Jin, L., Zhang, R., Hou, Z., & Zhang, Y. (2019). Acute compartment syndrome. *Medicine Journal*, 98(27), 2019.
- Gustilo, R. B., Mendoza, R., & Williams, D. N. (2015). Problems in the management of type III (severe) open fractures: A new classification of type III open fractures.

*The Journal of Trauma*, 24(8), 4–5.

- Hao, Z. C., Xia, Y., Xia, D. M., Zhang, Y. T., & Xu, S. G. (2019). Treatment of open tibial diaphyseal fractures by external fixation combined with limited internal fixation versus simple external fixation: A retrospective cohort study. *BMC Musculoskeletal Disorders*, 20(1), 1–8. <https://doi.org/10.1186/s12891-019-2679-9>
- Haryatmo, S., & Waluyo, A. (2020). Pendekatan model adaptasi Roy, relaksasi dan discharge planning pada masalah muskuloskeletal. *Jurnal Kesehatan*, 9(1), 30–47.
- Hoyt, B. W., Lundy, A. E., Purcell, R. L., Harrington, C. J., & Gordon, W. T. (2020). Definitive external fixation for anterior stabilization of combat-related pelvic ring injuries, with or without sacroiliac fixation. *Clinical Orthopedics and Related Research*, 478(4), 779–789. <https://doi.org/10.1097/CORR.0000000000000961>
- Jalon, M. S., Sarabia-Cobo, C. M., Roscales Bartolome, E., Santiago Fernández, M., Vélez, B., Escudero, M., Miguel, M. E., Artabe, P., Cabañas, I., Fernández, A., Garcés, C., & Couceiro, J. (2020). A randomized clinical trial on the use of antiseptic solutions for the pin-site care of external fixators: chlorhexidine-alcohol versus povidone-iodine. *Journal of Trauma Nursing : The Official Journal of the Society of Trauma Nurses*, 27(3), 146–150. <https://doi.org/10.1097/JTN.0000000000000503>
- Jhonet, A., Armin, M. F., Sudiadnyani, N., & Sari, H. (2022). Angka kejadian fraktur tibia berdasarkan usia, jenis kelamin dan klasifikasi fraktur berdasarkan mekanisme trauma di Rsud. H. Abdul Moeloek Bandar Lampung. *Jurnal Ilmu Kedokteran Dan Kesehatan*, 9(1), 645–651.
- Kamin, K., Rammelt, S., Kleber, C., Marx, C., & Schaser, K. (2020). External fixator: temporary fixation and soft tissue management of the ankle. *Operative Orthopaedic and Traumatologic*, 32(5), 421–432. <https://doi.org/10.1007/s00064-020-00677-5>
- Kizilkurt, O. K., Kizilkurt, T., Gulec, M. Y., Giynas, F. E., Polat, G., Kilicoglu, O. I., & Gulec, H. (2020). Quality of life after lower extremity amputation due to diabetic foot ulcer: The role of prosthesis-related factors, body image, self-esteem, and coping styles. *Dusunen Adam*, 33(2), 109–119. <https://doi.org/10.14744/DAJPNS.2020.00070>
- Krassnig, R., Hohenberger, G. M., Schimmerl, P., Schwarz, A., Pichler, W., Puchwein, P., & Wildburger, R. (2021). Optimal pin position in supraacetabular external fixation. *ANZ Journal of Surgery*, 91(4), 680–684. <https://doi.org/10.1111/ans.16694>

- Lagerquist, B. D., Dabrowski, M., Dock, C., Fox, A., Daymond, M., Sandau, K. E., & Halm, M. (2015). Care of external fixator pin sites. *American Journal of Critical Care, 21*(4), 288–293.
- Larsson, F., Stromback, U., Gustafsson, S. R., & Engstrom, A. (2021). Postoperative recovery : experiences of patients who have undergone. *Journal of Orthopedic Trauma, 000*(1), 1–6. <https://doi.org/10.1016/j.jopan.2021.10.012>
- Lee, C., & Sciadini, M. (2018). The use of external fixation for the management of the unstable anterior pelvic ring. *Journal of Orthopedic Trauma, 32*(9), S14–S17. <https://doi.org/10.1097/BOT.0000000000001251>
- Limb, M. (2003). Psychosocial issues relating to external fixation of fractures. *Journal of Enterostomal Therapy, 99*(44), 28–30.
- Luhur, L. J. (2021). Gambaran karakteristik pasien fraktur terbuka ekstremitas bawah di Rumah Sakit. *Nursing Arts, 15*(1), 60–66. <https://doi.org/10.36741/jna.v15i1.134>
- Milenkovic, S., Mitkovic, M., & Mitkovic, M. (2018). External fixation of segmental tibial shaft fractures. *European Journal of Trauma and Emergency Surgery, 46*(5), 2–5. <https://doi.org/10.1007/s00068-018-1041-5>
- Mitchell, P. J., Cooper, C., Fujita, M., Halbout, P., Åkesson, K., & Costa, M. (2019). Quality improvement initiatives in fragility fracture care and prevention. *Current Osteoporosis, 1*(1), 1–11.
- Moleong, L. (2021). *Metodologi penelitian kualitatif*. Revisi. Bandung: PT Remaja Rosdakarya.
- Nelwati, Sabri, R., & Hema, M. (2021). *Buku ajar riset kualitatif*. 1st ed. Depok: Rajawali Pers.
- Nightingale, J., Lin, K., Sci, B., Scammell, B. E., Leighton, P., & Ollivere, B. J. (2022). What is important to patients who are recovering from an open tibial fracture ? A qualitative study. *Association of Bone and Joint Surgeons, 480*(1), 263–272. <https://doi.org/10.1097/CORR.0000000000002031>
- Nozaka, K., Miyakoshi, N., Saito, H., Kijima, H., Chida, S., Tsuchie, H., & Shimada, Y. (2021). Effectiveness of Ilizarov external fixation in elderly patients with pilon fractures. *Journal of Orthopedic Science, 26*(2), 254–260. <https://doi.org/10.1016/j.jos.2020.02.018>
- Pillukat, T., Windolf, J., & van Schoonhoven, J. (2020). External fixator of the wrist—temporary fixation. *Operative Orthopedic and Traumatologic, 32*(5), 396–409. <https://doi.org/10.1007/s00064-020-00675-7>
- Platini, H., Chaidir, R., & Rahayu, U. (2020). Karakteristik pasien fraktur ekstermitas

- bawah. *Jurnal Keperawatan 'Aisyiyah*, 7(1), 49–53.  
<https://doi.org/10.33867/jka.v7i1.166>
- Prasetyo, B., & Rosa, E. M. (2014a). Integrasi konsep diri stuart sebagai dimensi efektor dalam model adaptasi roy pada pasien eksternal fiksasi eksternal. *Jurnal Keperawatan UNSRAT*, 1(3), 1–23.  
<http://www.springer.com/series/15440%0Apapers://ae99785b-2213-416d-aa7e-3a12880cc9b9/Paper/p18311>
- Prasetyo, B., & Rosa, E. M. (2014b). Pengembangan model adaptasi Roy pada konsep diri pasien dengan pemasangan fiksasi eksternal di RSO. Prof. R. Soeharso Surakarta. *Hospital Majapahit*, 6(2), 20–31.  
<https://ejournal.stikesmajapahit.ac.id/index.php/HM/article/view/97/89>
- Reavis, E. A., Kohler, P. J., Caplovitz, G. P., Wheatley, T. P., & Tse, P. U. (2013). Effects of attention on visual experience during monocular rivalry. *Vision Research*, 83, 76–81. <https://doi.org/10.1016/j.visres.2013.03.002>
- Rees, S., Tutton, E., Costa, M. L., Achten, J., & Bruce, J. (2019). Patient experience of long-term recovery after open fracture of the lower limb : A qualitative study using interviews in a community setting. *Journal of Orthopaedic Trauma*, 1(1), 1–7. <https://doi.org/10.1136/bmjopen-2019-031261>
- Ridwan, U., & Pattiiha, A. (2019). Karakteristik kasus fraktur ekstremitas bawah di rumah sakit umum daerah dr H Chasan Boesoirie Ternate. *Kieraha Medical Journal*, 1(1), 9–15.
- Rohman, U. (2019). Perubahan fisiologis tubuh selama immobilisasi dalam waktu lama. *Jurnal Ilmu Kesehatan*, 4(2), 367–378.
- Sagaran, V. C., Manjas, M., & Rasyid, R. (2017). Distribusi fraktur femur yang dirawat di Rumah Sakit M. Djamil Padang. *Jurnal Kesehatan Andalas*, 6(3), 586–589.
- Santy, J. (2016). Nursing the patient with an external fixator. *Orthopedic Nursing*, 14(31), 1–4. <https://doi.org/10.7748/ns2000.04.14.31.47.c2818>
- Saudi, A., Azahra, S., Kozin, M., & Setyadi, I. (2021). Kajian sistematis external fixation system external fixation system : A systematic review. *Jurnal Ilmu Kesehatan*, 2(2), 15–23.
- Sitio, R. (2010). Kualitas hidup klien yang mengalami fraktur ekstremitas bawah dengan pemasangan open reduction eksternal fixation (OREF). *Jurnal Keperawatan 'Aisyiyah*, 1(1), 51–58.
- Suarsedewi, D. W. (2017). Pin site care using chlorhexidine; case study report. *Jurnal Ilmiah Penelitian Kesehatan*, 2(1), 90–99.
- Swords, M. P., & Weatherford, B. (2020). High-energy pilon fractures: Role of external

fixation in acute and definitive treatment. what are the indications and technique for primary ankle arthrodesis? *Foot and Ankle Clinics*, 25(4), 523–536. <https://doi.org/10.1016/j.fcl.2020.08.005>

Umaroh, Z., & Rosa, M. R. (2016). Efektifitas psikoedukasi terhadap adaptasi pasien fraktur di RSUD Jombang. *Jurnal Ilmu Kesehatan*, 1(2), 74–80.

Wander, K. (2019). External fixators basic rules of external fixation. *Fracture Management for the Small Animal Practitioner*, 2(2), 235–243.

Wawrose, R. A., Grossman, L. S., Tagliaferro, M., Siska, P. A., Moloney, G. B., & Tarkin, I. S. (2020). Temporizing external fixation vs splinting following ankle fracture dislocation. *Foot and Ankle International*, 41(2), 177–182. <https://doi.org/10.1177/1071100719879431>

Yuliati, S. (2019). Gambaran kualitas hidup pada pasien open reduction external fixation (OREF) ekstremitas bawah di RS Ortopedi Prof.DR.R.Soeharso Surakarta. *Jurnal Keperawatan 'Aisyiyah*, 1(1), 1–12.

