

DAFTAR PUSTAKA

- Abdou HM. Dissolution, Bioavalability & Bioequivalence 1 Edition. London : Mack Publishing Company;1989.
- Ahuja, S. & Rasmussen, H., 2007. HPLC Method Development for Pharmaceuticals, Elsevier, Academic Press, 111-144.
- Ainurofiq, A., Mauludin, R., Mudhakar, D., & Soewandhi, S. (2018). Synthesis, characterization, and stability study of desloratadine multicomponent crystal formation. *Research in Pharmaceutical Sciences*, 13(2), 93–102.
- Alatas F, Ratih H, Hartiyana T, dan Farhan (2014). *Pengaruh Pembentukan Ko-Kristal Allopurinol dengan Asam Benzoat atau D-Asam Tartrat terhadap Kelarutan dan Laju Disolusinya*. SINJA: 89-95.
- Amidon GL, Lennernäs H, Shah VP and Crison JR. A. 1995. *Theoretical Basis for a Biopharmaceutic Drug Classification: The Correlation of in Vitro Drug Product Dissolution and in Vivo Bioavailability*. Vol. 12, *Pharmaceutical Research*. p. 413–20.
- ASEAN. 2013. ASEAN guideline on stability study of drug product. *20th ACCSQ-PPWG Meeting, Bali, Indonesia, May*, 1–40.
- Barikah, K. Z. 2018 “Traditional and Novel Methods for Cocrystal Formation: A Mini Review,” *Systematic Reviews in Pharmacy*, 9(1), hal. 79–82.
- Bazzo, G. C., Pezzini, B. R., & Stulzer, H. K. 2020. Eutectic mixtures as an approach to enhance solubility, dissolution rate and oral bioavailability of poorly water-soluble drugs. *International Journal of Pharmaceutics*, 588, 119741.
- Banakar UV. *Pharmaceutical Dissolution Testing, Bioavalability & Bioequivalence: Science, Aplications, and Beyond*. New York : John Wiley & Sons; 1991.
- Beyer A, Radi L, Grohganz H, Löbmann K, Rades T, Leopold CS. Preparation and recrystallization behavior of spray-dried co-amorphous naproxen-indomethacin. *Eur J Pharm Biopharm*. 2016;104:72-81.
- Bruni G, Berbenni V, Maggi L, Mustarelli P, Friuli V, Ferrara C, Pardi F, Castagna F, Girella A, Milanese C dan Marini A. 2018. *Multicomponent crystals of gliclazide and tromethamine: preparation, physico-chemical, and pharmaceutical characterization*. *Drug Development and Industrial Pharmacy*. 44(2): 243–250.

- Byrn SR, Zograf G, Chen X. Solid state properties of pharmaceutical materials. Hoboken: John Wiley & Sons Inc; 2017.
- Chadha, K., Karan, M., Chadha, R., Bhalla, Y., & Vasisht, K. (2017). Is Failure of Cocrystallization Actually a Failure? Eutectic Formation in Cocrystal Screening of Hesperetin. *Journal of Pharmaceutical Sciences*, 106(8), 2026–2036.
- Cheney ML, Weyna DR, Shan N, Hanna M, Wojtas L, Zawarotko MJ. 2010. *Supramolecular Architectures of Meloxicam Carboxylic Acid Cocrystals, a Crystal Engineering Case Study*. *Crystal Growth and Design Article African Journal of Pharmacy and Pharmacology* ;6(9): 581-891.;10(10):4401-4414.
- Cherukuvada, S., & Nangia, A. (2012). Fast dissolving eutectic compositions of two anti- tubercular drugs. *CrystEngComm*, 14(7), 2579–2588.
- Childs, S. L., Stahly, G. P., & Park, A. 2007. The salt-cocrystal continuum: The influence of crystal structure on ionization state. *Molecular Pharmaceutics*, 4(3), 323–338.
- Dachriyanus. 2004. Analisis Struktur Senyawa Organik Secara Spektroskopi. Lembaga Pengembangan Teknologi Informasi dan Komunikasi (LPTIK) Universitas Andalas.
- David A, Alexander TF. 2008. *Fast track: Physical Pharmacy*, 1st (edn.), London, Pharmaceutical Press p: 29.
- Davis, R. E., Lorimer, K. A., Wilkowski, M. A., & Rivers, J. H. (2004). Studies of Relationship in Cocrystal Systems. *ACA Transactions*, 39(2), 41-61.
- Dengale SJ, Grohganz H, Löbmann K, et al. Recent advances in co-amorphous drugformulations. *Advanced Drug Delivery Reviews*. 2016.
- Desiraju, G. R. 1991. Hydration in organic crystals: Prediction from molecular structure, *Journal of the Chemical Society, Chemical Communications*, (6), hal. 426–428. doi: 10.1039/C39910000426.
- Fakhreddin Jamali and Dion R. Brocks. 1990. Clinical pharmacokinetics of ketoprofen and its enantiomers, *Clinical. Pharmacokinetics*. 19 (3) 197–217.
- Fatimah, S R. Ragadhita, D. F. al Husaeni, and A. B. D. Nandiyanto, “How to calculate crystallite size from x-ray diffraction (XRD) using Scherrer method,” *ASEAN Journal of Science and Engineering*, vol. 2, no. 1, pp. 65–76, 2010.
- Florence, A. & Attwood, D., 2006. *Physicochemical Principles of Pharmacy* Fourth Edition. London: Pharmaceutical Press.
- Fucke, K., Myz S. A., Shakhtshneider, T. P., Boldyreva E. V., Griesser U. J. 2012.

How good are the crystallisation methods for cocrystals? A comparative study of piroxicam w,” *New J. Chem.*(36), pp. 1969-1977.

Gandjar, I.G., dan Rohman, A., 2013. Analisis Obat Secara Spektrofotometri dan Kromatografi. Yogyakarta : Pustaka Pelajar.

Guillory, J. K. 2003. “Handbook of Pharmaceutical Salts: Properties, Selection, and Use,” *Journal of Medicinal Chemistry*.

Guo, M., Sun, X., Chen, J., & Cai, T. 2021. Pharmaceutical cocrystals: A review of preparations, physicochemical properties and applications. *Acta Pharmaceutica Sinica B*, 11(8), 2537–2564. <https://doi.org/10.1016/j.apsb.2021.03.030>.

Hilaliyati, N., Ben, E. S., & Zaini, E. 2017. Peningkatan Laju Disolusi Ketoprofen Dengan Teknik Co-Grinding Menggunakan Polimer Hydroxypropyl Methylcellulose E6. *Jurnal Sains Farmasi & Klinis*, 3(2), 193. <https://doi.org/10.29208/jsfk.2017.3.2.120>.

ICH Q1A(R2). 2003. International Conference on Harmonization (ICH). Guidance for industry: Q1A(R2) Stability Testing Of New Drug Substances And Products. *Ich Harmonised Tripartite Guideline*, 4(February), 24.

Issa, Nizar. 2011. *Towards more Efficient Screening of Pharmaceutical Cocrystals*. London, United Kingdom: Department of Chemistry University College.

Jachowicz, R., Nürnberg, E., Pieszczyk, B., Kluczykowska, B., & Maciejewska, A. 2000. Solid dispersion of ketoprofen in pellets. *International Journal of Pharmaceutics*, 206(1–2), 13–21. [https://doi.org/10.1016/S0378-5173\(00\)00437-3](https://doi.org/10.1016/S0378-5173(00)00437-3).

Jeffrey GA, Saenger W. The role of hydrogen bonding in structure and function of the nucleic acids. *In: hydrogen bonding in biological structure*. 1996.

Jensen K, Löbmann T, Rades H, Grohganz. Improving co-amorphous drug formulations by the addition of the highly water soluble amino acid, proline. *Pharmaceutics*. 2014;6:416–435.

Jie Lu. 2012. Crystallization and transformation of pharmaceutical solid forms. *African Journal of Pharmacy and Pharmacology*, 6(9), 581–591. <https://doi.org/10.5897/ajpp12.044>.

Karagianni, A., Malamataris, M., & Kachrimanis, K. 2018. Pharmaceutical cocrystals: New solid phase modification approaches for the formulation of APIs. *Pharmaceutics*, 10(1), 1–30.

Kementerian Kesehatan Republik Indonesia. *Farmakope Indonesia Edisi ke V*. Jakarta, Indonesia: Departemen Kesehatan Republik Indonesia. 2014.

- Kementerian Kesehatan Republik Indonesia. *Farmakope Indonesia Edisi ke VI*. Jakarta, Indonesia: Departemen Kesehatan Republik Indonesia. 2020.
- Kumari. B and Harish.K.B, J. 2019. Solid Dispersion : Its Types And Mechanism Of Enhancement Of Solubility By Solid Dispersion. *Journal of Pharma Research*. 2019;(Maret). <https://doi.org/10.5281/zenodo.2594669>.
- Löbmann K, Strachan C, Grohganz H, Rades T, Korhonen O, Laitinen R. Co-amorphous simvastatin and glipizide combinations show improved physical stability without evidence of intermolecular interactions. *European Journal of Pharmaceutics and Biopharmaceutics*. 2012;81:159-169.
- Lu, J., & Rohani, S. 2009. Polymorphism and Crystallization of Active Pharmaceutical Ingredients (APIs). *Current Medicinal Chemistry*, 16(7), 884–905. <https://doi.org/10.2174/092986709787549299>.
- Martin, A., Sinko, P. dan Singh, Y., 2011. *Physical Pharmacy and Pharmaceutical Sciences*, 6th ed, Lippincott Williams & Wilkins, Philadelphia.
- Martin, A., Swarbrick, J., dan A. Cammarata. 1993. *Farmasi Fisik 2*. Edisi III. Jakarta: UI Press. Pp. 940-1010, 1162, 1163, 1170.
- Mura, P., Faucci, M. T., Maestrelli, F., Furlanetto, S., & Pinzauti, S. (2002). Characterization of physicochemical properties of naproxen systems with amorphous β -cyclodextrinepiclorohydrin polymers. *Journal of Pharmaceutical and Biomedical Analysis*, 29(6), 1015-1024.
- N. S. Soewandhi, *Kristalografi Farmasi I*, Sekolah Farmasi ITB, Bandung. (2005).
- Naveed S., Basheer S., Qamar F. 2016. Stability of a dosage form and forced degradation studies. *Journal of Bioequivalence and Bioavailability* 8(4): 191-193.
- Nugrahani, I., & Jessica, M. A. (2021). Amino acids as the potential co-former for co-crystal development: A review. *Molecules*, 26(11). <https://doi.org/10.3390/molecules26113279>.
- Panda dkk. 2013. Stability studies: an integral part of the drug development process. *International Journal of Pharmaceutical Research and Bioscience*, Volume 2(6): 69-80.
- Patil S, Sherikar A, Patil S, Patil A. Improvement of physicochemical characteristics and dissolution profile of poorly water soluble drug: ketoprofen by solid dispersion technique. 2010;(4):450–3.
- Patole, T., & Deshpande, A. 2014. Co-Crystallization-a Technique for Solubility Enhancement. *International Journal of Pharmaceutical Sciences and*

Research, 5(9), 3566. [https://doi.org/10.13040/IJPSR.0975-8232.5\(9\).3566-76](https://doi.org/10.13040/IJPSR.0975-8232.5(9).3566-76).

Permatasari D, Ramadhani S, Sopyan I, dan Muchtaridi. 2015. *Ko-kristal: Teknik Pembuatan Ko-kristal*. Farmaka;14(4): 98-115.

Raheem A.T, Juturu T., Nayak S., & Kamath S. 2020. Pharmaceutical Co-Crystallization: Regulatory Aspects, Design, Characterization and Applications. *Advanced Pharmaceutical Bulletin*, 10(2), 203-212. <https://doi.org/10.34172/apb.2020.024>.

Rodrigues, M. *et al.* 2018. "Pharmaceutical cocrystallization techniques. Advances and challenges," *International Journal of Pharmaceutics*. Elsevier, 547(1-2), hal. 404-420. doi: 10.1016/j.ijpharm.2018.06.024.

Rohman A. Validasi Penjaminan Mutu Metode Analisis Kimia. Yogyakarta: Gadjah Mada University Press; 2014.

Saafrida S-, Umar S, Lucida H. Pengembangan dan Validasi Metoda Disolusi Tabelt Salut Enterik Ketoprofen. *J Sains Farm Klin*. 2023;9(3):285. <https://doi.org/10.25077/jsfk.9.3.285-290.2022>.

Samaha, D., Shehayeb, R., & Kyriacos, S. (2009). Modeling and comparison of dissolution profiles of diltiazem modified-release formulations. *Dissolution Technologies*, 16(2), 41-46. <https://doi.org/10.14227/DT160209P41>.

Schmid, C.C. Muller-Goymann, and P.C. Schmidt, Interactions during Aqueous Film Coating of Ibuprofen with Aquacoat ECD, *Int. J. Pharm.*, 197(1-2): 35-39, (2000).

Sekiguchi, K., Obi, N., 1961. Studies on Absorption of Eutectic Mixture. I. A Comparison of the Behavior of Eutectic Mixture of Sulfathiazole and that of Ordinary Sulfathiazole in Man. *Chem. Pharm. Bull. (Tokyo)*. 9, 866-872. <https://doi.org/10.1248/cpb.9.866>.

Setyawan D, Paramita DP. 2019. Strategi Peningkatan Kelarutan Bahan Aktif Farmasi. Surabaya: Airlangga University Press.

Shargel L, Wu-Pong S, Yu A B C. 2012. *Biofarmasetika dan Farmakokinetika Terapan*, Terjemahan Budi Suprpti. Surabaya, Indonesia: Airlangga University Press.

Shinkai, Korenaga, Mizu dan Yamauchi. 2008. Intra-Articular Penetration of Ketoprofen and Analgesic Effects after Topical Patch Application in Rats. *Journal of Controlled Release*. Vol. 131: 107-112.

- Shohin, I.E., Kulinich, J.I., Ramenskaya, G.V., Abrahamsson, B., Kopp, S., Langguth, P., Polli, J.E., Shah, V.P., Groot, D.W., Barends, D.M. and Dressman, J.B. 2012. Biowaiver Monographs for Immediate-Release Solid Oral Dosage Form : Ketoprofen. J. Pharm. DOI: 10.1002/jps.23233.
- Silva, M. de A. P., & Ferri, F. A. 2017. Scanning electron microscopy. Elsevier Inc. https://doi.org/10.1007/978-981-13-0454-5_2.
- Singh S dkk. 2000. Stability testing during product development in jain nk pharmaceutical product development. *CBS Publisher and Distributors, India*, 272-293.
- Singh, et al. 2011. A review on solid dispersion. *International Journal Of Pharmacy & Life Sciences* vol 2(9).
- Sinko PJ dan Singh Y. *Martin's physical pharmacy and pharmaceutical sciences: Physical chemical and biopharmaceutical principles in the pharmaceutical sciences: Sixth edition*. USA: Lippincott William & William;2011.
- Song, Y.; Wang, L.Y.; Liu, F.; Li, Y.T.; Wu, Z.Y.; Yan, W. 2019. Simultaneously Enhancing the in vitro/in vivo Performances of Acetazolamide Using Proline as a Zwitterionic Coformer for Cocrystallization. *CrystEng Comm*, 21, 3064–3073.
- Stoler, E., & Warner, J. C. 2015. Non-Covalent derivatives: Cocrystals and eutectics. *Molecules*,20(8),1483314848.<https://doi.org/10.3390/molecules200814833>.
- Sukandar, E.Y., Andrajati, R., Sigit, J.I., Adnyana. K., Setiadi. A.P., dan Kusnandar. 2008. *Iso Farmakoterapi*. Jakarta: PT. ISFI Penerbitan.
- Sultan A, Ida N, Ismail I. Peningkatan Kadar Ketoprofen Terdisolusi melalui Pembentukan Dispersi Padat menggunakan Polivinil Alkohol (PVA). *J Farm Galen (Galenika J Pharmacy)*. 2019;5(1):43–8. <https://doi.org/10.22487/j24428744.2019.v5.i1.12096>
- Suresh, S., Padmanabhan, S., & Vijayan, M. 1996. DL-glutamine. *Acta Crystallographica Section C: Crystal Structure Communications*, 52(5), 1313–1316. <https://doi.org/10.1107/S0108270195013771>.
- Susanti M, Dachriyanus. *Kromatografi Cair Kinerja Tinggi*. Padang: LPTIK Universitas Andalas; 2017.
- Swarbrick, J. 2013. *Encyclopedia of Pharmaceutical Technology, Encyclopedia of Pharmaceutical Technology*. doi: 10.1201/b19309.

- Sweetman, S.C. 2009. Martindale: The Complete Drug Reference. Thirty-Sixth Edition. London: Pharmaceutical Press.
- Tangri P dkk. 2012. Who role and guidelines in stability study of pharmaceuticals: regulatory perspective. *International Journal of Research in Pharmaceutical and Biomedical Science*, 3(3).
- Thakuria, R., Delori, A., Jones, W., Lipert, M. P., Roy, L., & Rodríguez-Hornedo, N. 2013. Pharmaceutical cocrystals and poorly soluble drugs. *International Journal of Pharmaceutics*, 453 (1), 101–125. <https://doi.org/10.1016/j.ijpharm.2012.10.043>.
- Trask, A. V. *et al.* 2006. “Screening for crystalline salts via mechanochemistry,” *Chemical Communications*, (1), hal. 51–53. doi: 10.1039/B512626F.
- Triyana, R., Nurhabibah, N., & Sopyan, I. 2020. Artikel Review : Kokristal Ibuprofen dengan Berbagai Koformer, Virtual Screening Tools. *Majalah Farmasetika*, 6(1), 23. <https://doi.org/10.24198/mfarmasetika.v6i1.27570>.
- Umar S, Selfia M, Rieke Azhar D. Studi Kestabilan Fisika Dan Kimia Dispersi Padat Ketoprofen-Urea. *J Farm Higea*. 2014;6(2):162–73.
- Umar, S., Saafrida, S., & Lucida, H. 2021. Validasi Metoda Analisis Penetapan Kadar Ketoprofen pada Tabelt Salut Enterik secara Kromatografi Cair Kinerja Tinggi dan Spektrofotometri UV. *Jurnal Sains Farmasi & Klinis*, 8(2), 200. <https://doi.org/10.25077/jsfk.8.2.200-207.2021>.
- Umar, S., Saafrida, S., & Lucida, H. 2021. Validasi Metoda Analisis Penetapan Kadar Ketoprofen pada Tabelt Salut Enterik secara Kromatografi Cair Kinerja Tinggi dan Spektrofotometri UV. *Jurnal Sains Farmasi & Klinis*, 8(2), 200. <https://doi.org/10.25077/jsfk.8.2.200-207.2021>.
- Vaghela R, Kulkarni PK, Hani U, Varma VNSK, Raizaday A.. 2014. Enhancing Aqueous Solubility of Ketoprofen by Fusion Technique Using SuiTabel Co-formers. *Current Drug Therapy*; 9(3):199 – 207.
- Vimalson C. 2016. *Techniques to Enhance Solubility of Hydrophobic Drugs : An Overview*. *Asian J Pharm.*(2):1–5.
- Wicaksono, Y., Setyawan, D., & Siswandono, S. 2018. Multicomponent crystallization of ketoprofen-nicotinamide for improving the solubility and dissolution rate. *Chemistry Journal of Moldova*, 13(2), 74–81. <https://doi.org/10.19261/cjm.2018.493>.
- World Health Organization. 2018. Q1F Stability testing of active pharmaceutical ingredients and finished pharmaceutical products. *Annex. 10, 1010*, 309–

352.https://database.ich.org/sites/default/files/Q1F_Stability_Guideline_WH O_2018.pdf.

Wu, G. 2013. Discovery and Chemistry of Amino Acids. In *Amino Acids: Biochemistry and Nutrition*; CRC Press: Boca Raton, FL, USA; pp. 1–32.

Younis dkk. 2015. Stability testing in pharmacy: a review. *International Journal of Institutional Pharmacy and Life Sciences*, 5(1): 108-116.

Zaini, E., Fitriani, L., Sari, R. Y., Rosaini, H., Horikawa, A., & Uekusa, H. 2019. Multicomponent Crystal of Mefenamic Acid and N-Methyl-D-Glucamine: Crystal Structures and Dissolution Study. *Journal of Pharmaceutical Sciences*, 108(7), 2341–2348. <https://doi.org/10.1016/j.xphs.2019.02.003>

Zaini, E., Sumirtapura, Y. C., Soewandhi, S. N., & Halim, A. (2010). Identifikasi Interaksi Fisika Antara Trimetoprim dan Sulfametoksazol dengan Metode Kontak Kofler dan Reaksi Kristalisasi. *Majalah Farmasi Indonesia*, 21(1), 32-3.

Zaini, E., A. Halim, S.N. Soewandhi dan D. Setiawan. "Peningkatan Laju Pelarutan Trimetoprim Melalui Metode Ko-Kristalisasi Dengan Nikotinamida." *Jurnal Farmasi Indonesia*, vol. 5(4), pp. 205 -212, 2011.

Zaworotko, M "Crystal engineering of cocrystals and their relevance to pharmaceuticals and solid-state chemistry." *Acta Cryst*, Vol.A64, pp C11-C12,2008.