

DAFTAR PUSTAKA

1. Cui J, Li Z, Jin C, Jin Z. Knockdown of fibronectin extra domain B suppresses TGF- β 1-mediated cell proliferation and collagen deposition in keloid fibroblasts via AKT/ERK signaling pathway. *Biochem Biophys Res Commun* [Internet]. 2020;1–7. Available from: <https://doi.org/10.1016/j.bbrc.2020.04.021>
2. Ogawa R. Keloid and hypertrophic scars are the result of chronic inflammation in the reticular dermis. *Int J Mol Sci*. 2017;18(606):1–10.
3. Berman B, Maderal A, Raphael B. Keloids and hypertrophic scars: pathophysiology, classification, and treatment. *Dermatologic Surg*. 2017;43:3–18.
4. Progression S. The interplay of mechanical stress, strain, and stiffness at the keloid periphery correlates with increased caveolin-1/ROCK signaling and scar progression. *Am Soc Plast Surg*. 2019;144(1):58–67.
5. Huang C, Wu Z, Du Y, Ogawa R. The epidemiology of keloids. In: L. T, T.A. M, E. M, G.G. G, editors. *Textbook on scar management*. Springer, Cham; 2020. p. 29–35.
6. Limandjaja GC, Niessen FB, Scheper RJ, Gibbs S. The keloid disorder: heterogeneity, histopathology, mechanisms and models. *Front Cell Dev Biol*. 2020;8(360):1–26.
7. Article O. Demographic and clinical characteristics of keloids in an urban center in sub-sahara africa. *Niger J Clin Pract*. 2019;22(8):1049–54.
8. Okoh PD, Amachree EWA, Paul JN. Prevalence of keloid among female students with multiple ears piercing in the university of port harcourt, nigeria. *Sch Acad J Biosci*. 2020;8(4):88–91.
9. Gong Z hua, Ji J feng, Yang J, Xiang T, Zhou C kai. Association of plasminogen activator inhibitor-1 and vitamin D receptor expression with the risk of keloid disease in a chinese population. *Kaohsiung J Med Sci* [Internet]. 2016;1–6. Available from: <http://dx.doi.org/10.1016/j.kjms.2016.10.013>
10. Wardani FA, Perdanakusuma DS, Indramaya DM. Profile of working-age patients with keloid and hypertrophic scar at dr. soetomo general hospital surabaya in 2014-2017. *J Ilm Mhs Univ Airlangga*. 2021;12(02):77–83.
11. Birawati S, Asri E. Keloids Profile in the Dermatovenerology Clinic of RSUP Dr. M. Djamil Padang Indonesia from January 2014 to December 2018. *Int J PharmTech Res* [Internet]. 2020;13(4):383–7. Available from: [http://www.sphinxesai.com/2020/ph_vol13_no4/2/\(383-387\)V13N4PT.pdf](http://www.sphinxesai.com/2020/ph_vol13_no4/2/(383-387)V13N4PT.pdf)
12. Hamzan MI, Jeffrey MJ, Halim AS. Rare penile keloid after circumcision: case report and literature review. *SANAMED*. 2020;15(2):177–81.
13. Kouotou EA, Nansseu JR, Guissana EO, Reine C, Menye M, Akpadjan F, et al. Epidemiology and clinical features of keloids in black africans: a nested case– control study from yaounde, cameroon. *Int J Dermatol*. 2019;1–6.
14. Mbbs AIM, Mbchb SAA, Olawoye OA, Iyun AO, Wasii M, Mbbs A, et al. Pediatric keloids: a 6-year retrospective review. *Pediatr Dermatol* [Internet]. 2017;00:1–4. Available from: <https://doi.org/10.1111/pde.13302>
15. Noishiki C, Hayasaka Y, Ogawa R. Sex differences in keloidogenesis: an

- analysis of 1659 keloid patients in japan. *Dermatol Ther (Heidelb)* [Internet]. 2019;9:747–54. Available from: <https://doi.org/10.1007/s13555-019-00327-0>
16. Hassan HS. Quality of life of patients with keloid at the regional dermatology training centre, northern tanzania. *Dermatological Rev* [Internet]. 2020;1–4. Available from: <https://doi.org/10.1002/der2.37>
 17. Bacci S. Cellular mechanisms and therapies in wound healing: looking toward the future. *Biomedicines* [Internet]. 2021;9(1611):1–4. Available from: <https://doi.org/10.3390/biomedicines9111611>
 18. Kassi K, Kouame K, Kouassi A, Allou A, Kourouma S, Ecra E. Quality of life in black African patients with keloid scars. *Dermatology Reports*. 2020;12:28–31.
 19. Bimbi C, Brzeziński P. Combined treatment of keloids and scars with Nd:YAG 1064 nm laser and cryotherapy: report of clinical cases. *Our Dermatol Online*. 2020;11(2):149–53.
 20. Zhang X, Lin L, Huang H, Linhardt RJ. Chemoenzymatic Synthesis of Glycosaminoglycans. *Acc Chem Res* [Internet]. 2020 Feb 18;53(2):335–46. Available from: <https://pubs.acs.org/doi/10.1021/acs.accounts.9b00420>
 21. Misevic G. ABO blood group system. *Asia-Pacific J Blood Types Genes*. 2018;2(2):71–84.
 22. Nangole F, Ouyang K, Agak G, Ogeng'o J, Omu A. Blood group and human leucocyte antigen sub-type as determinants to keloid formation and recurrence in keloid patients; a prospective longitudinal cohort study. *J Res Sq* [Internet]. 2021;1–10. Available from: <https://doi.org/10.21203/rs.3.rs-421812/v1>
 23. Limandjaja GC, Van Den Broek LJ, Breetveld M, Waaijman T, Monstrey S, De Boer EM, et al. Characterization of in vitro reconstructed human normotrophic, hypertrophic, and keloid scar models. *Tissue Eng - Part C Methods*. 2018;24(4):1–41.
 24. Butzelaar L, Niessen FB, Talhout W, Schooneman DPM, Ulrich MM, Beelen RHJ, et al. Different properties of skin of different body sites: the root of keloid formation? *Wound Repair Regen*. 2017;25(5):758–66.
 25. Grabowski G, Pacana MJ, Chen E. Keloid and hypertrophic scar formation, prevention, and management: standard review of abnormal scarring in orthopaedic surgery. *J Am Acad Orthop Surg*. 2020;28(10):e408–14.
 26. Vannala V, Mahabob N, Radhakrishnan S, Anbulselvan S. A case of keloid. *J Pharm Bioallied Sci*. 2021;13(Suppl 1):S871–4.
 27. Wen P, Wang T, Zhou Y, Yu Y, Wu C. A retrospective study of hypofractionated radiotherapy for keloids in 100 cases. *Sci Rep* [Internet]. 2021;11(1):1–8. Available from: <https://doi.org/10.1038/s41598-021-83255-4>
 28. Noishiki C, Takagi G, Kubota Y, Ogawa R. Endothelial dysfunction may promote keloid growth. *Wound Repair Regen*. 2017;25(6):976–83.
 29. Cekarani O. Profil keloid pada pasien rsup dr. m. djamil padang tahun 2016-2020. *Fak Kedokt Univ Andalas*. 2021;1–88.
 30. Kechichian E, Ezzedine K. Vitamin D and the skin: an update for dermatologists. *Am J Clin Dermatol*. 2017;19(2):223–36.
 31. Datta P, Philipsen A, Andersen JD, Morling N, Christian H. Pigment genes

- not skin pigmentation affect UVB-induced vitamin D. *Photochem Photobiol Sci.* 2019;18:448–58.
32. Ames BN, Grant WB, Willett WC. Does the high prevalence of vitamin d deficiency in african americans contribute to health disparities? *Nutrients.* 2021;13(2):1–24.
 33. Ungvari Z, Tarantini S, Kiss T, Wren JD, Giles CB, Griffin CT, et al. Endothelial dysfunction and angiogenesis impairment in the ageing vasculature. *Nat Rev Cardiol [Internet].* 2018;15(9):555–65. Available from: <http://dx.doi.org/10.1038/s41569-018-0030-z>
 34. Bolandparvaz S, Yadollahi M, Abbasi HR, Anvar M. Injury patterns among various age and gender groups of trauma patients in southern iran: a cross-sectional study. *Medicine (Baltimore).* 2017;96(41):1–7.
 35. Ibrahim NE, Shaharan S, Dheansa B. Adverse Effects of Pregnancy on Keloids and Hypertrophic Scars. *Cureus [Internet].* 2020 Dec 18;12(12):1–9. Available from: <https://www.cureus.com/articles/46357-adverse-effects-of-pregnancy-on-keloids-and-hypertrophic-scars>
 36. Glass DA. Current understanding of the genetic causes of keloid formation. *J Investig Dermatology Symp Proc [Internet].* 2017;18(2):S50–3. Available from: <https://doi.org/10.1016/j.jisp.2016.10.024>
 37. Maemoto H, Iraha S, Arashiro K, Ishigami K, Ganaha F, Murayama S. Risk factors of recurrence after postoperative electron beam radiation therapy for keloid: comparison of long-term local control rate. *Reports Pract Oncol Radiother [Internet].* 2020;25(4):606–11. Available from: <https://doi.org/10.1016/j.rpor.2020.05.001>
 38. Qin G, Sun Y, Guo Y, Song Y. PAX5 activates telomerase activity and proliferation in keloid fibroblasts by transcriptional regulation of SND1, thus promoting keloid growth in burn-injured skin. *Inflamm Res [Internet].* 2021;70(4):459–72. Available from: <https://doi.org/10.1007/s00011-021-01444-3>
 39. Shaheen AA. Risk factors of keloids: a mini review. *Austin J Dermatology.* 2017;4(2):1–6.
 40. Eyerich S, Eyerich K, Traidl-Hoffmann C, Biedermann T. Cutaneous barriers and skin immunity: differentiating a connected network. *Trends Immunol.* 2018;39(4):315–27.
 41. Horman T, Bordoni B. Wound classification. *StatPearls: StatPearls Publishing, Treasure Island; 2021.*
 42. Rodrigues M, Kosaric N, Bonham CA, Gurtner GC. Wound healing: a cellular perspective. *Physiol Rev.* 2019;99(1):665–707.
 43. Short WD, Wang X, Keswani SG. The role of T lymphocytes in cutaneous scarring. *Adv Wound Care [Internet].* 2022 Mar 1;11(3):121–31. Available from: <https://www.liebertpub.com/doi/10.1089/wound.2021.0059>
 44. Zhang MZ, Dong XH, Guan EL, Si L Bin, Zhuge RQ, Zhao PX, et al. A comparison of apoptosis levels in keloid tissue, physiological scars and normal skin. *Am J Transl Res.* 2017;9(12):5548–57.
 45. Singh S, Young A, McNaught CE. The physiology of wound healing. *Surg (United Kingdom) [Internet].* 2017;35(9):473–7. Available from: <http://dx.doi.org/10.1016/j.mpsur.2017.06.004>
 46. Ley K. M1 means kill; M2 means heal. *J Immunol.* 2017;199(7):2191–3.

47. Nangole FW, Agak GW. Keloid pathophysiology: fibroblast or inflammatory disorders? *JPRAS Open* [Internet]. 2019;22:44–54. Available from: <https://doi.org/10.1016/j.jpra.2019.09.004>
48. Nangole FW, Ouyang K, Anzala O, Ogengo J, Agak GW. Multiple cytokines elevated in patients with keloids: Is it an indication of auto-inflammatory disease? *J Inflamm Res*. 2021;14:2465–70.
49. Xu X, Gu S, Huang X, Ren J, Gu Y, Wei C, et al. The role of macrophages in the formation of hypertrophic scars and keloids. *Burn Trauma*. 2020;8:1–8.
50. Jiao H, Zhang T, Fan J, Xiao R. The superficial dermis may initiate keloid formation: histological analysis of the keloid dermis at different depths. *Front Physiol*. 2017;8:1–9.
51. Ghazawi FM, Zargham R, Gilardino MS, Sasseville D, Jafarian F. Insights into the pathophysiology of hypertrophic scars and keloids: how do they differ? *Adv Skin Wound Care* [Internet]. 2018 Jan;31(1):582–95. Available from: <https://journals.lww.com/00129334-201801000-00002>
52. Ghazavi A, Ganji A, Keshavarzian N, Rabiemajd S, Mosayebi G. Cytokine profile and disease severity in patients with COVID-19. *Cytokine* [Internet]. 2021;137:1–5. Available from: <https://doi.org/10.1016/j.cyto.2020.155323>
53. Ali MM, Karanja FW, Nang'ole FW, Opot EON, Mulehane KO, Mbithi DZ. Determination of the prevalence, clinical characteristics and histopathological features of keloids in patients managed at the Kenyatta National Hospital. *East Afr Med J*. 2019;96(1).
54. Kubo M. Mast cells and basophils in allergic inflammation. *Curr Opin Immunol* [Internet]. 2018;54:74–9. Available from: <https://doi.org/10.1016/j.coi.2018.06.006>
55. Lu YY, Lu CC, Yu WW, Zhang L, Wang QR, Zhang CL, et al. Keloid risk in patients with atopic dermatitis: A nationwide retrospective cohort study in Taiwan. *BMJ Open*. 2018;8(7):1–9.
56. Pang C, Ibrahim A, Bulstrode NW, Ferretti P. An overview of the therapeutic potential of regenerative medicine in cutaneous wound healing. *Int Wound J*. 2017;14(3):1–10.
57. Franklin N. Keloid: multicentre study on the outcome of multimodality management. *Univ Sains Malaysia*. 2020;1–43.
58. Robin J, Hanke C, Siegel D, Fratila A. Keloid. In: Berman B, Amini S, Baldwin H, editors. *Surgery of the skin: Procedural dermatology*. 3rd ed. Philadelphia: Saunders Elsevier; 2015. p. 673–87.
59. Ogawa R, Akita S, Akaishi S, Aramaki-Hattori N, Dohi T, Hayashi T, et al. Diagnosis and treatment of keloids and hypertrophic scars—japan scar workshop consensus document 2018. *Burn Trauma*. 2019;7(39):1–40.
60. Cipto H, Suriadiredja ASD. Tumor Kulit. In: Menaldi SLS, Bramono K, Indriatmi W, editors. *Ilmu Penyakit Kulit dan Kelamin*. 7th ed. Jakarta: Universitas Indonesia Publishing; 2021. p. 262–8.
61. Myers DJ, Fillman EP. Dermatofibroma [Internet]. *StatPearls*. StatPearls Publishing, Treasure Island; 2021. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/29262213>
62. Boahene K, Brissett AE, Jones LR. Facial plastic surgery controversies. *Facial Plast Surg Clin North Am* [Internet]. 2018 May;26(2):105–12.

- Available from:
<https://linkinghub.elsevier.com/retrieve/pii/S106474061730144X>
63. Kim SW. Management of keloid scars: noninvasive and invasive treatments. *Arch Plast Surg* [Internet]. 2021 Mar 7;48(02):149–57. Available from: <http://www.thieme-connect.de/DOI/DOI?10.5999/aps.2020.01914>
 64. Barbieri JS, Gelfand JM. Evaluation of the Dermatology Life Quality Index scoring modification, the DLQI-R score, in two independent populations. *Br J Dermatol* [Internet]. 2019 Apr 19;180(4):939–40. Available from: <https://onlinelibrary.wiley.com/doi/10.1111/bjd.17419>
 65. Dewi D. Modul uji validitas dan realibilitas. Semarang: Statistika Terapan; 2018. p. 1–14.
 66. Oei F, Putra IB, Jusuf NK. The relationship between skin color and keloid. *Bali Med J*. 2021;10(2):835–8.
 67. Kim Y suk, Kim T hee, Park E, Fadiel A, Naftolin F. Ezrin expression and activation in hypertrophic and keloid scar. *Gynecol Reprod Endocrinol Metab*. 2020;1(1):29–36.
 68. Mauvais-Jarvis F, Lange CA, Levin ER. Membrane-Initiated Estrogen, Androgen, and Progesterone Receptor Signaling in Health and Disease. *Endocr Rev* [Internet]. 2022 Jul 13;43(4):720–42. Available from: <https://academic.oup.com/edrv/article/43/4/720/6428770>
 69. El-Said Ayad S, Shaker ES, Sarhan NI, Abd rabo FAEG. Efficacy and Safety of Triamcinolone Injection in Keloid. *J Adv Med Med Res* [Internet]. 2022 Mar 8;34(3):69–75. Available from: <https://journaljammr.com/index.php/JAMMR/article/view/4390>
 70. Choirunanda AF, Praharsini I. Profil Gangguan Kualitas Hidup Akibat Keloid Pada Mahasiswa Fakultas Kedokteran Universitas Udayana Angkatan 2012 - 2014. *J Med Udayana*. 2019;8(8):1–5.
 71. Bose S, Li S, Mele E, Silberschmidt V V. Dry vs. wet: Properties and performance of collagen films. Part I. Mechanical behaviour and strain-rate effect. *J Mech Behav Biomed Mater* [Internet]. 2020 Nov;111(May):103983. Available from: <https://doi.org/10.1016/j.jmbbm.2020.103983>
 72. Farrukh O, Goutos I. Scar Symptoms: Pruritus and Pain. In: *Textbook on Scar Management* [Internet]. Cham: Springer International Publishing; 2020. p. 87–101. Available from: http://link.springer.com/10.1007/978-3-030-44766-3_10
 73. Hawash AA, Ingrasci G, Nouri K, Yosipovitch G. Pruritus in Keloid Scars: Mechanisms and Treatments. *Acta Derm Venereol* [Internet]. 2021 Oct 28;101(10):adv00582. Available from: <https://medicaljournalssweden.se/actadv/article/view/578>
 74. Hong Y kai, Wu C han, Lin Y chen, Huang Y lun, Hung K shu, Pai T pin, et al. ASC-J9 Blocks Cell Proliferation and Extracellular Matrix Production of Keloid Fibroblasts through Inhibiting STAT3 Signaling. *Int J Mol Sci* [Internet]. 2022 May 16;23(10):5549. Available from: <https://www.mdpi.com/1422-0067/23/10/5549>
 75. Huang C, Ogawa R. Keloidal pathophysiology: Current notions. *Scars, Burn Heal* [Internet]. 2021 Jan 31;7:205951312098032. Available from: <http://journals.sagepub.com/doi/10.1177/2059513120980320>
 76. Damanik VI, Putra IB, Ginting O. Correlation between Serum 25-

- Hydroxyvitamin D Levels with Keloid Severity. *Open Access Maced J Med Sci* [Internet]. 2019 Jan 12;7(1):65–7. Available from: <https://spiroski.migration.publicknowledgeproject.org/index.php/mjms/article/view/oamjms.2019.022>
77. Shan M, Liu H, Hao Y, Meng T, Feng C, Song K, et al. IL-4 and CCR7 play an important role in the development of keloids in patients with a family history. *Am J Transl Res* [Internet]. 2022;14(5):3381–94. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/35702126>
 78. Liu S, Yang H, Song J, Zhang Y, Abualhssain ATH, Yang B. Keloid: Genetic susceptibility and contributions of genetics and epigenetics to its pathogenesis. *Exp Dermatol* [Internet]. 2022 Nov 11;31(11):1665–75. Available from: <https://onlinelibrary.wiley.com/doi/10.1111/exd.14671>
 79. Pratiwi KD, Perdanakusuma D. Hubungan Antara Golongan Darah Dengan Timbulnya Keloid Pascaluka. *J Rekonstruksi dan Estet*. 2015;05:1–8.
 80. Fuadi S. Kejadian Keloid Menurut Golongan Darah pada Pasien Pasca Luka di RSUP H.Adam Malik Medan. *Repos Institusi Univ Sumatera Utara*. 2015;1–60.
 81. Campiglio G, Klinger F, Caviggioli F, Maione L, Battistini A, Vinci V, et al. Post-burn and Keloid Scar Treatment with Adipose-Derived Stem Cells (ADSC). In: *Plastic and Aesthetic Regenerative Surgery and Fat Grafting* [Internet]. Cham: Springer International Publishing; 2022. p. 367–76. Available from: https://link.springer.com/10.1007/978-3-030-77455-4_28
 82. Lyons AB, Peacock A, Braunberger TL, Viola K V, Ozog DM. Disease Severity and Quality of Life Outcome Measurements in Patients With Keloids : A Systematic Review. 2019;1477–83.
 83. Sitaniya S, Subramani D, Jadhav A, Sharma YK, Deora MS, Gupta A. Quality-of-life of people with keloids and its correlation with clinical severity and demographic profiles. *Wound Repair Regen* [Internet]. 2022 May 15;30(3):409–16. Available from: <https://onlinelibrary.wiley.com/doi/10.1111/wrr.13015>
 84. Berman B, Nestor MS, Gold MH, Goldberg DJ, Weiss ET, Raymond I. A Retrospective Registry Study Evaluating the Long-Term Efficacy and Safety of Superficial Radiation Therapy Following Excision of Keloid Scars. *J Clin Aesthet Dermatol* [Internet]. 2020 Oct;13(10):12–6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/33584951>
 85. Jannah AR, Listyawan MY, Perdanakusuma DS. Epidemiologi Keloid di RSUD. Dr. Soetomo Surabaya Periode 2017-2018. *J Kesehat Soetomo*. 2021;8(2):79–84.
 86. Khalid FA, Mehrose MY, Saleem M, Yousaf MA, Mujahid AM, Rehman SU, et al. Comparison of efficacy and safety of intralesional triamcinolone and combination of triamcinolone with 5-fluorouracil in the treatment of keloids and hypertrophic scars: Randomised control trial. *Burns* [Internet]. 2019 Feb;45(1):69–75. Available from: <https://linkinghub.elsevier.com/retrieve/pii/S0305417918306983>
 87. Kim SW. Management Of Keloid Scars: Noninvasive And Invasive Treatments. *Arch Plast Surg* [Internet]. 2021 Mar 7;48(02):149–57. Available from: <http://www.thieme-connect.de/DOI/DOI?10.5999/aps.2020.01914>

88. Siotos C, Uzosike AC, Hong H, Seal SM, Rosson GD, Cooney CM, et al. Keloid Excision and Adjuvant Treatments. *Ann Plast Surg* [Internet]. 2019 Aug;83(2):154–62. Available from: <http://journals.lww.com/0000637-201908000-00007>
89. Anaba E, Cole-adeife O. Keloid Disease: Prospective Cross-Sectional study Of Clinicoepidemiological And Health Related Quality Of Life At A Tertiary Center. *Ann Clin Sci*. 2023;8(1):20–7.
90. Lu W, Chu H, Zheng X. Effects On Quality Of Life And Psychosocial Wellbeing In Chinese Patients With Keloids. *Am J Transl Res* [Internet]. 2021;13(3):1636–42. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/33841685>

