

DAFTAR PUSTAKA

- Abadi, M. T., & Abral, A. (2020). Pathogenesis of Dental Caries in Stunting. *Jurnal Kesehatan Gigi*. Vol 7 No 1: 1–4. doi: 10.31983/jkg.v7i1.5383
- Abdat, M., Usman, S., & Suhaila, H. (2020). Relationship between stunting with dental and oral status in toddlers. *J Dentomaxillofac Sci*. Vol 5 No 2: 114–119. doi: 10.15562/jdmfs.v5i2.1064
- Achmad, H., Ramadany, S., Fajriani, *et al.* (2020). A Review of Stunting Growth in Children: Relationship to the Incidence of Dental Caries and its Handling in Children. *Sys Rev Pharm*. Vol 11 No 06: 230–235. doi: 10.31838/srp.2020.6.36
- Adani, F. Y., & Nindya, T. S. (2017). Perbedaan Asupan Energi, Protein, Zink, dan Perkembangan pada Balita Stunting dan non Stunting. *Amerta Nutr*. 46–51. doi: 10.20473/amnt.v1.i2.2017.46-51
- Anindita, P. (2012). Hubungan Tingkat Pendidikan Ibu, Pendapatan Keluarga, kecukupaj protein & Zinc dengan Stunting (Pendek) pada Balita Usia 6-35 Bulan di Kecamatan Tembalang Kota Semarang. *JKM FKM UNDIP*. Vol 1 No 2: 617–626.
- Aridiyah, F. O., Rohmawati, N., & Ririanty, M. (2015). Faktor-faktor yang Mempengaruhi Kejadian Stunting pada Anak Balita di Wilayah Pedesaan dan Perkotaan (The Factors Affecting Stunting on Toddlers in Rural and Urban Areas). *JPK*. Vol 3 No 1: 163–170.
- Ayuningtyas, A., Simbolon, D., & Rizal, A. (2018). Asupan Zat Gizi Makro dan Mikro terhadap Kejadian Stunting pada Balita. *Jurnal Kesehatan*. Vol 9 No 3: 444-449. doi: 10.26630/jk.v9i3.960
- Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI. (2018). Riset kesehatan dasar (Riskesdas). Jakarta: Balitbang Kemenkes RI
- Benn, A. M., & Thomson, W. M. (2014). Saliva : an overview Report Saliva : An Overview. *New Zeal Dent J*.
- Billig, E. M. W., Meara, W. P. O., Riley, E. M., *et al.* (2012). Developmental allometry and paediatric malaria. *Malar J*. Vol 11 No 64: 1–13. doi: 10.1186/1475-2875-11-64
- Bourke, C. D., Berkley, J. A., & Prendergast, A. J. (2016). Immune Dysfunction as a Cause and Consequence of Malnutrition. *Trends Immunol*. Vol 37 No 6: 386–398. doi: 10.1016/j.it.2016.04.003
- Budiastutik, I., & Rahfiludin, M. Z. (2019). Faktor Risiko Stunting pada anak di Negara Berkembang. *Amerta Nutr*. 122–126. doi:

10.2473/amnt.v3i3.2019.122-129

- Buenger, D. E. (2015). *Vitamin A is essential for proper embryonic submandibular salivary gland growth*. [University of Louisville]. doi: 10.18297/etd/2158
- Cruz, J. C., Scott, J., Rothe, M., & et al. (2013). Salivary characteristics and dental caries: Evidence from general dental practices. *J Am Dent Assoc*. Vol 144 No 5: 1–15.
- Cruz, L. M. G., Azpeitia, G. G., Suárez, D. R., *et al.* (2017). Factors Associated with Stunting among Children Aged 0 to 59 Months from the Central Region of Mozambique. *Nutrients MDPI*. Vol 9 No 5: 1-16. doi: 10.3390/nu9050491
- da Fonseca, M. A. (2017). Malnutrition and Oral Health in Children. *Curr Oral Health Rep*. Vol 4 No 2: 92–96. doi: 10.1007/s40496-017-0130-6
- de Onis, M., & Branca, F. (2016). Childhood stunting: A global perspective. *Maternal & Child Nutrition*. Vol 12 Suppl. 1: 12–26. doi: 10.1111/mcn.12231
- de Onis, M., Dewey, K. G., Borghi, E., *et al.* (2013). The world health organization's global target for reducing childhood stunting by 2025: Rationale and proposed actions. *Maternal & Child Nutrition*. Vol 9 Suppl. 2: 6–26. doi: 10.1111/mcn.12075
- de Paula, F., Teshima, T. H. N., Hsieh, *et al.* (2017). Overview of Human Salivary Glands: Highlights of Morphology and Developing Processes. *The Anat Rec*. Vol 300 No 7: 1180–1188. doi: 10.1002/ar.23569
- Denucci, G., Mantilla, T., Amaral, F., *et al.* (2018). Saliva with reduced calcium and phosphorous concentrations: Effect on erosion dental lesions. *Oral Diseases*. Vol 24 No. 6: 957–963. doi: 10.1111/odi.12843
- Dewey, K. G., & Begum, K. (2011). Long-term consequences of stunting in early life. *Maternal & Child Nutrition*. Vol 7 Suppl. 3: 5–18. doi: 10.1111/j.1740-8709.2011.00349.x
- Dimaisip-Nabuab, J., Duijster, D., Benzian, H., *et al.* (2018). Nutritional status, dental caries and tooth eruption in children: A longitudinal study in Cambodia, Indonesia and Lao PDR. *BMC Pediatrics*. Vol 18: 1–11. doi: 10.1186/s12887-018-1277-6
- El-Nozahy, A. A., & Smail, M. I. A. (2013). The Response of Rat Submandibular Salivary Gland to Plant Protein Diet : Biological and Histochemical Study. *Int. J. Health Sci*. Vol 7 No 3: 309–315. doi: 10.12816/0006059
- Ermawati, Fitria, H., & Sarah, E. Y. (2020). THE ASSOCIATION BETWEEN MACRONUTRIENT INTAKE WITH STUNTING INCIDENCE IN CHILDREN AGED 24-59 MONTHS IN IKUR KOTO PRIMARY HEALTH CENTER OF PADANG 2019. In Yulizawati (Ed.), *1st Annual Conference of Midwifery* (pp. 91–100). Sciendo. doi: 10.2478/9788366675087-012

- Fajrin, F. N., Agus, Z., & Kasuma, N. (2015). Hubungan Body Mass Index dengan Laju Aliran Saliva (Studi pada Mahasiswa Fakultas Kedokteran Gigi Universitas Andalas). *Maj Ked Gi Ind.* Vol 20 No 2: 156-162. doi: 10.22146/majkedgiind.9230
- Fatimah, N. S. H., & Wirjatmadi, B. (2018). TINGKAT KECUKUPAN VITAMIN A, SENG DAN ZAT BESI SERTA FREKUENSI INFEKSI PADA BALITA STUNTING DAN NON STUNTING. *MGI.* Vol 13 No 2: 168–175. doi: 10.20473/mgi.v13i2.168-175
- Folayan, M. O., El Tantawi, M., Schroth, R. J., & et al. (2020). Associations between early childhood caries, malnutrition and anemia: a global perspective. *BMC Nutrition.* Vol 6 No 16: 1-8. doi: 10.1186/s40795-020-00340-z
- Fonteles, C. S. R., dos Santos, C. F., da Silva Alves, K., & et al. (2012). Comparative proteomic analysis of human whole saliva of children with protein–energy undernutrition. *Nutrition.* Vol 28 No 7–8: 744–748. doi: 10.1016/j.nut.2011.10.005
- Forcella, L., Filippi, C., Waltimo, T., et al. (2018). Measurement of unstimulated salivary flow rate in healthy children aged 6 to 15 years. *Swiss Dent J.* Vol 128 No 12: 962–967.
- Ghosh, S., Suri, D., & Uauy, R. (2012). Assessment of protein adequacy in developing countries: quality matters. *Br J Nutr.* Vol 108 Suppl. 2: S77–S87. doi: 10.1017/S0007114512002577
- Gondivkar, S. M., Gadbail, A. R., & Gondivkar, R. S. (2018). Nutrition and oral health. *Disease-a-Month.* Vol 65 No 6: 147–154. doi: 10.1016/j.disamonth.2018.09.009
- Guan, G., & Mei, L. (2018). A Case Series: Zinc Deficiency as a Potential Contributor to Oral Dysgeusia. *Mod App Dent Oral Health.* Vol 2 No 5: 200–205. doi: 10.32474/madohc.2018.02.000146
- Hasan, Z. S., & Diab, B. S. (2010). The effect of nutritional status on dental caries in relation to salivary flow rate, pH, inorganic phosphorus, calcium, copper and lead among five years old kindergarten children. In *J Bagh College Dentistry.* Vol 22 No 3: 119-122.
- Hashem, D., El-Bayoumy, S., Fahmy, W., et al. (2016). Effect of Childhood Malnutrition on Salivary Flow and pH. *ADJ-for Girls.* Vol 3 No 2: 141–145. doi: 10.21608/adjg.2016.5080
- Holmberg, K. V., & Hoffman, M. P. (2014). Anatomy, Biogenesis and Regeneration of Salivary Glands. *IMonogr Oral Sci.* Vol. 24: 1–13. doi: 10.1159/000358776
- Johansson, I., Saellstrom, A. ., Rajan, B. ., & Parameswaeen, A. (1992). Salivary Flow and Dental Caries in Indian Children Suffering from Chronic Malnutrition. *Basic Sciences,* Vol 26: 38–43.

- Kasuma, N. (2015). Fisiologi dan Patologi Saliva. In *Andalas University Press*.
<http://repo.unand.ac.id/3650/1/01.Buku-Fisiologi-dan-Patologi-Saliva.pdf>
- Kemendes RI. (2018). Situasi Balita Pendek (Stunting) di Indonesia. *Buletin Jendela Data dan Informasi Kesehatan*.
- Kemendes RI. (2020). Studi Status Gizi Balita Terintegrasi SUSENAS 2019. *Kementerian Kesehatan RI*.
[https://www.kemkes.go.id/resources/download/info-terkini/Rakerkesnas-2020/02-Side-event/SE_08/Studi Status Gizi Balita Terintegrasi SUSENAS 2019 \(Kapus Litbang UKM\).pdf](https://www.kemkes.go.id/resources/download/info-terkini/Rakerkesnas-2020/02-Side-event/SE_08/Studi%20Status%20Gizi%20Balita%20Terintegrasi%20SUSENAS%202019%20(Kapus%20Litbang%20UKM).pdf)
- Kumar, B., Kashyap, N., Avinash, A., & et al. (2017). The composition , function and role of saliva in maintaining oral health : A review. *Int J Contemp Dent Med Rev*. 2017: 1–6. doi: 10.15713/ins.ijcdmr.121
- Kurniawan, W., Rumende, C. M., & Harimurti, K. (2017). Hipoalbuminemia pada Pasien Usia Lanjut dengan Pneumonia Komunitas: Prevalensi dan Pengaruhnya Terhadap Kesintasan. *Jurnal Penyakit Dalam Indonesia*, Vol 1 No 2: 79-88. doi: 10.7454/jpdi.v1i2.48
- Lasisi, T. J., & Alada, A. R. A. (2015). Effects of induced-kwashiorkor on salivary parameters in Wistar rats. *Afr. J. Med. Med. Sci*. Vol 44 No 2: 125–132.
- Lasisi, Taye Jemilat, Shittu, S. T., & Alada, A. R. (2019). Switching to normal diet reverses kwashiorkor-induced salivary impairments via increased nitric oxide level and expression of aquaporin 5 in the submandibular glands of male Wistar rats. *APPL PHYSIOL NUTR ME*. Vol 44 No 4: 365–372. doi: 10.1139/apnm-2018-0282
- Lowenshon, R. I., Stadler, D. D., & Naze, C. (2016). Current Concepts of Maternal Nutrition. *Obstetrical and Gynecological Survey*. Vol 71 No 7: 792–793. doi: 10.1097/01.pec.0000526609.89886.37
- Mahadevan, K., & Velavan, S. (2013). Analysis of Salivary Proteins as the Biochemical Indicators of Nutritional Status and Salivary Gland Function. *Int J Pharm Bio Sci*. Vol 4 No 2: 689–694. ISSN: 0975-6299
- Mikhail W.Z.A., Sobhy H.M., El-sayed H.H., et al. (2013). Effect of Nutritional Status on Growth Pattern of Stunted Preschool Children in Egypt. *Acad J Nutr*. Vol 2 No 1: 01-09. doi: 0.5829/idosi.ajn.2013.2.1.7466
- Muttaqien, I. A., Kintawati, S., & Rizali, E. (2017). Hubungan indeks massa tubuh (IMT) dan laju aliran saliva pada mahasiswa preklinik angkatan 2014-2016 Fakultas Kedokteran Gigi Universitas Padjadjaran Relationship between body mass index (BMI) and salivary flow rate amongst pre-clinical students. *J Ked Gig*. Vol 29 No 2: 1-8. doi: 10.24198/jkg.v29i2.18571
- Ni'mah, K., & Nadhiroh, S. R. (2015). Faktor yang Berhubungan dengan Kejadian

Stunting pada Balita. *MGI*. Vol 10 No 1: 13–19.

- Oke, S. L., & Hardy, D. B. (2017). Effects of Protein Deficiency on Perinatal and Postnatal Health Outcomes. *Handbook of Famine, Starvation, and Nutrient Deprivation*. pp. 1–23. Springer International Publishing. doi: 10.1007/978-3-319-40007-5_61-1
- Paudel, R., Pradhan, B., Wagle, R. R., *et al.* (2012). Risk factors for stunting among children: A community based case control study in Nepal. *Kathmandu Univ Med J*. Vol 39 No 3: 18-24. doi: 10.3126/kumj.v10i3.8012
- Prendergast, A. J., & Humphrey, J. H. (2014). The stunting syndrome in developing countries. *Paediatr Int Child Health*. Vol 34 No 4: 250–265. doi: 10.1179/2046905514Y.0000000158
- Psoter, W. J., Spielman, A. L., Bette Gebrian, R., Rudolph, S. J., & Katz, R. V. (2008). Effect of childhood malnutrition on salivary flow and pH Walter. *Arch Oral Biol*, Vol 53 No 3: 231–237. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3624763/pdf/nihms412728.pdf>
- Rahman, T., Adhani, R., & Triawanti. (2016). HUBUNGAN ANTARA STATUS GIZI PENDEK (STUNTING) DENGAN TINGKAT KARIES GIGI. *Dentino Jur. Ked. Gigi*. Vol I No 1: 88–93. doi: 10.20527/dentino.v1i1.427
- Sari, E. M., Juffrie, M., Nurani, N., & Sitaresmi, M. N. (2016). Asupan protein, kalsium dan fosfor pada anak stunting dan tidak stunting usia 24-59 bulan. *JKGI*. Vol 12 No 4: 152–159. doi: 10.22146/ijcn.23111
- Semba, R. D. (2016). The Rise and Fall of Protein Malnutrition in Global Health. *Ann Nutr Metab*. Vol 69 No 2: 79–88. doi: 10.1159/000449175
- Setiawan, E., Machmud, R., & Masrul, M. (2018). Faktor-Faktor yang Berhubungan dengan Kejadian Stunting pada Anak Usia 24-59 Bulan di Wilayah Kerja Puskesmas Andalas Kecamatan Padang-Timur Kota Padang Tahun 2018. *JKA*. Vol 7 No 2: 275–284. doi: 10.25077/jka.v7i2.813
- Singh, N., Bansal, K., Chopra, R., *et al.* (2018). Association of nutritional status on salivary flow rate, dental caries status and eruption pattern in pediatric population in India. *Indian J Dent Sci*. Vol 10 No 2: 78-82. doi: 10.4103/IJDS.IJDS_69_17
- Ślotwińska, S. M., & Ślotwiński, R. (2014). Host Response, Malnutrition and Oral Diseases . Part 2. *Centr Eur J Immunol*. Vol 39 No 4: 522–524. doi: 10.5114/ceji.2014.47739
- Sutarto. (2018). Stunting, Faktor Resiko dan Pencegahannya. *J Agromedicine*. Vol 5 No 1: 540–545.
- Takeuchi, K., Furuta, M., Takeshita, T., *et al.* (2015). Risk Factors for Reduced

Salivary Flow Rate in a Japanese Population: The Hisayama Study.
BiomedRes Int. Vol 2015: 1–7. doi: 10.1155/2015/381821

Tsang, C., Sokal-Gutierrez, K., & Patel, P. (2019). Early Childhood Oral Health and Nutrition in Urban and Rural Nepal. *Int. J. Environ. Res. Public Health.* Vol 16 No 14: 1–11. doi: 10.3390/ijerph16142456

UNICEF, WHO, & World Bank. (2020). Levels and trends in child malnutrition: Key findings of the 2020 Edition of the Joint Child Malnutrition Estimates. Geneva: WHO: 1–16. <https://www.who.int/publications/i/item/jme-2020-edition>

Uwitonze, A. M., Ojeh, N., Murererehe, J., & et al. (2020). Zinc Adequacy Is Essential for the Maintenance of Optimal Oral Health. *Nutrients.* Vol 12 No 4: 1–14. doi: 10.3390/nu12040949

Vieira, K. A., Rosa-Júnior, L. S., Souza, M. A. V., et al. (2020). Chronic malnutrition and oral health status in children aged 1 to 5 years. *Medicine.* Vol 99 No 18: 1-7. doi: 10.1097/MD.00000000000019595

Weisz A., Meuli G., Thakwalakwa C., et al. (2011) The Duration of Diarrhea and Fever is Associated with Growth Faltering in Rural Malawian Children Aged 6-18 Months. *Nutr J.* Vol 10 No 25:1-4. doi: 10.1186/1475-2891-10-25

WHO. (2018). Child Stunting Data Visualizations Dashboard. Diakses melalui <https://apps.who.int/gho/data/node.sdg.2-2-viz-1?lang=en>

WHO. (2014). WHA Global Nutrition Targets 2025: Stunting Policy Brief.

WHO. (2006). Child Growth Standards Length/height-for-age. Diakses melalui <https://www.who.int/tools/child-growth-standards/standards/length-height-for-age>

Yablonski GG, Phillip M. (2015). Nutritionally Induced Catch Up Growth. *Nutrients.* Vol 7 No 1: 517-551. doi: 10.3390/nu7010517

Yani, R. W. E., Mallongi, A., Andarini, S., et al. (2016). The effect of zinc saliva on the toddlers' nutritional status. *J Int Dent Med Res.* Vol 9 No 1: 29–32. <http://www.ektodermaldisplazi.com/journal.htm>

Yensasnidar, Adfar, T. D., & Hartini, B. (2019). Hubungan Asupan Energi, Protein Dan Zink Terhadap Kejadian Stunting Di Sdn 11 Kampung Jua Kecamatan Lubuk Begalung. *Prosiding Seminar Kesehatan Perintis.* Vol 2 No 1: 41–46. E- ISSN: 2622-2256