

DAFTAR PUSTAKA

- Ahmad, I. and Ibrahim, A. (2015) ‘Bioaktivitas Ekstrak Metanol dan Fraksi n-Heksana Daun Sungkai (*Peronema canescens* Jack) terhadap Larva Udang (*Artemia salina* Leach)’, *Jurnal Sains dan Kesehatan*, 1(3), pp. 114–119. doi: 10.25026/jsk.v1i3.27.
- Anggraini, T., Asben, A. and Syukri, D. (2021) ‘Eco-Friendly Catechin’s Gambir Extraction Using an Ultrasonic Bath Eco-Friendly Catechin’s Gambir Extraction Using an Ultrasonic Bath’, *IOP Conference Series: Earth and Environmental Science*. doi: 10.1088/1755-1315/709/1/012059.
- Artini, K. S. and Veranita, W. (2021) ‘Tamanam Herbal untuk Meningkatkan Sistem Imun Tubuh: Literature Review’, *Jurnal Farmasetis*, 10(1), pp. 15–20. doi: 10.32583/farmasetis.v10i1.1383.
- Benali, T. et al. (2022) ‘Pharmacological insights into the multifaceted biological properties of quinic acid’, *Biotechnol Genet Eng*, pp. 1–30.
- Brereton, R. G. (2000) ‘Introduction to multivariate calibration in analytical chemistry’, (September), pp. 2125–2154. doi: 10.1039/b003805i.
- Dillasamola, D. et al. (2021) ‘Study of Sungkai (*Peronema canescens* Jack) Leaf Extract Activity as an Immunostimulators With In vivo and In vitro Methods’, *Pharmacognosy Journal*, 13(6), pp. 1397–1407.
- Ercan, L. and Dogru, M. (2022) ‘Antioxidant and Antimicrobial Capacity of Quinic Acid’, *Bitlis Eren University Journal of Sciences*, 11(4), pp. 1018–1025.
- Fawole, O. A. and Opara, U. L. (2013) ‘Changes in physical properties, chemical and elemental composition and antioxidant capacity of pomegranate (cv. Ruby) fruit at five maturity stages’, *Scientia Horticulturae*, 150, pp. 37–46. doi: 10.1016/j.scienta.2012.10.026.
- Fransisca, D., Kahanjak, D. N. and Frethernet, A. (2020) ‘Uji aktivitas antibakteri ekstrak etanol daun sungkai (*Peronema canescens* Jack) terhadap pertumbuhan Escherichia coli dengan metode difusi cakram Kirby-Bauer’, 4(1), pp. 460–470.
- Gad, H. A. et al. (2022) ‘Chemometric Analysis Based on GC-MS Chemical Profiles of Three Stachys Species from Uzbekistan and Their Biological Activity’.

- Gülçin, I. (2006) ‘Antioxidant activity of caffeic acid (3,4-dihydroxycinnamic acid)’, *Toxicology*, 217(2–3), pp. 213–220. doi: 10.1016/j.tox.2005.09.011.
- Haerani, A., Chaerunisa, A. Y. and Subarnas, A. (2019) ‘Antioxidant Activities of *Muntingia calabura*, *Syzygium cumini*, *Ocimum basilicum*, and *Eleutherine bulbosa* using DPPH Method’, *Indonesian Journal of Pharmaceutics*, 1(2), pp. 57–61. doi: 10.24198/idjp.v1i2.21531.
- Hallenbeck, P. C., Lazaro, C. Z. and Sagir, E. (2018) *CHAPTER 1: Photosynthesis and Hydrogen from Photosynthetic Microorganisms, Comprehensive Series in Photochemical and Photobiological Sciences*. The Royal Society of Chemistry, doi: 10.1039/9781849737128-00001.
- Harmida, Sarno and Yuni, F. (2011) ‘Studi Etnofitomedika di Desa Lawang Agung Kecamatan Mulak Ulu Kabupaten Lahat Sumatera Selatan’, 14(D), pp. 42–46.
- Hatta, G. M. (1999) *Sungkai (Peronema canescens) a promising pioneer tree : an experimental provenance study in Indonesia*, Wageningen University. Available at: <https://library.wur.nl/WebQuery/wurpubs/61527>.
- Ibrahim, A. and Ew, B. P. (2021) ‘Cytotoxic Activity of *Peronema canescens* Jack Leaves on Human Cells : HT-29 and Primary Adenocarcinoma Colon Cancer’, *Pharmacognosy Journal*, 13(6), pp. 1389–1396.
- Irianti, T. et al. (2017) *Antioksidan*. Yogyakarta: Universitas Gadjah Mada.
- Julianto, T. S. (2019) *Fitokimia Tinjauan Metabolit Sekunder dan Skrining Fitokimia, Journal of Chemical Information and Modeling*.
- Kanedi, M., Handayani, K. and Setiawan, W. A. (2022) ‘Therapeutic potentials of sungkai (*Peronema canescens* Jack .) an Indonesian luxurious woody plant’, *World Journal of Biology Pharmacy and Health Sciences*, 11(01), pp. 69–73.
- Kitagawa, I. et al. (1994) ‘Indonesian Medicinal Plants. VII. Seven New Clerodane-Type Diterpenoids, Peronemins A2, A3, B1, B2, B3, C1, And D1, From The Leaves Of *Peronema canescens* (Verbenaceae).’, *Chem. Pharm. Bull.*, 42(5), pp. 1050–1055.
- Krisnawan, A. H. et al. (2017) ‘Potensi Antioksidan Ekstrak Kulit dan Perasan Daging Buah Lemon (*Citrus lemon*) Lokal dan Impor’, *Jurnal Prosiding*

- Seminar Nasional*, 1(1), pp. 30–34.
- Latief, M., Tarigan, I. L., et al. (2021) ‘Aktivitas Antihiperurisemia Ekstrak Etanol Daun Sungkai (*Peronema canescens* Jack) Pada Mencit Putih Jantan’, *Pharmacon: Jurnal Farmasi Indonesia*, 18(1), pp. 23–37. doi: 10.23917/pharmacon.v18i01.12880.
- Latief, M., Sari, P. M., et al. (2021) ‘Antidiabetic Activity of Sungkai (*Peronema canescens* Jack) Leaves Ethanol Extract on the Male Mice Induced Alloxan Monohydrate’, *Pharmacology and clinical Pharmacy Research*, 6(2). doi: 10.15416/pcpr.v4i3.31666.
- López del Val, J. A. and Alonso Pérez de Agreda, J. P. (1993) ‘Principal components analysis’, *Atencion primaria / Sociedad Española de Medicina de Familia y Comunitaria*, 12(6), pp. 333–338. doi: 10.5455/ijlr.20170415115235.
- Maesaroh, K., Kurnia, D. and Al Anshori, J. (2018) ‘Perbandingan Metode Uji Aktivitas Antioksidan DPPH, FRAP dan FIC Terhadap Asam Askorbat, Asam Galat dan Kuersetin’, *Chimica et Natura Acta*, 6(2), p. 93. doi: 10.24198/cna.v6.n2.19049.
- Maulana, A., Putra, P. and Nor, T. (2021) ‘Uji Aktivitas Antioksidan dan Antitirosinase Fraksi n -Butanol Daun Sungkai (*Peronema canescens* Jack.) Secara Kualitatif Menggunakan Kromatografi Lapis Tipis’, 8(2), pp. 90–101.
- Molyneux, P. (2004) ‘The Use of the Stable Free Radical Diphenylpicryl-hydrazyl (DPPH) for Estimating Antioxidant Activity’, *Songklanakarin Journal of Science and Technology*, 26(December 2003), pp. 211–219. doi: 10.1287/isre.6.2.144.
- Muharni, Ferlinahayati and Yohandini, H. (2021) ‘Antioxidant, Antibacterial, Total Phenolic and Flavonoid Contents of Sungkai Leaves (*Paronema canescens*)’, *Tropical Journal of Natural Product Research*, 5(March), pp. 528–533.
- Neli Peni, P. et al. (2021) ‘Phytochemical Test And Antioxidant Activity Test Of n-Hexane Fraction Extract, Ethyl Acetate And Remained Ethanol From Leaf Of Sungkai (*Peronema canescens* Jack.) Using DPPH Method’, *Jurnal*

- Atomik*, pp. 22–27.
- Ningsih, A. (2013) Potensi antimikroba dan analisis spektroskopi isolat aktif ekstrak n-heksan daun sungkai (*Peronema canescens.Jack*) terhadap beberapa mikroba uji. Universitas Hasanudin.
- Okfrianti, Y. and Irnameria, D. (2022) ‘Aktivitas Antioksidan Ekstrak Etanol Daun Sungkai (*Peronema canescens* Jack) Antioxidant Activity of Sungkai Leaf (*Peronema canescens* Jack) Ethanol Extract’, 13, pp. 333–339.
- Orata, F. (2012) ‘Derivatization Reactions and Reagents for Gas Chromatography Analysis’, *Advanced Gas Chromatography - Progress in Agricultural, Biomedical and Industrial Applications*. doi: 10.5772/33098.
- Parkinson, D. R. (2012) *Analytical derivatization techniques, Comprehensive Sampling and Sample Preparation: Analytical Techniques for Scientists*. Elsevier. doi: 10.1016/B978-0-12-381373-2.00060-0.
- Pratami Br Sinaga, M. et al. (2022) ‘Uji Aktivitas Analgesik Ekstrak Daun Sungkai (*Peronema canescens* Jack.) Terhadap Mencit Jantan (*Mus musculus*) Analgesic Activity Test Of Sungkai Leaf (*Peronema Canescens* Jack.) Extract On Male Mice (*Mus musculus*)’, *Agustus*, 2(1), pp. 100–110.
- Putri, M. F., Fifendy., M. and Putri., D. H. (2018) ‘Diversitas Bakteri Endofit Pada Daun Muda dan Tua Tumbuhan Andaleh (*Morus macroura* miq.)’, *Eksakta*, 19(1), pp. 126–130.
- Putri, S. P. et al. (2019) ‘GC/MS based metabolite profiling of Indonesian specialty coffee from different species and geographical origin’, *Metabolomics*, 15(10), pp. 1–11. doi: 10.1007/s11306-019-1591-5.
- Rafi, M. et al. (2015) ‘Geographical Classification of Java Tea (*Orthosiphon Stamineus*) From Java Island By Ftir Spectroscopy Combined With Canonical Variate Analysis’, *Jurnal Sains Dan Matematika*, 23(1), pp. 25–31.
- Rohaeti, E., Karunina, F. and Rafi, M. (2021) ‘FTIR-based Fingerprinting and Chemometrics for Rapid Investigation of Antioxidant Activity from *Syzygium polyanthum* Extracts’, 21(1), pp. 128–136. doi: 10.22146/ijc.54577.

- Rohiqi, H., Yusasrini, N. L. A. and Diah Puspawati, G. (2021) ‘Pengaruh Tingkat Ketuaan Daun Terhadap Karakteristik Teh Herbal Matcha Tenggulun (*Protium javanicum Burm.F.*)’, *Jurnal Ilmu dan Teknologi Pangan (ITEPA)*, 10(3), p. 345. doi: 10.24843/itepa.2021.v10.i03.p03.
- Santoni, A., Pratama, I. and Afrizal (2020) ‘Penentuan Kandungan Metabolit Sekunder, Uji Aktivitas Antibakteri Dan Sitotoksik Ekstrak Daun Sungkai (*Peronema canescens Jack*)’, *Jurnal Kimia Unand*, 9(2303).
- Septaningsih, D. A. *et al.* (2018) ‘Liquid chromatography mass spectrometry (LC-MS) fingerprint combined with chemometrics for identification of metabolites content and biological activities of Curcuma Aeruginosa’, *Indonesian Journal of Chemistry*, 18(1), pp. 43–52. doi: 10.22146/ijc.25456.
- Shafirany, M. Z., Susilawati, Y. and Musfiroh, I. (2018) ‘Aplikasi Kemometrik dalam Penentuan Mutu Tumbuhan Obat’, 4(September).
- Sumenda, L. (2011) ‘Analisis Kandungan Klorofil Daun Mangga (*Mangifera indica L.*) pada Tingkat Perkembangan Daun yang Berbeda’, *Jurnal Bios Logos*, 1(1). doi: 10.35799/jbl.1.1.2011.372.
- Syukri, D., Darwis, D. and Santoni, A. (2014) ‘Major Anthocyanin Pigments in The *Ficus padana* Fruits: HPLC-DAD-ESI-MS Identification and Antioxidant Activity’, *Indo. J. Chem.*, 14(3), pp. 297–303.
- Thermo Scientific (2008) ‘Thermo MSTFA Instructions.’, pp. 1–4.
- Warsito, M. F. (2018) ‘Analisis Metabolomik : Metode Modern Dalam Pengujian Kualitas Produk Herbal’, *BioTrends*, 9, pp. 38–47.
- Yani, A. P. and Putranto, A. M. H. (2014) ‘Examination of the Sungkai ’s Young Leaf Extract (*Peronema canescens*) as an Antipyretic , Immunity , Antiplasmodium and Teratogenicity in Mice’, *International Journal of Science and Engineering (IJSE)*, 7(July), pp. 30–34. doi: 10.12777/ijse.7.1.30-34.
- Yi-qi, Z., Zi-jian, W. and Ning, J. I. A. (2007) ‘Formation of multiple trimethylsilyl derivatives in the derivatization of 17 α -ethinylestradiol with BSTFA or MSTFA followed by gas chromatography-mass spectrometry determination’, *Journal of Environmental Sciences*, 19, pp. 1–6.