

## DAFTAR PUSTAKA

- A.K. Mohiuddin. (2019). An Extensive Review on Sunscreen and Suntan Preparations. *American Journal of Dermatological Research and Reviews*, 2(10), 1–49. <https://doi.org/10.28933/ajodrr-2019-02-2001>
- Abid, A. R., Marciak, B., Pędziński, T., & Shahid, M. (2017). Photo-stability and photo-sensitizing characterization of selected sunscreens' ingredients. *Journal of Photochemistry and Photobiology A: Chemistry*, 332(June 2018), 241–250. <https://doi.org/10.1016/j.jphotochem.2016.08.036>
- Adi, S. (2014). *Ultraviolet Dan Hubunganya Terhadap Munculnya Keganasan Kulit*.
- Adi, W., & Zulkarnain, A. K. (2015). Uji Spf in Vitro Dan Sifat Fisik Beberapa Produk Tabir Surya Yang Beredar Di Pasaran. *Majalah Farmaseutik*, Vol. 11 No. 1 Tahun 2015, 1745(965), 275–283.
- Afonso, S., Horita, K., Sousa E Silva, J. P., Almeida, I. F., Amaral, M. H., Lobão, P. A., Costa, P. C., Miranda, M. S., Esteves Da Silva, J. C. G., & Sousa Lobo, J. M. (2014). Photodegradation of avobenzone: Stabilization effect of antioxidants. *Journal of Photochemistry and Photobiology B: Biology*, 140, 36–40. <https://doi.org/10.1016/j.jphotobiol.2014.07.004>
- Al-Saeedi, F. M. A. A., & Dahmash, E. (2022). In Vitro Assessment of Sunscreen Efficacy Using Fourier Transform Infrared (FTIR) Spectroscopy on Synthetic Skin. *AAPS PharmSciTech*, 23, 2.
- Andy Suryadi, A., Pakaya, M. S., Djuwarno, E. N., & Akuba, J. (2021). Determination of Sun Protection Factor (Spf) Value in Lime (*Citrus Aurantifolia*) Peel Extract Using Uv-Vis Spectrophotometry Method. *Jambura Journal of Health Sciences and Research*, 3(2), 169–180. <https://doi.org/10.35971/jjhsr.v3i2.10319>

Ansel, H. C. (2005). Pengantar Bentuk Sediaan Farmasi Edisi 4. In *Edisi 4* (4th ed.). Universitas Indonesia.

B, M., & Amra, A. (2022). Uji pH dan Nilai SPF ( Sun Protecting Factor) Terhadap Krim Sunblock Ekstrak Daun Kelor (*Moringa oleifera L.*). *Journal Syifa Sciences and Clinical Research*, 4(1), 76–82. <https://doi.org/10.37311/jsscr.v4i1.13512>

Bambang, S., & Rosmarini. (2014). *Photodamage In Skin Color*.

Beasley, D. G., & Meyer, T. A. (2010). Characterization of the UVA protection provided by avobenzone, zinc oxide, and titanium dioxide in broad-spectrum sunscreen products. *American Journal of Clinical Dermatology*, 11(6), 413–421. <https://doi.org/10.2165/11537050-00000000-00000>

Berardesca, E., Zuberbier, T., Sanchez Viera, M., & Marinovich, M. (2019). Review of the safety of octocrylene used as an ultraviolet filter in cosmetics. *Journal of the European Academy of Dermatology and Venereology*, 33(S7), 25–33. <https://doi.org/10.1111/jdv.15945>

Bernard Gabard. (2010). *Sun Protection and Sunscreens* (3rd Edition).

Bonda, C. (2009). Sunscreen Photostability 101. *Happi*, October, 1–4.

Bonda, C. A., & Lott, D. (2016). Sunscreen Photostability. *Principles and Practice of Photoprotection*. [https://doi.org/DOI 10.1007/978-3-319-29382-0\\_14](https://doi.org/DOI 10.1007/978-3-319-29382-0_14)

Bonda, C., & Pavlovic, A. (2010). Singlet Quenching Proves Faster is Better for Photostability. *Cosmetics and Toiletries*. 125(2), 40–48.

Bonda, C., & Steinberg, D. (2000). A new photostabilizer for full spectrum sunscreens. *Cosmetics and Toiletries*. 37–45.

Bonda, C., & Zhang, J. (2013). Photostabilization of Retinol and Retinyl Palmitate by Ethylhexyl Methoxycrylene. *Hallstar Company*.

Cantrell, A., & Mcgarvey, J. D. . (2001). *Photochem. Photobiol.*, *B*. *64*, 117–122.

Ceresole, R., Han, Y. K., Simionato, L. D., & Segall, A. I. (2013). Stability indicating HPLC method for the determination of benzophenone-3 and avobenzone in cosmetic formulations. *Journal of Liquid Chromatography and Related Technologies*, *36*(20), 2882–2894. <https://doi.org/10.1080/10826076.2012.731667>

Chaudhuri, R. K. ., Meyer, T. ., Premi, S. ., & Brash, D. (2020). Acetyl zingerone: An efficacious multifunctional ingredient for continued protection against ongoing DNA damage in melanocytes after sun exposure ends. *Int. J. Cosm. Sci*, *42*, 36–45.

Chaudhuri, R. K., & Marchio, F. (2011). Bakuchiol in the management of Acne-affected skin. *Cosmet. Toilet*, *126*, 502–510.

Chaudhuri, R. K., Ollengo, M. A., Singh, P., & Martincigh, B. S. (2017). 3-(3,4,5-Trimethoxybenzylidene)-2,4-pentanedione: Design of a novel photostabilizer with in vivo SPF boosting properties and its use in developing broad-spectrum sunscreen formulations. *International Journal of Cosmetic Science*, *39*(1), 25–35. <https://doi.org/10.1111/ics.12344>

De Groot, A. C., & Roberts, D. W. (2014). Contact and photocontact allergy to octocrylene: A review. *Contact Dermatitis*, *70*(4), 193–204. <https://doi.org/10.1111/cod.12205>

Deckner, G. (2010). Skin Care Trend: Free Radicals and Quench Technology. *Prospector Knowledge Center*.

Dencausse, L., Galland, A., Clamou, J. L., & Basso, J. (2008). Validation of HPLC method for quantitative determination of Tinosorb®S and three other sunscreens in a high protection cosmetic product. *International Journal of Cosmetic Science*, *30*(5), 373–382. <https://doi.org/10.1111/j.1468-2494.2008.00461.x>

Dewan Standarisasi Nasional. (1996). *Standar Nasional Indonesia Tabir Surya*.

Diffey, B. (2000). *Has the sun protection factor had its day?* *BMJ*. *126*. <https://doi.org/doi>:

10.1136/bmj.320.7228.176

Donglikar, M. M., & Deore, S. L. (2016). Sunscreens: A review. *Pharmacognosy Journal*, 8(3), 171–179. <https://doi.org/10.5530/pj.2016.3.1>

Dransfield, G. P. (2000). Inorganic sunscreens. *Radiation Protection Dosimetry*, 91(1–3), 271–273. <https://doi.org/10.1093/oxfordjournals.rpd.a033216>

Dutra, E. A., Da Costa E Oliveira, D. A. G., Kedor-Hackmann, E. R. M., & Miritello Santoro, M. I. R. (2004). Determination of sun protection factor (SPF) of sunscreens by ultraviolet spectrophotometry. *Revista Brasileira de Ciencias Farmaceuticas/Brazilian Journal of Pharmaceutical Sciences*, 40(3), 381–385. <https://doi.org/10.1590/S1516-93322004000300014>

Edi, S., Irma Momuat, L., & Yudhistira, A. (2013). Evaluation Of Singlet Oxygen Quenching And Sunscreen Activity Of Corn Cob Extract. *Indonesian Journal of Pharmacy*, 24, 267–276.

Elcistia, R., & Zulkarnain, A. K. (2019). Optimasi Formula Sediaan Krim o/w Kombinasi Oksibenzon dan Titanium Dioksida Serta Uji Aktivitas Tabir Suryanya Secara In Vivo. *Majalah Farmaseutik*, 14(2), 63. <https://doi.org/10.22146/farmaseutik.v14i2.42596>

Encyclopaedia Britannica. (n.d.). *photosensitization*.

Esdaile, B., & Cooper, S. M. (2012). Allergic contact dermatitis caused by polyester-8 (Polycrylene®) in a sunscreen moisturizer. *Contact Dermatitis*, 67(2), 105–106. <https://doi.org/10.1111/j.1600-0536.2012.02067.x>

Ferguson, J., & Kerr, A. C. (2019). Photoallergic contact dermatitis. *Kanerva's Occupational Dermatology*, 1, 211–227. [https://doi.org/10.1007/978-3-319-68617-2\\_16](https://doi.org/10.1007/978-3-319-68617-2_16)

Fiona Feng, Dennis Zlotnik, E. Z. (2018). *Photostabilisation: for safe, pleasant sunscreens*. 2, 1–6. <https://www.hallstarbeauty.com/webfoo/wp-content/uploads/Photostabilisation-Article-Hallstar-Sun-Care.pdf>

FITRIA. (2015). *Uji Aktivitas Antibakteri Ekstrak Etanol Daun Pepaya (Carica papaya) Terhadap Propionibacterium acnes.*

Gabros, S., Nessel, T. A., & Zito, P. M. (2022). Sunscreens And Photoprotection. In *StatPearls*.  
<http://www.ncbi.nlm.nih.gov/pubmed/30725849>

Geraldine, E. T., & Hastuti, E. D. (2018). Formulation Of Sunscreen Cream Of Parijoto Fruit Extract (Medinilla Speciosa Blume) And In Vitro Spf Value Test. *Journal of Pharmaceutical Sciences and Community*, 15(2), 92–98.  
<https://doi.org/10.24071/jpsc.1521525>

Giacomoni, P. U. (2020). Appropriate technologies to accompany sunscreens in the battle against ultraviolet, superoxide, and singlet oxygen. *Antioxidants*, 9(11), 1–12.  
<https://doi.org/10.3390/antiox9111091>

GJ, M., & BS, M. (2008). Photostability of the sunscreening agent 4-tert-butyl-4'methoxydibenzoylmethane (Avobenzone) in solvents of different polarity and proticity. *J Photochem Photobiol A Chem*, 200, 410–420.

Gonzalez, A., & Faith Gaenzler, P. (2011). Photostability of sunscreen combinations containing avobenzone exposed to natural and artificial ultraviolet light. *Journal of the American Academy of Dermatology*, 64(2), AB30.  
<https://doi.org/10.1016/j.jaad.2010.09.145>

Gonzalez, H., Tarras-Wahlberg, N., Strömdahl, B., Juzeniene, A., Moan, J., Larkö, O., Rosén, A., & Wennberg, A. M. (2007). Photostability of commercial sunscreens upon sun exposure and irradiation by ultraviolet lamps. *BMC Dermatology*, 7(June 2014).  
<https://doi.org/10.1186/1471-5945-7-1>

Gonzenbach, H., Hill, T. J., & Truscott, T. G. (1992). The triplet energy levels of UVA and UVB sunscreens. *Journal of Photochemistry and Photobiology, B: Biology*, 16(3–4), 377–379. [https://doi.org/10.1016/1011-1344\(92\)80025-Q](https://doi.org/10.1016/1011-1344(92)80025-Q)

Görig, T., Schneider, S., Seuffert, S., Greinert, R., & Diehl, K. (2020). Does sunscreen use comply with official recommendations? Results of a nationwide survey in Germany. *Journal of the European Academy of Dermatology and Venereology*, 34(5), 1112–1117. <https://doi.org/10.1111/jdv.16100>

Govindu, P. C. V., Hosamani, B., Moi, S., Venkatachalam, D., Asha, S., John, V. N., Sandeep, V., & Gowd, K. H. (2019). Glutathione as a photo-stabilizer of avobenzone: an evaluation under glass-filtered sunlight using UV-spectroscopy. *Photochemical and Photobiological Sciences*, 18(1), 198–207, <https://doi.org/10.1039/c8pp00343b>

Gunardi, W. (2022). *Praktikum FTIR*.

Hallstar. (n.d.). *Solastay S1 (Ethylhexyl Methoxycrylene)*.

Hallstar. (2022). *Polycrylene®*.

Hayden, C. G. J., Cross, S. E., Anderson, C., Saunders, N. A., & Roberts, M. S. (2005). Sunscreen penetration of human skin and related keratinocyte toxicity after topical application. *Skin Pharmacology and Physiology*, 18(4), 170–174. <https://doi.org/10.1159/000085861>

Herzog, B., Wehrle, M., & Quass, K. (2009). Photostability of UV absorber systems in sunscreens. *Photochemistry and Photobiology*, 85(4), 869–878. <https://doi.org/10.1111/j.1751-1097.2009.00544.x>

Herzog B, W. M., & Quass, K. (2009). Photostability of UV absorber systems in sunscreens. *Photochem Photobiol*, 4(85), 869–878.

Holt, E. L., Rodrigues, N. d. N., Cebrián, J., & Stavros, V. G. (2021). Determining the photostability of avobenzone in sunscreen formulation models using ultrafast spectroscopy. *Physical Chemistry Chemical Physics*, 23(42), 24439–24448. <https://doi.org/10.1039/d1cp03610f>

Jumaida, K., & Yandi, W. (n.d.). *Signifikasi Perubahan Cuaca Terhadap Keluaran Panel Surya 50 Wp Dalam Menghasilkan Output Maksimum Di Jurusan Teknik Elektro*.

Jumsurizal, J., Putri, R. M. S., Ilhamdy, A. F., Pratama, G., & Aulia, R. C. (2019). Formulation of sunscreen cream from seaweed (*Turbinaria* sp.) and *Kaempferia galangal*. *Jurnal Perikanan Dan Kelautan*, 9(2), 174. <https://doi.org/10.33512/jpk.v9i2.8630>

Karlsson, I., Persson, E., Mårtensson, J., & Börje, A. (2012). Investigation of the sunscreen octocrylene's interaction with amino acid analogs in the presence of UV radiation. *Photochemistry and Photobiology*, 88(4), 904–912. <https://doi.org/10.1111/j.1751-1097.2012.01142.x>

Khan, M. A. (2018). Sun Protection Factor Determination Studies of Some Sunscreen Formulations Used in Cosmetics for Their Selection. *Journal of Drug Delivery and Therapeutics*, 8(5-s), 149–151. <https://doi.org/10.22270/jddt.v8i5-s.1924>

Kikuchi, A., Hata, Y., Kumasaka, R., Nanbu, Y., & Yagi, M. (2013). Photoexcited singlet and triplet states of a UV absorber ethylhexyl methoxycrylene. *Photochemistry and Photobiology*, 89(3), 523–528. <https://doi.org/10.1111/php.12017>

Kockler, J. (2014). *Sunscreens: photostability, formulation and skin penetration*. 1–186. <http://researchonline.jcu.edu.au/40698/>

Kockler, J., Oelgemöller, M., Robertson, S., & Glass, B. D. (2012). Photostability of sunscreens. *Journal of Photochemistry and Photobiology C: Photochemistry Reviews*, 13(1), 91–110. <https://doi.org/10.1016/j.jphotochemrev.2011.12.001>

Lhiaubet-Vallet, V., Marin, M., Jimenez, O., Gorchs, O., Trullas, C., & Miranda, M. A. (2010). Filter-filter interactions. Photostabilization, triplet quenching and reactivity with singlet oxygen. *Photochemical and Photobiological Sciences*, 9(4), 552–558. <https://doi.org/10.1039/b9pp00158a>

Lin, Y. C., Lin, C. F., Alalaiwe, A., Wang, P. W., Fang, Y. P., & Fang, J. Y. (2018). UV filter entrapment in mesoporous silica hydrogel for skin protection against UVA with minimization of percutaneous absorption. *European Journal of Pharmaceutical Sciences*, 122(July), 185–194. <https://doi.org/10.1016/j.ejps.2018.07.013>

Linden, K. G. (2018). Commentary: Sunscreen sun protection factor (SPF): Is higher better? *Journal of the American Academy of Dermatology*, 78(5), 911–912. <https://doi.org/10.1016/j.jaad.2018.02.056>

M.S Latha, M., Jacintha Martis, M., & Shobha V, M. (2013). Sunscreening Agents. *Clinical and Aesthetic Dermatology*, 6(1), 16–26.

Mendrok-edinger, C. (2020). UV Degradation & Stabilization of Industrial Products. *Handbook of UV Degradation and Stabilization*, 323–412. <https://doi.org/10.1016/B978-1-927885-57-4.50011-5>

Minerva, P. (2019). Penggunaan Tabir Surya Bagi Kesehatan Kulit. *Jurnal Pendidikan Dan Keluarga*, 11(1), 87. <https://doi.org/10.24036/jpk/vol11-iss1/619>

Mohiuddin, A. (2019). Sunscreen and Suntan Preparations. *ARC Journal of Pharmaceutical Sciences*, 5(2), 8–44. <https://doi.org/10.20431/2455-1538.0502002>

Moi, S., Hosamani, B., Kumar, K., Gunaga, S., Raghothama, S., & Gowd, K. H. (2021). Photochemical studies of new synthetic derivatives of avobenzone under sunlight using UV-spectroscopy. *Journal of Photochemistry and Photobiology A: Chemistry*, 420(July), 113488. <https://doi.org/10.1016/j.jphotochem.2021.113488>

Moyal, D., Chardon, A., & Kollias, N. (2000). persistent pigment darkening (PPD) method. 250–255.

Nash, J. F., & Tanner, P. R. (2014). Relevance of UV filter/sunscreen product photostability to human safety. *Photodermatology Photoimmunology and Photomedicine*, 30(2–3), 88–95. <https://doi.org/10.1111/phpp.12113>

National Library of Medicine. (2012). *Ethylhexyl Methoxycrylene*.

Ni Made Yudhi Feby Bawantari. (2021). *Optimasi Karbopol 940 Dan Propilen Glikol Pada Gel Antiinflamasi Ekstrak Etanol Kulit Buah Pisang Ambon (Musa X Paradisiaca L.*

“Amboin”): *Applikasi Desain Faktorial*. 6.

Nobre, R., & Fonseca, A. P. (2016). Determination Of Sun Protection Factor By Uv-Vis Spectrophotometry. *Health Care : Current Reviews*, 4(2). <https://doi.org/10.4172/hccr.1000108>

Novick, R., Anderson, G., Miller, E., Allgeier, D., & Unice, K. (2015). Factors that influence sunscreen application thickness and potential preservative exposure. *Photodermatol Photoimmunol Photomed*. <https://doi.org/https://doi.org/10.1111/phpp.12171>

Ofori, D. A., Anjarwalla, P., Mwaura, L., Jamnadass, R., Stevenson, P. C., Smith, P., Koch, W., Kukula-Koch, W., Marzec, Z., Kasperek, E., Wyszogrodzka-Koma, L., Szwerc, W., Asakawa, Y., Moradi, S., Barati, A., Khayyat, S. A., Roselin, L. S., Jaafar, F. M., Osman, C. P., ... Slaton, N. (2020). Evaluating UVB and UVA Boosting Technologies for Chemical and Physical Sunscreens. *Molecules*, 2(1), 1–12. <http://clik.dva.gov.au/rehabilitation-library/1-introduction-rehabilitation%0Ahttp://www.scirp.org/journal/doi.aspx?DOI=10.4236/as.2017.81005%0Ahttp://www.scirp.org/journal/PaperDownload.aspx?DOI=10.4236/as.2012.34066%0Ahttp://dx.doi.org/10.1016/j.pbi.201>

Paris, C., Lhiaubet-Vallet, V., Jiménez, O., Trullas, C., & Miranda, M. Á. (2009). A blocked diketo form of avobenzone: Photostability, photosensitizing properties and triplet quenching by a triazine-derived UVB-filter. *Photochemistry and Photobiology*, 85(1), 178–184. <https://doi.org/10.1111/j.1751-1097.2008.00414.x>

Peruchi, L. M., & Rath, S. (2012). Development and application of a HPLC method for eight sunscreen agents in suncare products. *International Journal of Cosmetic Science*, 34(3), 226.

Pratiwi, I. (2021). *Analisis Stabilitas Avobenzon Dan Turunannya Sebagai Bahan Dasar Sunscreen Menggunakan Metode Dft*. <http://scholar.unand.ac.id/82242/>

PubChem. (n.d.). Avobenzone. *National Library of Medicine*.

Purwaniati, Novita, P., & Rachmawati, W. (2019). Penetapan Kadar Oktil Metoksisinamat Dan Avobenson Pada Sediaan Gel Tabir Surya Dengan Metode Kromatografi Cair Kinerja Tinggi. *Jurnal Farmagazine*, 6(2), 47. <https://doi.org/10.47653/farm.v6i2.136>

Puspitasari, A. D., Intan, E., Wardhani, K., Farmasi, F., Wahid, U., & Semarang, H. (2018). *Evaluation of Physical Chemical Characteristics and Spf Value*. 12(2), 150–158.

Puspitosary, S. (2016). *Pengaruh Vitamin C Dan Paparan Sinar Uv Terhadap Efektivitas In Vitro Krim Tabir Surya Avobenzone dan Octyl Methoxycinnamate Dengan Kombinasi Vitamin E Sebagai Fotoprotektor*. Universitas Jember.

Putra, I. G. N. A. W. W., Arimbawa, P. E., & Artini, N. P. R. (2020). Potential of Frangipani (*Plumeria alba*) Leaves Extract as Ultra Violet Protection. *Borneo Journal of Pharmacy*, 3(4), 257–261. <https://doi.org/10.33084/bjop.v3i4.1644>

Rai, R., Shanmuga, S. C., & Srinivas, C. (2012). Update on photoprotection. *Indian Journal of Dermatology*, 57(5), 335–342.

Rohman, & A. (2007). Kimia Farmasi Analisis. *Pustaka Pelajar*, 75, 234,244.

Sari, C. I. (2019). *Uji In Vitro Nilai Sun Protecting Factor (Spf) Krim Tabir Surya Ekstrak Etanol Teh Hijau (Camellia Sinensis L) Serta Uji Stabilitas Fisik*.

Sarkar, R., Arora, P., & Garg, Kv. (2013). Cosmeceuticals for hyperpigmentation: What is available? *Journal of Cutaneous and Aesthetic Surgery*, 6(1), 4. <https://doi.org/10.4103/0974-2077.110089>

Sayre, R. M., Dowdy, J. C., & Gerwig, A. J. (2005). Unexpected Photolysis of the Sunscreen Octinoxate in the Presence of the Sunscreen Avobenzone. *Photochemistry and Photobiology*, 81, 452–456.

Scarpin, M. S., Kawakami, C. M., Rangel, K. C., Pereira, K. de C., Benevenuto, C. G., & Gaspar, L. R. (2021). Effects of UV-filter Photostabilizers in the Photostability and Phototoxicity of Vitamin A Palmitate Combined with Avobenzone and Octyl

Methoxycinnamate. *Photochemistry and Photobiology*, 97(4), 700–709.  
<https://doi.org/10.1111/php.13407>

Schaefer, K. (2013). Polycrylene for Photostabilization and Water Resistance. *Cosmetics and Toiletries*.

Serpone, N., Dondi, D., & Albini, A. (2007). Inorganic and organic UV filters: Their role and efficacy in sunscreens and suncare products. *Inorganica Chimica Acta*, 360(3), 794–802.  
<https://doi.org/10.1016/j.ica.2005.12.057>

Sobanska, A. W., & Brzezinska, E. (2011). Normal-phase TLC analysis of UV filters avobenzone and octocrylene in sunscreen preparations. *Journal of Planar Chromatography - Modern TLC*, 24(2), 154–159.  
<https://doi.org/10.1556/JPC.24.2011.2.14>

Standar Nasional Indonesia. (1996). *Sediaan Tabir Surya SNI 16-4399-1996*. Badan Standarisasi Nasional.

Sun Sense. (2004). Avobenzone Under Fire. *The Complete Beauty Bible: The Ultimate Guide to Smart Beauty*, 132. <https://doi.org/10.1016/j.taap.2004.07.005>

Suzuki, T., Kitamura, S., Khota, R., Sugihara, K., Fujimoto, N., & Ohta, S. (2005). Estrogenic and antiandrogenic activities of 17 benzophenone derivatives used as UV stabilizers and sunscreens. *Toxicology and Applied Pharmacology*, 203(1), 9–17.  
<https://doi.org/10.1016/j.taap.2004.07.005>

Syifa Octa, M. (2010). Uji efektivitas dan fotostabilitas krim ekstrak etanol 70 % teh hitam (*comellia sinensis L*) sebagai tabir surya secara in vitro. *UIN Syarif Hidayatullah Jakarta: Fakultas Kedokteran Dan Ilmu Kesehatan*.

Sytheon. (n.d.). *Sinoxyl® HSS*.

Sytheon. (2015). *Formulation Guidelines for Sinoxyl HSS*.

Teixeira, J., de Freitas, Z. M. F., Monteiro, M. S. de S. B., Vermelho, A. B., Ricci Junior, E., & Dos Santos, E. P. (2019). Development and characterization of photoprotective formulations containing keratin particles. *Brazilian Journal of Pharmaceutical Sciences*, 55, 1–14. <https://doi.org/10.1590/s2175-97902019000217649>

Universal Selector. (2021). Polycrylene. *Special Chem.*

Vallejo, J. J., Mesa, M., & Gallardo, C. (2011). Evaluation of the avobenzone photostability in solvents used in cosmetic formulations. *Vitae*, 18(1), 63–71.

Venus, M., Waterman, J., & Mcnab, I. (2010). Basic physiology of the skin. *Surgery*, 28(10), 469–472. <https://doi.org/10.1016/j.mpsur.2010.07.011>

Wypych, G. (2015). *Focus Technology – Sunscreens*.

Wypych, G. (2020). *Handbook of Degradation and Stabilization 3rd.*

Yauvira, J. (2018). *Formulasi dan Uji Aktivitas Nanoemulsi Avobenzone dan Oktil Metoksinamat Sebagai Tabir Surya.*

Yousef Agha, N., Haidar, S., & Al-Khayat, M. A. (2013). Development and validation of RP-HPLC method for analysis of four UV filters in sunscreen products. *International Journal of Pharmaceutical Sciences Review and Research*, 23(2), 254–258.

Yuan, L., Bai, D., & Huo, D. (2019). Studies on the preparation and photostability of avobenzone and (2-hydroxy)propyl- $\beta$ -cyclodextrin inclusion complex. *Journal of Photochemistry and Photobiology. A, Chemistry v.369.*

Yulianti, E., Adelsa, A., & Putri, A. (2015). Penentuan nilai SPF (Sun Protection Factor) Ekstrak Etanol 70 % Temu Mangga (Curcuma mangga) dan Krim Ekstrak Etanol 70 % Temu Mangga (Curcuma mangga) secara In Vitro Menggunakan Metode Spektrofotometri The Determination of SPF (Sun Protection Factor) Val. Majalah Kesehatan FKUB, 2(1).

Yunita, L. (2018). Studi Komparasi Penentuan Viskositas Lumpur Pemboran Menggunakan

Marsh Funnel dan Viscosimeter Berbasis Video Berbantuan Software Tracker. *Jurnal Offshore: Oil, Production Facilities and Renewable Energy*, 2(1), 10.  
<https://doi.org/10.30588/jo.v2i1.348>

