

## DAFTAR PUSTAKA

- Abassi SH, Kassaian SE, Karimi A, Sundin O, Jalali A, Soares J, Macassa G, *et al* (2015). Socioeconomic status and in-hospital mortality of acute coronary syndrome: Can education and occupation serve as preventive measures?. International Journal of Preventive Medicine 6 (36): pp. 1-15.
- Aguado-Romeo MJ, Marquez-Calderon S, Buzon-Barrera M (2007). Hospital mortality in acute coronary syndrome: Differences related to gender and use of percutaneous coronary procedures. BMC Health Services Research 7:110.
- Akhtar S (2012). Ischemic heart disease. Dalam: Hines RL, Marschall KE. Stoelting's anesthesia and co-existing disease. Philadelphia: Elsevier Saunders, pp. 10–13.
- Al-Hadi HA, Fox KA (2009). Cardiac markers in the early diagnosis and management of patients with acute coronary syndromes. SQU Medical Journal 9 (3): pp. 231-246.
- Alpert JS, Jaffe AS, Tygesen K, White HD (2011). Biomarkas in acute ishmeic heart disease. Dalam: Theroux P. Acute coronary syndromes: A companion to braunwald's heart disease. Philadelphia: Elsevier Saunders, p. 103.
- Alwi I (2014). Infark miokard akut dengan elevasi ST. Dalam: Alwi I, Sudoyo AW, Simadibrata M, Setyohadi B, Syam AF. Buku ajar ilmu penyakit dalam jilid II. Jakarta: Interna Publishing, pp. 1457-1459.
- Amsterdam EA, Wenger NK, Brindis RG, Casey DE, Ganiats TG, Holmes DR, Jaffe AS, *et al*. (2014). 2014 AHA/ACC Guideline for the management of patients with non-ST-Elevation acute coronary syndromes : A report of the american college of cardiology/american heart association task force on practice guidelines. Journal of the American College of Cardiology 64(24): pp. 139-228.
- Anderson JL (2016). ST segment elevation acute myocardial infarction and complications of myocardial infarction. Dalam: Goldman L, Schafer A (eds). Goldman-cecil medicine. Volume kesatu. Philadelphia: Elsevier Saunders, pp. 451-453.
- Andre R, Bongard V, Elosua R, Kirchberger I, Farmakis D, Hakkinen U, Fusco D, *et al*. (2014). International differences in acute coronary syndrome patients' baseline characteristics, clinical management and outcomes in western europe: the EURHOBOP study. Heart 100: pp. 1201-1207.
- Antman EM, Braunwald E (2008). ST-segment elevation myocardial infarction. Dalam: Fauci AS, Braunwald E, Kasper DL, Hauser SL, Longo DL, Jameson JL, Loscalzo J. Harrison's principles of internal medicine volume I. Amerika: R.R Donnelley and Sons, Inc., pp. 1532-1544.

Ariawan I (1998). Besar dan metode sampel pada penelitian kesehatan. Jakarta: Universitas Indonesia, pp. 38-39.

Barron HV, Cannon CP, Murphy SA, Braunwald E, Gibson M (2000). Association between white blood cell count, epicardial blood flow, myocardial perfusion, and clinical outcomes in the setting of acute myocardial infarction: A thrombolysis in myocardial infarction 10 substudy. American Heart Association, Inc. 102: pp. 2329-2334.

Boersma E, Maas ACP, Deckers JW, Simoons ML (1996). Early thrombolytic treatment in acute myocardial infarction: reappraisal of the golden hour. The Lancet 348: pp. 771-775.

Braunwald E, Sabatine MS (2012). The thrombolysis in myocardial infarction (TIMI) study group experience. The Journal of Thoracic and Cardiovascular Surgery: pp. 762-770.

Cannon CP, Braunwald E (2013). Unstable angina and non-ST-elevation myocardial infarction. Dalam: Loscalzo J. Harrison's cardiovascular medicine. China: The McGraw-Hill Education, pp. 407-408.

Corteville DCM, Armstrong DF, Montgomery DG, Kline-Rogers E, Goldberger ZD, Froehlich JB, Gurm HS, et al. (2011). Treatment and outcomes of first troponin-negative non-st-segment elevation myocardial infarction. The American Journal of Cardiology 107: pp. 24-29.

Daga LC, Kaul U, Mansoor A (2011). Approach to STEMI and NSTEMI. Supplement To JAPI 59: pp. 19-24.

Danny S, Roebiono PS, Soesanto AM, Kasim M (2009). Faktor-faktor yang mempengaruhi kejadian kardiovaskular mayor pada wanita pasca infark miokard akut. Jurnal Kardiologi Indonesia 30: pp.3-12.

Dharma S, Andriantoro H, Dakota I, Purnawan I, Pratama V, Isnaniyah H, Yamin M, et al. (2015). Organisation of reperfusion therapy for STEMI in a developing country. Open Heart 2: pp. 1-7.

Eran O, Novack V, Gilutz H, Zahger D (2011). Comparison of thrombolysis in myocardial infarction, global registry of acute coronary syndromes, and acute physiology and chronic health evaluation II risk scores in patients with acute myocardial infarction who require mechanical ventilation for more than 24 hours. The American Journal of Cardiology 107: pp. 343-346.

Fath-Ordoubadi F, Spaepen E, El-Omar M, Fraser DG, Khan MA, Neyses L, Danzi GB, et al. (2014). Outcomes in patients with acute and stable coronary syndromes: Insights from the prospective NOBORI-2 study. PloS ONE 9 (2): e88577.

- Ferri FF (2016). Acute coronary syndrome. Dalam: Alvero R, Ferri FF, Fort GG, Goldberg RJ, Hall HA, Kapoor S, Sahni G, *et al.* (eds). *Ferri's clinical advisor*. Philadelphia: Elsevier, Inc., pp. 47 – 51.
- Fernandes-Berges D, Bertomeu-Gonzalez V, Sanchez PL, Cruz-Fernandes JM, Arroyo R, Barriales Alvarez V, Carrasco Sanchez FJ, *et al.* (2011). Clinical scores and patient risk stratification in non-ST elevation acute coronary syndrome. *International Journal of Cardiology* 146: pp. 219-224.
- Gevaert SA, Bacquer DD, Evrard P, Convens C, Dubois P, Boland J, Renard M, *et al.* (2014). Gender, TIMI risk score and in-hospital mortality in STEMI patients undergoing primary PCI: Results from the Belgian STEMI registry. *Europa Digital & Publishing* 9: pp. 1095-1101.
- Giugliano RP, Cannon CP, Braunwald E (2015). Non-ST elevation acute coronary syndromes. Dalam: Mann DL, Zipes DP, Libby P, Bonow RO, Braunwald E. *Braunwald's heart disease*. Philadelphia: Elsevier Saunders, pp. 1155-1168.
- Goncalves PDA, Ferreira J, Aguiar C, Seabra-Gomes R (2005). TIMI, PURSUIT, and GRACE risk scores: sustained prognostic value and intercation with revascularization in NSTE-ACS. *European Heart Journal* 26: pp. 865-872.
- Gonzalez-Pacheco H, Arias-Mendoza A, Alvarez-Sangabriel A, Juarez-Herrera U, Damas F, Eid-Lidt G, Azar-Manzur F (2012). The TIMI risk score for STEMI predicts in-hospital mortality and adverse events in patients without cardiogenic shock under-going primary angioplasty. *Archivos de Cardiologia de Mexico* 82 (1): pp. 7-13.
- Grzybowski M, Welch RD, Parsons L, Ndumele CE, Chen E, Zalenski R, Barron HV (2004). The association between white blood cell count and acute myocardial infarction in-hospital mortality: Findings form the national registry of myocardial infarction. *Academic Emergency Medicine* 11 (10): pp. 1049-1060.
- Halkin A, Stone GW, Grines CL, Cox DA, Rutherford BD, Esente P, Meils CM, *et al.* (2006). Prognostic implications of creatine kinase elevation after primary percutaneous coronary intervention for acute myocardial infarction. *Journal of the American College Cardiology* 47 (5): pp. 951-961.
- Hamm CW, Ardissino D, Boersma E, Budaj A, Fernandez-Aviles F, Fox KAA, Hasdai D, *et al.* (2007). Guidelines for the diagnosis and treatment of non-ST-segment elevation acute coronary syndromes. *European Heart Journal* 28: p. 1605.
- Hidayat AP (2014). Hitung leukosit dan nilai hemoglobin sebagai faktor prediktor major adverse cardiac events pada sindromaa koroner akut. Jakarta, Universitas Islam Negeri Syarif Hidayatullah. Skripsi.

- Iqbal J, Fox KAA (2010). Epidemiological trends in acute coronary syndromes : Understanding the past to predict and improve the future. Archives of Medical Science 6 (1A): pp. 3-14.
- Kiatchoosakun S, Wongvipaporn C, Buakhamsri A, Sanguanwong S, Moleerergpoom W, Sarakaran P, Silaruks S, *et al.* (2007). Predictors of in-hospital mortality in non-ST elevation acute coronary syndrome in thai acute coronary syndrome (TACSR). Journal of the Medical Association of Thailand 90 (Suppl 1): pp. 41-50.
- Kolansky DM (2009). Acute coronary syndromes: morbidity, mortality, and pharmaco-economic burden. The American Journal of Managed Care 15: pp. 36-41.
- Kurz MC, Mattu A, Brady WJ (2014). Acute coronary syndrome. Dalam: Marx JA, Hockberger RS, Walls RM. Rosen's emergency medicine: Concepts and clinical practice. Philadelphia: Elsevier Inc., pp. 999, 1016.
- Lange RA, Hillis LD (2016). Acute coronary syndrome: Unstable angina and non-st elevation myocardial infarction. Dalam: Goldman L, Schafer A (eds). Goldman-cecil medicine. Volume kesatu. Philadelphia: Elsevier Saunders, pp. 433-440
- Lee CY, Hairi NN, Ahmad WAW, Ismail O, Liew HB, Zambahari R, Ali RM, *et al.* (2013). Are there gender differences in coronary artery disease? The malaysian national cardiovascular disease database – percutaneous coronary intervention (NCVD-PCI) registry. PloS ONE 8 (8): e72382.
- Lemos JA, O'Rourke R (2008). Unstable angina and non-ST-segment elevation myocardial infarction. Dalam : Fuster V, O'Rourke RA, Walsh RA, Poole-Wilson P, 2008. Hurst's the heart volume two. China: The McGraw-Hill Companies, Inc., p. 1351-1354.
- Liwang F, Wijaya IP (2014). Penyakit Jantung Koroner. Dalam: Tanto C, Liwang F, Hanifati S, Pradipta EA. Kapita selekta kedokteran volume II. Jakarta: Media Aesculapius, pp: 748-755.
- Madiyono B, Moeslichan S, Sastroasmoro S, Budiman I, Purwanto SH (2002). Dalam: Sastroasmoro S, Ismael S (eds). Dasar-dasar metodologi penelitian klinis. Jakarta: Sagung Seto, p. 269.
- Mega JL, Antman EM, Sabatine MS (2011). Risk stratification in unstable angina and non-ST-segment elevation myocardial infarction. Dalam: Theroux P. Acute coronary syndromes: A companion to braunwald's heart disease. Edisi kedua. Philadelphia: Elsevier Saunders, p. 103.
- Milcent C, Dormont B, Durand-Zaleski I, Steg PG (2007). Gender differences in hospital mortality and use of percutaneous coronary intervention in acute myocardial infarction: Microsimulation analysis of the 1999 nationwide

french hospitals database. Circulation American Heart Association 115: pp. 833-839.

Naz S, Iqbal IA, Ibrahim W, Ghafoor F, Siddique S (2013). C-reactive protein, leukocyte count and myeloperoxidase as predictors of adverse cardiac events in acute coronary syndrome patients. Pakistan Heart Journal 46 (4): pp. 265-272.

Newby LK, Goldmann BU, Ohman EM (2003). Troponin: An important prognostic marker and risk-stratification tool in non-st-segment elevation acute coronary syndromes. American College of Cardiology 41 (4): pp. 31-36.

Nunez J, Facila L, Liacer A, Sanchis J, Bodi V, Bertomeu V, Sanjuan R, *et al.* (2005). Prognostic value of white blood cell count in acute myocardial infarction: Long term mortality. Revista Espanola de Cardiologia 58 (6): pp. 631-639.

Oemiaty R dan Rustika (2015). Faktor risiko penyakit jantung koroner (PJK) pada perempuan (baseline studi kohor faktor risiko PTM). Buletin Penelitian Sistem Kesehatan 8 (1): pp. 47-55.

Palmerini T, Mehran R, Dangas G, Nikolsky E, Witzenbichler B, Guagliumi G, Dudek D, *et al.* (2011). Impact of leukocyte count on mortality and bleeding patients with myocardial infarction undergoing primary percutaneous coronary interventions: Analysis from the harmonizing outcome with revascularization and stent in acute myocardial infarction trial. Circulation American Heart Association 123: pp. 2829-2837.

PERKI, (2015). Pedoman tatalaksana sindroma koroner akut. Edisi ke 3. Jakarta: Centra Communications, pp: 1-3.

Prasad A, Stone GW, Stuckey TD, Constantini CO, Mehran R, Garcia E, Tcheng JE, *et al.* (2007). Relation between leucocyte count, myonecrosis, myocardial perfusion, and outcomes following primary angioplasty. American Journal of Cardiology 99: pp. 1067-1071.

Rafique Q, Latif M, Hussain A, Nisar S (2014). To determine the frequency of in-hospital mortality in patients of acute coronary syndrome with increased neutrophil to lymphocyte ratio (NLR). Pakistan Journal of Medical and Health Sciences 8(4): pp. 946-950.

Ruiz-Garcia J, Lerman A, Weisz G, Maehara A, Mintz GS, Fahy M, Xu K, *et al.* (2012). Age- and gender-related changes in plaque composition in patients with acute coronary syndrome: the PROSPECT study. EurIntervention 8: pp. 929-938.

Roffi M, Patrono C, Collet JP, Mueller C, Valgimigli M, Andreotti F, Bax JJ, *et al.* (2015). 2015 ESC guidelines for the management of acute coronary

syndromes in patients presenting without persistent ST-segment elevation. Oxford: The European Society of Cardiology, pp. 7 – 24.

Salehi N, Eskandarian R, Sanati HR, Firouzi A, Shakerian F, Abdi S, Bakhshandeh H, *et al.* (2013). White blood cell count and mortality in acute myocardial infarction. World Journal of Cardiovascular Disease 3: pp. 458-463.

Samsu N, Sargowo D (2007). Sensitivitas dan spesifitas troponin T dan I pada diagnosis infark miokard akut. Majalah Kedokteran Indonesia 57(10): pp. 363-372.

Sastroasmoro S (2002). Pemilihan subyek penelitian. Dalam: Sastroasmoro S, Ismael S (eds). Dasar-dasar metodologi penelitian klinis. Jakarta: Sagung Seto, p. 75.

Schoenkerman AB, Goldschlager N (2013). Chest pain: Does this patient have cardiac ischemia?. Consultant 53 (8): 556-560.

Scirica BM, Morrow DA (2015). ST-elevation myocardial infarction: Pathology, pathophysiology, and clinical features. Dalam: Mann DL, Zipes DP, Libby P, Bonow RO, Braunwald E. Braunwald's heart disease. Philadelphia: Elsevier Saunders, p. 444.

Thygesen K, Mair J, Katus H, Plebani M, Venge P, Collinson P, Lindahl B, *et al.* (2010). Recommendations for the use of cardiac troponin measurement in acute cardiac care. European Heart Journal 31: p. 2197.

Trisnohadi HB, Muhadi (2014). Angina pektoris tak stabil/infark miokard akut tanpa elevasi ST. Dalam: Alwi I, Sudoyo AW, Simadibrata M, Setyohadi B, Syam AF. Buku ajar ilmu penyakit dalam. Jilid II. Jakarta: Interna Publishing, pp. 1449-1451.

Waters DD, Arsenault BJ (2016). Predicting prognosis in acute coronary syndromes: Makeover time for TIMI and GRACE. Canadian Journal of Cardiology: pp. 1-4.

Werns S (2014). Acute coronary syndromes and acute myocardial infarction. Dalam : Parillo JE, Dellinger RP. Critical care medicine: Principles of diagnosis and management in the adult. Philadelphia: Elsevier Saunders, p. 470.

WHO (2014). The top 10 causes of death: Fact sheets. <http://www.who.int/mediacentre/factsheets/fs310/en/>. Diakses 15 Mei 2016.

Xu RY, Zhu XF, Yang Y, Ye P (2013). Review: High-sensitive cardiac troponin T. Journal of Geriatric Cardiology 10: pp. 102-109.

Yan AT, Yan RT, Tan M, Casanova A, Labinaz M, Sridhar K, Fitchett DH, *et al.* (2007). Risk scores for risk stratification in acute coronary syndromes:

Useful but simpler is not necessarily better. European Heart Journal 28: pp. 1072-1078.

Yellon DM dan Hausenloy DJ (2007). Myocardial reperfusion injury. The New England Journal of Medicine 357: pp. 1121-1135.

