

## DAFTAR PUSTAKA

- Adhikari, K., Fontanil, T., Cal, S., Mendoza-Revilla, J., Fuentes-Guajardo, M., Chacón-Duque, J.-C., *et al* 2016. A Genome-wide Association Scan in Admixed Latin Americans Identifies Loci Influencing Facial and Scalp Hair Features. *Nat Commun.* 7:10815. p1-12. DOI: 10.1038/ncomms10815.
- Al-Biltagi, M 2015. Down Syndrome from Epidemiologic Point of View. *EC Pediatrics.* Vol 2.1. p82-91.
- Allanson JE, O'Hara P 1993. Anthropometric Craniofacial Pattern Profiles in Down syndrome. *American J of Med Genetics.* 47. p748-53.
- Antonarakis SE, Lyle R, Dermitzakis ET, Reymond A, Deutsch S 2005. Chromosome 21 and Down Syndrome: From Genomics to Pathophysiology. *Nat Rev Genet.* 5. p725–38.
- Apaydin F, Akyildiz S, Hecht DA, Toriumi DM 2009. Rhinobase: A Comprehensive Database, Facial Analysis, and Picture-Archiving Software for Rhinoplasty. *Arch Facial Plast Surg.* 11(3). p209-11
- Asher JH Jr., Sommer A, Morell R and Friedman TB 1996. Missense Mutation in the Paired Domain of PAX3 Causes Craniofacial-deafness-hand Syndrome. *Hum Mutat.* 7. p30–5.
- Asim A, Kumar A, Muthuswamy S, Jain S, Agarwal S. Down Syndrome: An Insight of the *Disease.* *J Biomed Sci.* 2015; 22(1): 41.
- Berger AJ, Kahn D. Growth and Development of the Orbit. *Oral Maxillofac Surg Clin North Am.* 2012;24(4):545-555.
- Beverdam, A., Meijlink, F. (2001). Expression patterns of group-I aristaless-related genes during craniofacial and limb development. *Development* 107, 163-167
- Bittles AH, Bower C, Hussain R, Glasson EJ. 2006. 'The four ages of Down Syndrome' *European Journal of Public Health, Vol. 17, No. 2, 221-225*
- Boahene KDO, Orten SS, Hilger PA. 2009. Facial Analysis of the Rhinoplasty Patient. In: Papel ID, Frodel JL, Holt GR, Larrabee WF, Nachlas NE, Park SS, *et al.*, editors. *Facial Plastic and Reconstructive Surgery.* 3<sup>rd</sup> ed. New York: Thieme Medical Publisher. 563-76
- Boehringer, S., Van Der Lijn, F., Liu, F., Günther, M., Sinigerova, S., Nowak, S., *et al.* (2011). Genetic determination of human facial morphology: links between cleft-lips and normal variation. *Eur. J. Hum. Genet.* 19:1192.
- Boudjadi, S., Chatterjee, B., Sun, W., Vemu, P., Barr, F.G. (2018). The expression and function of PAX3 in development and disease. *Gene.* 666 : 145–157
- Brinkley, J. F., Fisher, S., Harris, M. P., Holmes, G., Hooper, J. E., Jabs, E. W., *et al.* (2016). The FaceBase consortium: a comprehensive resource for craniofacial researchers. *Development* 143, 2677–2688.
- Calhoun KH, Stambaugh KI. 2006. Facial Analysis and Preoperative Evaluation. In: Bailey BJ, Johnson JT, Newlands SD, editors. *Bailey's Head and Neck Surgery Otolaryngology.* 4th ed. Philadelphia: Lippincott Williams & Wilkins. 2482-99
- Catovic A, Kendic Sulejman. Cytogenetic Findings at Down Syndrome and Their Correlation with Clinical Findings. *Bosnian Journal of Basic Medical Sciences* 2005;5(4):61-7.

- Cha, S., Lim, J. E., Park, A. Y., Do, J. H., Lee, S. W., Shin, C., *et al.* (2018). Identification of five novel genetic loci related to facial morphology by genomewide association studies. *BMC Genomics* 19:481
- Chaconas SJ. 1969. A Statistical Evaluation Of Nasal Growth. *Am J Orthodontics*. 56(4):403-14
- Chen, H. 2011. Genetics of Down Syndrome. <http://www.emedicine.com>. 26 agustus 2021 (14:34)
- Christianson AL 1996. Down syndrome in sub-saharan africa. *Jf med genet* 33, 89-92
- Claes, P., Roosenboom, J., White, J. D., Swigut, T., Sero, D., Li, J., *et al.* (2018). Genome-wide mapping of global-to-local genetic effects on human facial shape. *Nat. Genet.* 50:414.
- Cole, J. B., Manyama, M., Kimwaga, E., Mathayo, J., Larson, J. R., Liberton, D. K., *et al.* (2016). Genomewide association study of african children identifies association of SCHIP1 and PDE8A with facial size and shape. *PLoS Genet.* 12:e1006174.
- Crouch, D. J. M., Winney, B., Koppen, W. P., Christmas, W. J., Hutnik, K., Day, T., *et al.* (2018). Genetics of the human face: Identification of large-effect single gene variants. *Proc. Natl. Acad. Sci. U.S.A.* 115, E676–E685
- Cunto FD, Berto G. (2013). Molecular Pathways of Down Syndrome Critical Region Genes. 117-133.
- Currier DG, Polk RC, Reeves RH (2012) A Sonic hedgehog (Shh) response deficit in trisomic cells may be a common denominator for multiple features of Down syndrome. *Prog Brain Res* 197: 223-236.
- Damasceno LN, Basting RT. Facial Analysis in Down Syndrome Patients. *Rev Gaucha Odontol.* Porto Alegre, Jan Mar 2014;(62):no.1, p.7-12
- Descartes MCA. 2007. Cytogenetics. In: Kliegman RM, Jenson HB, Stanton BF (ed) *Nelson textbook of pediatrics*. 18 ed. Philadelphia. Saunder Elsevier.
- Deutsch CK. Quantitative methods of dysmorphology diagnosis. In : Farkas LG,ed. *Antropometry head and face*. New York: Raven Press, 1994: p 151-8.
- Elsamny TA, Sobhi EA. Anthropometric Analysis of the External Nose of the Egyptian Males. *Aesthetic Plastic Surgery*. Published 20 July 2018. DOI: 10.1007/s00266-018-1197-8.
- Erlangga MHR. *Antropometri dan Analisis Wajah dengan menggunakan Rhinobase Software pada Perempuan Jawa Murni di Jakarta [Tesis]*. Jakarta: Universitas Indonesia; 2006.
- Ermak G, Harris CD, Battochio D, Davies KJ. RCAN1 (DSCR1 or Adapt78) Stimulate Expression of GSK-3beta. *FEBS J.* 2006;273(10):2100-9.
- Evans-Martin FF. *Genes & disease: Down syndrome*. Edisi ke-1. New York: Chelsea House Books; 2009.
- Farkas LG, Litsas L. Surface anatomy of the face in Down syndrome: Linear and Angular measurements in the craniofacial regions. *J Craniofac Surg* 2001;12:373-9.
- \_\_\_\_\_, Munro IR. Abnormal Measurement and Disproportions in the face of Down syndrome patients: Preliminary report of anthropometric study. *Plastic and Reconstructive Surgery* 1985;75:159-67.

- Farrer LA, Arnos KS, Asher JH Jr., Baldwin CT, Diehl SR, Friedman TB, Greenberg J, Grundfast KM, Hoth C, Lalwani AK and *et al.*, (1994) Locus heterogeneity for Waardenburg syndrome is predictive of clinical subtypes. *Am J Hum Genet* 55, 728–37.
- Ferrario VF, Dellavia C. Soft Tissue Facial anthropometry in Down syndrome subjects. *The Journal Craniofac surg* 2004: 528-32
- Fillat C, Altafaj X. 2012. Gene therapy for Down syndrome. *Progress in Brain Research*, Vol. 197.
- Genetics C, College CM, Christian R, College M, Srivastava VM. Comorbid medical conditions in Indian children with Down syndrome. *IJ AR*. 2016; 6(9): 5–7.
- Gilman GS. 2014. Rhinoplasty: Incision, Approaches and Analysis. In: Johnson JT, Rosen CA, editors. *Bailey's Head and Neck Surgery Otolaryngology*. 5th ed. Philadelphia: Lippincott Williams & Wilkins. 2941-51
- Glass RM, 1990 The progress and prospects of psychiatry. *JAMA* 264, 2549–50.
- Habib FA 2011. Antenatal screening strategies for down syndrome: analysis of existing protocols and implications in the kingdom of saudi arabia. *British journal of medicine & medical research*, 1, 105-21
- Hall J. Chromosomal clinical abnormality. Dalam: Berhman RE, Kliegman RM, Jehnson HB, penyunting. *Nelson Textbook of Pediatrics*. Edisi ke-17. Philadelphia: Saunders; 2003. h. 382–91.
- Hu D, Helms JA. The role of sonic hedgehog in normal and abnormal craniofacial morphogenesis. *Development*. 1999;126(21):4873-4884.
- Jones RB. Parental consent to cosmetic facial surgery in Down syndrome. *J of Med Ethics* 2000;26:101-2
- Kava MP, Tullu MS, Muranjan MN. Down Syndrome: Clinical Profile from India. *Archieve of Medical Research*. 2004;89:1177-8.
- Kayserili, H., Uz, E., Niessen, C., Vargel, I., Alanay, Y., Tuncbilek, G., Yigit, G., Uyguner, O., Candan, S., Okur, H., *et al.* (2009). ALX4 dysfunction disrupts craniofacial and epidermal development. *Hum. Mol. Genet.* 18, 4357–4366.
- Kementrian Kesehatan RI . 2019. Infodatin Sindrom Down. Pusdatin Kemenkes RI. Jakarta Selatan.
- Kim DW, Mau T. 2014. Surgical Anatomy of the Nose. In: Johnson JT, Rosen CA, editors. *Bailey's Head and Neck Surgery Otolaryngology*. 5th ed. Philadelphia: Lippincott Williams & Wilkins. 2919-40
- Koch RJ, Hanasono MM. 2009. Aesthetic Facial Analysis. In: Papel ID, Frodel JL, Holt GR, Larrabee WF, Nachlas NE, Park SS, editors. *Facial Plastic and Reconstructive Surgery*. 3rd ed. New York: Thieme Medical Publisher. 177-87
- Koento T. Menuju Karakteristik Wajah Menarik Perempuan Indonesia Ditinjau dari Aspek Analisis Wajah dengan Fotogrametri Menggunakan Perangkat Lunak Analisis Wajah: Perempuan Jawa, Minang dan Batak. Disertasi. FKUI/RSCM. 2008.
- \_\_\_\_\_. Perbedaan Rerata Antropometri Wajah Anak Sindrom Down. \_\_\_\_\_. 2007.
- Korbel JO, Tirosh-Wagner T, Urban AE, Chen XN, Kasowski M, Dai L, *et al.* The Genetic Architecture of Down Syndrome Phenotypes Revealed by High Resolution Analysis of Human Segmental Trisomies. *Proc Natl Acad Sci USA*. 2009;106:12031-6.



- Kovaleva NV. Sootnoshenie polov pri bolezni Dauna [Sex ratio in Down syndrome]. *Tsitol Genet.* 2002;36(6):54-69.
- Kroeber AL. 1963. *Anthropology: Biology and Race*. New York: Harbinger Book-Harcourt, Brace & World Inc
- Lee LG, Jackson JF. Diagnosis of Down Syndrome: Clinical vs Laboratory. *Clinical Pediatrics* 1972;11:353-6.
- Lee, M. K., Shaffer, J. R., Leslie, E. J., Orlova, E., Carlson, J. C., Feingold, E., *et al.* (2017). Genome-wide association study of facial morphology reveals novel associations with *FREM1* and *PARK2*. *PLoS One* 12:e0176566
- Liu, F., Van Der Lijn, F., Schurmann, C., Zhu, G., Chakravarty, M. M., Hysi, P. G *et al.* (2012). A genome-wide association study identifies five loci influencing facial morphology in Europeans. *PLoS Genet* ;8(9)
- Ma J, Lin K, Jiang HC, Yang Y, Zhang Y, Yang G, *et al.* A novel mutation of the *PAX3* gene in a Chinese family with Waardenburg syndrome type I. (2019) *Mol Genet Genomic Med.*;7:e798
- Marder E. 2001. Medical management of children with down's syndrome. *Current paediatrics*, 11, 57-63.
- Meijlink, F., Beverdam, A., Brouwer, A., Oosterveen, T.C., and Berge, D.T. (1999). Vertebrate aristaless-related genes. *Int. J. Dev. Biol.* 43, 651–663.
- Meneghini F. 2009. *Clinical Facial Analysis : Elements Principles Techniques*. Germany: Springer-Verlag
- Meneghini F. 2009. *Clinical Facial Analysis : Elements Principles Techniques*. Germany: Springer-Verlag
- Menkes JH, Falk RE. Chromosomal anomalies and contiguous gene syndromes. Dalam: Menkes JH, Sarnat HB, penyunting. *Child Neurology*. Edisi ke-6. Los Angeles: Lippincott , Williams & Wilkins; 2000.
- Meruane M, Ayala MF, Garcia-Huidobro MA, Andrades P. 2016. Reliability of Nasofacial Analysis Using *Rhinobase Software*. *Aesth Plast Surg.* 40:149-5
- Mirghani, H., Osman, N., Dhanasekaran, S., Elbiss, H. M., and Bekdache, G. (2015). Transplacental transfer of 2-naphthol in human placenta. *Toxicol. Rep.* 2, 957–960
- Na'im A, Syaputra H. *Kewarganegaraan, Suku Bangsa, Agama, dan Bahasa Sehari-hari Penduduk Indonesia*. Jakarta: Badan Pusat Statistik; 2010
- Olson S. 2004. *Mapping Human History, Gen, Ras dan Asal Usul Manusia*. Jakarta: Serambi
- Penrose LS. The incidence of mongolism in the general population. *J Ment Sci.* 1949 Jul; 95 (400): 685-8
- Paternoster, L., Zhurov, A. I., Toma, A. M., Kemp, J. P., Pourcain, B. S., Timpson, N. J., *et al.* (2012). Genome-wide association study of three-dimensional facial morphology identifies a variant in *PAX3* associated with nasion position. *Am. J. Hum. Genet.* 90, 478–485
- Patterson D. Genetic Mechanism Involved in the Phenotype of Down Syndrome. *Ment Retard Dev Dusabil Res Rev.* 2007;13:199-206.

- Pham AM, Tollefson TT. Objective Facial Photograph Analysis Using Imaging Software. *Facial Plast Surg Clin N Am* 18 (2010) 341–349
- Pingault V, Ente D, Dastot-Le Moal F, Goossens M, Marlin S, *et al.* (2010) Review and update of mutations causing Waardenburg syndrome. *Hum Mutat* 31: 391–406.
- Presson, A. P., *et al* (2013) ‘Current Estimate of Down Syndrome Population Prevalence in the United States’. *The Journal of Pediatrics*. 163 (4), 1163-1168
- Pritchard MA, Kola I. 1999. The "gene dosage effect" hypothesis versus the "amplified developmental instability" hypothesis in Down syndrome. *Journal of Neural Transmission*: 293-303.
- Ram G. 2011. Infections and immunodeficiency in down syndrome. *Clinical and experimental immunology*, 164, 9-16.
- Richmond S, Howe LJ, Lewis S, Stergiakouli E, Zhurov A. (2018) Facial Genetics: A Brief Overview. *Front. Genet.* 9:462.
- Ridley MB, Vanhook SM. 2009. Aesthetic Facial Proportions. In: Papel ID, Frodel JL, Holt GR, Larrabee WF, Nachlas NE, Park SS, editors. *Facial Plastic and Reconstructive Surgery*. 3rd ed. New York: Thieme Medical Publisher. 119-33
- Rondal, JA.(2020). Down syndrome: A curative prospect?. *AIMS Neuroscience*, 7(2): 168–193.
- Rondal, JA.(2021). From the lab to the people: major challenges in the biological treatment of Down syndrome. *AIMS Neuroscience*, 8(2): 284–294.
- Rozner L. Facial Plastic Surgery for Down syndrome. *The Lancet*; 1983: p1320-3.
- Salehi A. 2008. Down syndrome. Elsevier : 627-33
- Shaffer, J. R., Orlova, E., Lee, M. K., Leslie, E. J., Raffensperger, Z. D., Heike, C. L., *et al.* (2016). Genome-wide association study reveals multiple loci influencing normal human facial morphology. *PLoS Genet.* 12:e1006149
- Shin M, Besser LM, Kucik JE, Lu C, Siff el C, Correa A. Prevalence of Down syndrome among children and adolescents in 10 regions of the United States. *Pediatrics*. 2009; 124: 1565–71.
- Singh RO, Choy SJ, Cheng CC. First and mid three semester Down syndrome screening and detection. *Clin Perinatol*. 2004; 31: 677–94.
- Sommer A, Young-Wee T and Frye T, 1983 Previously undescribed syndrome of craniofacial, hand anomalies, and sensorineural deafness. *Am J Med Genet* 15, 71–7.
- Sommer, CA, Silva H. Trisomy 21 and Down syndrome - A short review. *Braz J Biol.* 2008;68:447-52
- Starbuck J, Cole TM, Reeves RH, Richtsmeier JT. (2013). Trisomy 21 and Facial Developmental Instability. *Am J Phys Anthropol.* 151(1) : 1-19
- Trenite GJN. 2009. Surgery of the Nasal Tip : Intranasal Approach. In: Papel ID, Frodel JL, Holt GR, Larrabee WF, Nachlas NE, Park SS, *et al.*, editors. *Facial Plastic and Reconstructive Surgery*. 3<sup>rd</sup> ed. New York: Thieme Medical Publisher. 563-76
- Twigg SR, Versnel SL, Nürnberg G, Lees MM, Bhat M, Hammond P, *et al.* Frontorhiny, a distinctive presentation of frontonasal dysplasia caused by recessive mutations in the ALX3 homeobox gene. *Am J Hum Genet.* 2009; 84:698–705

- Verma IC, Lall M, Dua Puri R. Down Syndrome in India: Diagnosis Screening and Prenatal Diagnosis. Clin Lab Med. 2012;54:1-10.
- Ward RE. Craniofacial anthropometry in clinical genetics. In : Farkas LG,ed. Anthropometry head and face. New York: Raven Press, 1994: p 119-24.
- Wesoly, S . From Syndromes To Normal Variation: A Candidate Gene Study Of Interorbital Distances. Thesis. Molecular and Cell Biology, University of Connecticut.2017.
- Wexler MR. Rehabilitation of the face in patients with Down syndrome. Plastic Reconstructive Surgery, 1986: 383-93.
- Winkler A, Wudel M. 2014. Preoperative Evaluation and Facial Analysis in Facial Plastic Surgery. In: Johnson JT, Rosen CA, editors. Bailey's Head and Neck Surgery Otolaryngology. 5th ed. Philadelphia: Lippincott Williams & Wilkins. 2757-71
- Young NM, Chong HJ, Hu D, Hallgrimsson B, Marcucio RS. Quantitative analyses link modulation of sonic hedgehog signaling to continuous variation in facial growth and shape. Development. 2010; 137:3405–3409.
- Zimble MS. 2010. Aesthetic Facial Analysis. In: Flint PW, Haughey BH, Lund VJ, Niparko JK, Richardson MA, Robbins KT, *et al.*, editors. Cummings Otolaryngology Head & Neck Surgery. 5<sup>th</sup> ed. Philadelphia: Mosby Elsevier. 269-80

