

DAFTAR PUSTAKA

- Abdou, HM. (1989). *Dissolution, Bioavailability and Bioequivalence*. Pennsylvania : Mark Publishing Company Easton.
- Ansel, Howard C. (1989). *Pengantar Bentuk Sediaan Farmasi* (edisi IV). Jakarta : UI Press.
- Banakar, U. V. (1991). *Pharmaceutical Dissolution Testing*. New York: Marcell Dekker Inc.
- Barzegar-Jalali, M., Valizadeh, H., Shadbad, M. R. S., Adibkia, K., Mohammadi, G., Farahani, A., Arash, Z., & Nokhodchi, A. (2010). Co-grinding as an approach to enhance dissolution rate of a poorly water-soluble drug (gliclazide). *Powder Technology*, 197 (3) : 150-158
- Ben, E.S. (2008). *Teknologi Tablet*. Padang : Andalas University Press
- Chiou, W.L., & S. Riegelman. (1971). Pharmaceutical Application of Solid Dispersion System. *J. Pharm. Sci.*, 60 (9) : 1281 – 1302.
- Chivate, N., Anuradha, C., Shubhangi, S., Jagdish, S. (2013). Improvement of bioavailability and solubility of telmisartan by solid dispersion technique using various carriers. *Int. J. Pharm. Sci. Rev. Res.*, 19 (2) : 36-41.
- Chowdary, K. P. R., Adinarayana, T., Vijay, T., Mercy, R., & Moyya, P. (2013). A factorial study on the enhancement of dissolution rate of ketoprofen by solid dispersion in combined carriers. *J. Glob. Trends Pharm. Sci.*, 4 (3) : 1163-1167
- Coates, J. (2000). Interpretation of Infrared Spectra, A Practical Approach. *Encyclopedia of Analytical Chemistry*, R.A Meyers. 10815-10837.
- Creswell, C.J., Runquist, O.A. and Campbell, M.M. (1982). *Analisis Spektrum Senyawa Organik*. Bandung : ITB
- Dachriyanus. (2004). *Analisis struktur Senyawa organik secara spektroskopi*. Padang: Universitas Andalas Press
- David, B.T. (2005). *Remington. The Science and Practice of Pharmacy* Edisi 21. Philadelphia : Lippincot William
- Departemen Kesehatan RI. (1995). *Farmakope Indonesia Edisi IV*. Jakarta: Departemen Kesehatan Republik Indonesia
- Departemen Kesehatan Republik Indonesia. (2014). *Farmakope Indonesia Edisi V*. Jakarta: Departemen Kesehatan Republik Indonesia.

- Dixit, RP. Singh, Stuti, S. (2012). Solid Dispersions : a Strategy for Improving the Solubility of Poorly Soluble Drugs. *IJRPBS*, 3 (2) : 960-966
- Garg, A, & Singh, S. (2009). Solid State Interaction of Raloxifene HCL with Different Hydrophilic Carriers During Co-grinding and its Effect on Dissolution Rate. *Drug Dev. Ind. Pharm.*, 35 (1) : 455-470
- Giri, T.K., Kumar, K., Alexander, A., Ajazuddin, Badwaik, H. & Tripathi, D.K. (2012). A Novel and Alternative Approach to Controlled Release Drug Delivery System Based on Solid Dispersion Technique : Review Paper. *Bull. Fac. Pharm. Cairo Univ.*, 50 (2) : 147-159.
- Gue, E., *et.al.* (2013). Accelerated Ketoprofen Release from Polymeric Matrices : Importance of the Homogeneity /Heterogeneity of Excipient Distribution. *Int. J. Pharm.*, 457 (1): 298-307
- Hancock, B.C., & G. Zografi. (1997). Characteristics and Significance of the Amorphous State in Pharmaceutical Systems. *J. Pharm. Sci.*, 89 (1) : 1-12.
- Jachowicz, R., Nurnberg, E., Pieszczyk, B., Kluczykowska, B.& Maciejewska, A. (2000). Solid Dispersion of Ketoprofen in Pellets. *Int. J. Pharm* 206 (1-2): 13-21.
- Jagadeesan, R., & Adhkrishnan, M. (2013). Novel approaches in the preparation of solid dispersion on solubility: a review. *Int. J. Pharm. Pharm. Sci.*, 5 (3) : 1000-1004
- Katzung, B. G. (2001). *Farmakologi Dasar dan Klinik*. Penerjemah: Sjabana, D. Jakarta: Salemba Medika
- Khaleel, N.K., Rasool, A.A., Ghareeb, M.M., & Hussain, S.A. (2011). Solubility and dissolution improvement of ketoprofen by solid dispersion in polymer and surfactant using solvent evaporation method. *Int. J. Pharm. Pharm. Sci.*, 3 (4): 431-435.
- Kumavat, S.D., Chaudhari, Y.S., Badhe, M., Borole, P. & Shenghani, K. (2013). Physical Stability of Amorphous Solid Dispersion : Review. *Int. J. Pharm. Archive*, 2 (5): 129-136.
- Leuner, C & Dressman, J. (2000). Improving drug solubility for oral delivery using solid dispersions: Review Article. *Eur. J. Pharm. Biopharm.*, 50 (1): 47-60.
- Martin, A., Swarbrick J., & Cammarata, A. (2009). *Farmasi Fisik Jilid 1*. Jakarta : UI Press
- McEvoy, G. K. (2005). *AHFS: Drug Information*. American Society of Health System Pharmacists Inc., Bethesda.

- Mudgal, S.S & Pancholi, S. (2012). Formulation of glibenclamide solid dispersions by solvent evaporation technique. *J. Chem. Pharm. Res.*, 4 (1): 353-359.
- Reimer, L. (1998). *Scanning electron microscopy: Physics of image formation and microanalysis 2nd edition*. London: Springer.
- Riekes, M. K., Kuminek, G., Rauber, G. S., Maduro de Campos, C. E., Bortoluzzi, A. J., & Stulzer, H. K. (2014). HPMC as a potential enhancer of nimodipine biopharmaceutical properties via ball-milled solid dispersions. *Carbohydrate Polymers*, 99 (2) : 474–482
- Rowe, R.C., Sheskey, P.J. & Owen, S.C. (2009). *Handbook of Pharmaceutical Excipients Fifth Edition*. London: Pharmaceutical Press
- Sareen, S., Mathew, G., & Joseph., L. (2014). Improvement in solubility of poor water-soluble drugs by solid dispersion: Review Article. *Int. J. Pharm. Invest.*, 2 (1) : 12-17.
- Sekiguchi, K. & Obi, N. (1961). Studies on Absorption of Eutectic Mixture. I: A Comparison o the Behaviour of Eutectic Mixture of Sulfathiazole and that of Ordinary Sulfathiazole in Man. *Chem. Pharm. Bul.*, 9 (11) : 866-872.
- Shargel, L., & Yu, A. (2005). *Biofarmasetika & farmakokinetika terapan*. Terjemahan oleh Fasich dan Budi Suprapti, Edisi kedua, Surabaya: Airlangga University Press
- Silverstein, R.M., Webster, F.X. and Kiemle, D.J. (2005). *Spectrometric Identification Of Organic Compounds, Seventh Edition*. New York : State University of New York.
- Singh, S., Baghel, R. S., & Yadav, L. (2011). A Review on solid dispersion. *Int. J. Pharm. Life Sci.*, 2 (9): 1078-1095
- Sweetman, S. C. (2009). *Martindale: The Complete Drug Reference (The 36th)*. London: Pharmaceutical Press.
- Vadher, A. H., Parikh, J. R., Parikh, R. H., & Solanki, A. B. (2009). Preparation and characterization of co-grinded mixture of aceclofenac and neusilin us₂ for enhancement of aceclofenac, *AAPS Pharm. Sci. Tech.*, 10 (2) : 606-614
- Verheyen, S., Blaton, N., Kinget, R., & Van den Mooter, G. (2002). Mechanism of increased dissolution of diazepam and temazepam from polyethylene glycol 6000 solid dispersions. *Int. J. Pharm.*, 249 (1) : 45-58.
- Vo, C.L., Park, C. & Lee, B.J. (2013). Current Trends and Future Perspectives of Solid Dispersions Containing Poorly Water-Soluble Drugs : Review Article. *Eur. J. Pharm. Biopharm.*, 85 (3) : 799-813.

- Whalley, W. B., & Langway, C.C (1980). A Scanning Electron Microscope examination of Subglacial Quartz grains from Camp Century Core. *J. Geology*, 25 (91): 125-131
- Watson, D.G (1999). *Pharmaceutical Analysis*. New York: Churchill Livingstone
- Wismogroho, A.S. & Widayatno, W.B. (2012). Pengembangan Alat Differential Thermal Analysis untuk Analisa Termal Material Ca(OH)_2 . *Telaah Jurnal Ilmu Pengetahuan dan Teknologi*, 30 (1): 7-12.
- Yadav, P.S., Kumar, V., Singh, U. P., Bhat, H. R., & Mazumder. (2013). Physicochemical characterization and in vitro dissolution studies of solid dispersion of ketoprofen with PVP K30 and d-mannitol. *Saudi Pharm. J.* 21 (1) : 77-84.
- Zaini, E., Yeyet, C.S., Soewandhi, S.N., & Halim, A. (2010). Identifikasi interaksi fisika antara trimetoprim dan sulfametoksazol dengan metode kontak Kofler dan reaksi kristalisasi. *Majalah Farmasi Indonesia.*, 21(1) : 32-39.
- Zhong, L., Zhu, X., Luo, X., & Su, W. (2013). Dissolution properties and physical characterization of telmisartan–chitosan solid dispersions prepared by mechanochemical activation. *AAPS Pharm. Sci. Tech.*, 14 (2) : 541-550.

