

DAFTAR PUSTAKA

- Aliyeva, A., Gellatly, V., Abbasov, M. and Iyengar, A. (2021) 'Population genetic data for 21 autosomal STR loci in the Azerbaijani population using the Globalfiler™ kit', *Int. J. Legal Med.*, pp. 2–4.
- Alsafiah, H.M., Goodwin, W.H., Hadi, S., Alshaikhi, M.A. and Wepeba, P.P. (2017) 'Population genetic data for 21 autosomal STR loci for the Saudi Arabian population using the GlobalFiler® PCR amplification kit', *Forensic Sci. Int. Genet.*, 31, pp. e59–e61. doi:10.1016/j.fsigen.2017.09.014.
- Andreas Tillmar (2010) 'Populations and Statistics in Forensic Genetics'. Sweden: Disertation, Linköping University.
- Arisuryanti, T. and Daryono, B. (2007) *Genetika Populasi*. Yogyakarta: UGM.
- Badan Pusat Statistik Provinsi Sumatera Barat. Data penduduk Sumatera Barat (2021) 'Jumlah penduduk Sumatera Barat'. Available at: <https://sumbar.bps.go.id/indicator/12/32/1/jumlah-penduduk-menurut-kabupaten-kota-dan-jenis-kelamin-di-provinsi-sumatera-barat.html>.
- Bellwood, P. (2000) 'Prasejarah kepulauan Indo-Malaysia', p. 526.
- Bhinder, M.A., Zahoor, M.Y., Sadia, H., *et al.* (2018) 'SE33 locus as a reliable genetic marker for forensic DNA analysis systems', *Turkish J. Med. Sci.*, 48(3), pp. 611–614. doi:10.3906/sag-1801-21.
- Buckleton, J., Triggs, C.M., Walsh, S.J. (2005) *Forensic DNA Evidence Interpretation*. Florida: CRC Press.
- Butler, J.. (2005) *Forensic DNA Typing, Biology, Technology and Genetics of STR Markers*. Second Edi. USA: Elsevier.
- Butler John M (2010) *Fundamental of Forensic DNA Typing*. UK: Elsevier INC.
- Caetano, S., Lemos, M., Lia, R., *et al.* (2019) 'Determining the Polymorphism Information Content of a Molecular Marker', *Gene*, p. 144175. doi:10.1016/j.gene.2019.144175.
- Campbell and Mitchell (2008) *Biology*. 2nd edn. Jakarta: Erlangga.
- Canpolat, E., Yukseloglu, E., Yonar, F., *et al.* (2021) 'DNA profiling for forensic identification in Bulgarian Turks', *Med. Sci. / Int. Med. J.*, 10(1), p. 162. doi:10.5455/medscience.2020.12.254.

- Chan, K.M., Chiu, C.T., Tsui, P., Wong, D.M. and Fung, W.K. (2005) 'Population data for the Identifier™ 15 STR loci in Hong Kong Chinese', *Forensic Sci. Int.*, 152(2–3), pp. 307–309. doi:10.1016/j.forsciint.2004.10.018.
- Edwards, A., Civitello, A., Hammond, H.A. and Caskey, C.T. (1991) 'DNA typing and genetic mapping with trimeric and tetrameric tandem repeats', *Am. J. Hum. Genet.*, 49(4), pp. 746–756.
- Elwick, K., Mayes, C. and Hughes-Stamm, S. (2018) 'Comparative sensitivity and inhibitor tolerance of GlobalFiler® PCR Amplification and Investigator® 24plex QS kits for challenging samples', *Leg. Med.*, 32, pp. 31–36. doi:10.1016/j.legalmed.2018.01.006.
- Fatchyah, Arumingtyas Laras Estri, Widyarti Sri, R.S. (2011) *Biologi Molekuler. Prinsip Dasar Analisis*. Erlangga.
- Frank H. Stephenson (2016) *Calculations for Molecular Biology and Biotechnology (Third Edition)*. Academic Press. Available at: <https://www.sciencedirect.com/science/book/9780128022115>.
- Fung, W.K., Hu, Y.. (2008) *Statistical DNA Forensics*. UK: Wiley.
- García, E.R. (2018) 'Population data for 21 autosomal STR loci (GlobalFiler kit) in two Mexican-Mestizo population from the northwest , Mexico', *Int. J. Legal Med.*, pp. 21–23.
- Ge, J., Eisenberg, A. and Budowle, B. (2012) 'Developing criteria and data to determine best options for expanding the core CODIS loci', *Investig. Genet.*, 3(1), pp. 1–14. doi:10.1186/2041-2223-3-1.
- Ghiani, M.E., Mameli, A., Vecchio, C., *et al.* (2021) 'Estimating population genetics and forensic efficiency of the GlobalFiler PCR amplification kit in the population of Sardinia (Italy)', *Gene*, 794(June). doi:10.1016/j.gene.2021.145775.
- Goodwin, W., Linacre, A., Hadi, S. (2007) *An Introduction to Forensic Genetics*. West Sussex: John Wiley&Sons Ltd.
- Goodwin, W. (2007) *An Introduction to Forensic Genetics*. West Sussex: John Wiley&Sons Ltd;
- Guo, Y., Chen, C., Xie, T., *et al.* (2018) 'Forensic efficiency estimate and phylogenetic analysis for Chinese Kyrgyz ethnic group revealed by a panel of 21 short tandem repeats', *R. Soc. Open Sci.*, 5(6). doi:10.1098/rsos.172089.

- Hakim, H.M., Khan, H.O., Lalung, J., *et al.* (2020) 'Autosomal STR profiling and databanking in Malaysia: Current status and future prospects', *Genes (Basel)*, 11(10), pp. 1–14. doi:10.3390/genes11101112.
- Hale, M.L., Burg, T.M. and Steeves, T.E. (2012) 'Sampling for Microsatellite-Based Population Genetic Studies: 25 to 30 Individuals per Population Is Enough to Accurately Estimate Allele Frequencies', *PLoS One*, 7(9). doi:10.1371/journal.pone.0045170.
- Hameed, I.H., Ommer, A.J., Murad, A.F. and Mohammed, G.J. (2015) 'Allele frequency data of 21 autosomal short tandem repeat loci in Mesan and Basra provinces in South Iraq', *Egypt. J. Forensic Sci.*, 5(4), pp. 150–156. doi:10.1016/j.ejfs.2014.10.003.
- Hares, D.R. (2012) 'Expanding the CODIS core loci in the United States', *Forensic Sci. Int. Genet.*, 6(1), pp. e52–e54. doi:10.1016/j.fsigen.2011.04.012.
- Hartl DL, C.A. (1997) *Principles of Population Genetics*. 3rd edn. Sunderland USA: Sinauer Associates Inc.
- Hasan, I. (2018) Keragaman genetik dna mikrosatelit lokus ay287 pada itik lokal. Universitas Mataram.
- Hidayat, T. and Susanti, R. (2018) 'Analisis genetik lokus CSF1PO, TH01, dan TPOX short tandem repeats pada etnis minangkabau', *Maj. Kedokt. Andalas*, 41(3), p. 94. doi:10.25077/mka.v41.i3.p94-100.2018.
- Huel, R.L.M., Bašić, L., Madacki-Todorović, K., *et al.* (2007) 'Variant alleles, triallelic patterns, and point mutations observed in nuclear short tandem repeat typing of populations in Bosnia and Serbia', *Croat. Med. J.*, 48(4), pp. 494–502.
- Idries, A.M., Tjiptomartono, A.. (2008) *Penerapan Ilmu Kedokteran Forensik dalam Proses Penyidikan*. Jakarta: Sagung Seto.
- Imad, H., Mohammed, A., Aamera, J. and Cheah, Y. (2014) 'Genetic variation of twenty autosomal STR loci and evaluate the importance of these loci for forensic genetic purposes', *African J. Biotechnol.*, 13(11), pp. 1210–1218. doi:10.5897/ajb2013.12923.
- Interpol (2018) Disaster Victim Identification, Disaster Vict. Identif. doi:10.1201/b10926.
- Irsa R, Syaifullah, T.D. (2013) 'Variasi kefalometri pada beberapa suku di Sumatera Barat', *J. Bio. UA*, 2(2), pp. 130–137.

- Iza, N. (2017) 'Allele frequency, Heterozygosity, and Allele Migration in Javanese and Madurese Population in Malang and Madura, East Java, Indonesia', *J. Ilm. Sains*, 17(1).
- James F. Crow et al (1996) 'Statistical Issues', in *Eval. Forensic DNA Evid.* Washington (DC): National Academies Press (US).
- Johnston, H.R., Keats, B.J.B. and Sherman, S.L. (2018) 'Population genetics', in *Emery Rimoin's Princ. Pract. Med. Genet. Genomics Found.* Elsevier, pp. 359–373. doi:10.1016/B978-0-12-812537-3.00012-3.
- Junitha, I.K. and Carolina Yossy (2016) 'Ragam Alel dan Kekuatan Pembeda Lima Locus Mikrosatelit DNA Autosom Masyarakat Suku Batak di Denpasar dan Badung', *Indones. J. Leg. Forensic Sci.*, 6, pp. 6–10.
- Kobilinsky, L., Levine, L., Nunno, H.. (2007) *Inside Forensic Science : Forensic DNA Analysis.* New York: Chelsea House Publishing.
- Kofi, A.E., Hakim, H.M., Khan, H.O., et al. (2020) 'Population dataset for 21 simple tandem repeat loci in the Akan population of Ghana', *Data Br.*, 31. doi:10.1016/j.dib.2020.105746.
- Lahmi, R. and Vallian, S. (2009) 'Genetic variation of informative short tandem repeat (STR) loci in an Iranian population', *Iran. J. Biotechnol.*, 7(3), pp. 137–141.
- Li, Y., Hong, Y., Li, X., et al. (2015) 'Allele frequency of 19 autosomal STR loci in the Bai population from the southwestern region of mainland China', *Electrophoresis*, 36(19), pp. 2498–2503. doi:10.1002/elps.201500129.
- Madiyono Bambang, S.S. (2011) 'Perkiraan Besar Sampel', in *Dasar-dasar Metodol. Penelit. Klin.* 4th edn. Jakarta: Sagung Seto, p. 359.
- Maity, B., Nunga, S.C. and Kashyap, V.K. (2003) 'Genetic polymorphism revealed by 13 tetrameric and 2 pentameric STR loci in four Mongoloid tribal population', *Forensic Sci. Int.*, 132(3), pp. 216–222. doi:10.1016/S0379-0738(02)00436-X.
- Manasatienkij, C. and Ra-ngabpai, C. (2012) 'Clinical application of forensic DNA analysis: A literature review', *J. Med. Assoc. Thail.*, 95(10), pp. 1357–1363.
- Mohammed, A.J., Imad, H.H. and Muhanned, A.K. (2015) 'Detection of new variant Off-ladder at the D12S391, D19S433 and D1S1656 loci and tri-allelic pattern at the D16S539 locus in a 21 locus autosomal short tandem repeat database of 400 Iraqi Individuals', *African J. Biotechnol.*, 14(5), pp. 375–399. doi:10.5897/ajb2014.14103.

- Murtianto, H. (2016) 'Potensi Kerusakan Gempa Bumi Akibat Pergerakan Patahan Sumatera Di Sumatera Barat Dan Sekitarnya', *J. Geogr. Gea*, 10(1). doi:10.17509/gea.v10i1.1667.
- National Institute of Standards and technology. US Departement of Commerce (no date) *STR Database*. Available at: https://strbase.nist.gov/var_FGA.htm (Accessed: 9 February 2023).
- Niko, F. (2016) Konsep Nikah Sepuppu dalam Perspektif Adat Minangkabau dan Hukum Islam Studi Kasus di Luhak Agam Lubuk Basung Sumatera Barat.
- Novia (2013) Distribusi alel lokus D1S80 pada sampel etnis Melayu, Dayak dan Tionghoa Mahasiswa Fakultas Kedokteran Universitas Tanjungpura Pontianak. Universitas Tanjungpura.
- Panggabean, T.N. (2016) 'Analisis Tingkat Optimalisasi Algoritma Genetik dalam Hukum Ketetapan Hardy-Weinberg pada Bin Packing Problem P', 1(2), pp. 12–18.
- Panneerchelvam, S., Thevan, K.K., KokFai, L., *et al.* (2004) 'Allele Frequency Distribution for 9 STR Loci in the Tamil Population of Malaysia', *J. Forensic Sci.*, 49(4), pp. 1–2. doi:10.1520/jfs2004071.
- Park, E.C.K., Nam, Y.L.Y., Suren, G., *et al.* (2017) 'Forensic and population genetic analyses of the GlobalFiler STR loci in the Mongolian population', *Genes Genomics*, 0(0), p. 0. doi:10.1007/s13258-016-0511-6.
- Park, H.C., Kim, K., Nam, Y., *et al.* (2016) 'Population genetic study for 24 STR loci and Y indel (GlobalFiler™ PCR Amplification kit and PowerPlex® Fusion system) in 1000 Korean individuals', *Leg. Med.*, 21, pp. 53–57. doi:10.1016/j.legalmed.2016.06.003.
- Pastrenak, J.J. (2005) *An Introduction to Human Molecular Genetics*. New Jersey: Wiley.
- Pediatama, T., Syukriani, Y.F. and Shahib, M.N. (2014) 'Mitochondrial DNA variation analysis of mentawai population', *Proc. 6th Int. Conf. Bioinforma. Comput. Biol. BICOB 2014*, (March), pp. 149–154. doi:10.13140/2.1.3324.0005.
- Pérez-Miranda, A.M., Alfonso-Sánchez, M.A., Peña, J.A. and Herrera, R.J. (2006) 'Qatari DNA variation at a crossroad of human migrations', *Hum. Hered.*, 61(2), pp. 67–79. doi:10.1159/000092648.
- Rapley, R., Whitehouse, D. (2007) *Basic tools and Techniques in Molecular Biology*. West Sussex UK: John Wiley&Son, Ltd.
- Rashid, M.N.A., Mahat, N.A., Khan, H.O., *et al.* (2020) 'Population data of 21 autosomal STR loci in Malaysian populations for human identification', *Int. J.*

Leg. Med., 134(5), pp. 1675–1678. doi:10.1007/s00414-020-02279.

- Rodriguez, J.J.R.B., Salvador, J.M., Calacal, G.C., Laude, R.P. and De Ungria, M.C.A. (2015) 'Allele frequencies of 23 autosomal short tandem repeat loci in the Philippine population', *Leg. Med.*, 17(4), pp. 295–297. doi:10.1016/j.legalmed.2015.02.005.
- Romgaew, T. and Aobaom, S. (2022) 'Allele frequencies of 15 autosomal STR loci among 540 Myanmar individuals in Thailand', *Forensic Sci. Int. Reports*, 6(March), p. 100282. doi:10.1016/j.fsir.2022.100282.
- Roslan, H.A., Azizan, N.H. and Saat, R. (2009) 'DNA Polymorphism of D1S80 locus in modern Malay sample population of Sarawak', *Sains Malaysiana*, 38(2), pp. 143–147.
- Seah, L.H., Jeevan, N.H., Othman, M.I., *et al.* (2003) 'STR data for the AmpFISTR identifier loci in three ethnic groups (Malay, Chinese, Indian) of the Malaysian population', *Forensic Sci. Int.*, 138(1–3), pp. 134–137. doi:10.1016/j.forsciint.2003.09.005.
- Septiasari, N.P.S., Junitha, I.K. and Wirasiti, N.N. (2017) 'Ragam Alel Dna Mitokondria Masyarakat Soroh Pande Di Bali Dengan Metode Pcr-Rflp', *Metamorf. J. Biol. Sci.*, 4(2), p. 210. doi:10.24843/metamorfosa.2017.v04.i02.p12.
- Shepard, E.M., Chow, R.A., Suafo'a, E., *et al.* (2005) 'Autosomal STR variation in five Austronesian populations', *Hum. Biol.*, 77(6), pp. 825–851. doi:10.1353/hub.2006.0019.
- Shrivastava, P., Dash, H.R., Kumawat, R.K. and Srivastava, A. (2018) 'STR Typing and Available Kits', in *DNA Fingerprinting Adv. Futur. Endeavors*, pp. 61–74.
- Song, X., Gou, H., Zhong, H., Zhang, Z. and Wang, L. (2018) 'Genetic polymorphisms of 21 autosomal STR loci in Chinese Uyghur ethnic population', *Int. J. Legal Med.*, 132, pp. 1637–1639.
- Stephenson, F. (2016) *Calculations for Molecular Biology and Biotechnology*. second. San Diego: Academic Press.
- Stephenson, F.H. (2016) 'Forensics and Paternity', *Calc. Mol. Biol. Biotechnol.*, pp. 439–463. doi:10.1016/b978-0-12-802211-5.00013-8.
- Sylvia Alena Seruni (2016) 'Asal Usul Minangkabau Menurut Tambo dan Catatan

Sejarah'. Available at: <https://www.wonderfulminangkabau.com/asal-usul-minangkabau/>.

Syukriani, Y. (2012) *DNA Forensik*. Jakarta: Sagung Seto.

Thermo Fisher Scientific (2019) 'GlobalFiler™ and GlobalFiler™ IQC PCR Amplification Kits User Guide Publication number 4477604 Revision F', (4476135). Available at: <https://assets.thermofisher.com/TFS-Assets/LSG/manuals/4477604.pdf>.

Untoro, E., Atmadja, D.S., Pu, C.E. and Wu, F.C. (2009) 'Allele frequency of CODIS 13 in Indonesian population', *Leg. Med.*, 11(SUPPL. 1), pp. S203–S205. doi:10.1016/j.legalmed.2009.01.007.

Witt, S., Neumann, J., Zierdt, H., Gébel, G. and Röscheisen, C. (2012) 'Establishing a novel automated magnetic bead-based method for the extraction of DNA from a variety of forensic samples', *Forensic Sci. Int. Genet.*, 6(5), pp. 539–547. doi:10.1016/j.fsigen.2012.01.002.

Wulandari, dan R.A. (2015) 'Molecular Variance in Rain Lily (*Zephyranthes* spp.)', 4(1), pp. 118–138.

Yoo, S.Y. et al (2011) 'A large population genetic study of 15 autosomal short tandem repeats loci for establishment of Korean DNA profile database', *Mol. Cells*, 32(1), pp. 15–19. Available at: <https://doi.org/10.1007/s10059-011-2288-4>.

Yudianto, A. (2014) *Pemeriksaan Identifikasi Forensik Molekuler*. Global Persada Press.

Zhang, H., Yang, S., Guo, W., et al. (2016) 'Population genetic analysis of the GlobalFiler STR loci in 748 individuals from the Kazakh population of Xinjiang in northwest China', *Int. J. Legal Med.*, 130(5), pp. 1187–1189. doi:10.1007/s00414-016-1319-2.

Ziętkiewicz, E., Witt, Magdalena, Daca, P., et al. (2012) 'Current genetic methodologies in the identification of disaster victims and in forensic analysis', *J. Appl. Genet.*, 53(1), pp. 41–60. doi:10.1007/s13353-011-0068-7.