

DAFTAR PUSTAKA

- Arai, M., Sobou, M., Vilcheze, C., Baughn, A., Hashizume, H., Pruksakorn, P., Ishida, S., Matsumoto, M., Jacobs, W.R., & Kobayashi, M. 2008. Halicyclamine A, a Marine Spongean Alkaloid as a Lead For Antituberculosis Agent. *Bioorganic and Medical Chemistr.* 16: 6732-6736.
- Asaduzzaman, Rana, S., Hasan, R., Hossain, M., & Das, M. 2015. Cytotoxic (Brine Shrimp Lethality Bioassay) and Antioxidant Investigation of *Barringtonia acutangula (L.)*. *International Journal of Pharma Sciences and Research.* 6(8): 1179-1185.
- Au, C.M., Luk, S.K., Jackson, C.J., Ng, H.K., Yow, C.M.N., & To, S.S.T. 2006. Differential Effects Of Photofrin, 5-Aminolevulinic Acid and Calphostin C on Glioma Cells. *Journal of Photochemistry and Photobiology.* 85: 92-101.
- Aziz, M.A., Shawn, M.M.A.K., Rahman, S., Islam, T., Mita M., Faruque, A., & Rana M.S. 2013. Secondary Metabolites, Antimicrobial, Brine Shrimp Lethality & 4th Instar *Culex Quinquefasciatus* Mosquito Larvicidal Screening Of Organic & Inorganic Root Extracts Of *Microcos Paniculata*. *IOSR Journal of Pharmacy and Biological Sciences.* 8(5): 58-65.
- Bassets, J., Denny, R.C., Jeffrey, G.H., Mendham, J. 1994. *Buku Ajar Vogel : Kimia Analisis Kuantitatif Anorganik*. Terjemahan oleh A. Hadyana P. dan Setiono L. Jakarta: EGC.
- Bensch, K., Braun, U., Groenewald., & Crous, P.W. 2012. The Genus *Cladosporium*. *Studies In Mycology.* 72: 1-401.
- Blackburn, C.L., & Faulkner, D.J. 2000. Adociasulfate 10 a new merohexaprenoid sulfate from the sponge *Haliclona (aka Adocia) sp. Tetrahedron.* 56: 8429-8432.
- Bougis, P. 1979. *Marine Plankton Ecology*. American Elsevier Publishing Company: New york.
- Bringmann, G., & Lang, G. 2003. Full absolute stereostructures of natural products directly from crude extracts: The HPLC-MS/MS-NMRCD triad, In: WEG Muller (Ed.). *Sponges (Porifera)*. *Mar.Mol.Biotechnol.* 89-116.
- Creswell, C.J. 1982. *Analisa Spektrum Senyawa organik Edisi ke-2*. Bandung: ITB
- Dachriyanus. 2004. *Analisis Struktur Senyawa Organik Secara Spektrofotometri*, Cetakan pertama. Padang: CV. Trianda Anugrah Pratama.

- Derakhshan, A., Rabindra, R.J., Ramanujam, B., & Rahimi, M. Evaluation of Different Media and Methods of Cultivation on the Production and Viability of Entomopathogenic Fungi, *Verticillium lecanii* (Zimm.) Viages. *Pakistan Journal of Biological Sciences*. 11(11): 1506-1509.
- Dubey, R., & Bhusan, R. 2015. A Rapid Robust and Ultra-Sensitive HPLC Enantioseparation of β -Amino Alcohol. *Journal of Chromatography Science*. 1-7.
- Ely, R., Supriya, T., & Naik, C.G. 2004. Antimicrobial activity of marine organisms collected off the coast of south east India. *Marine Drugs*. 309: 121-127.
- Fathiyawati. 2008. *Uji toksisitas ekstrak daun Ficus racemosa L. terhadap Artemia salina Leach dan profil kromatografi lapis tipis*. Surakarta: UMS.
- Faulkner, D.J., Unson, M.D., & Bewley, C.A. 1994. The Chemistry of Some Sponges and Their Symbionts. *Pure & Appl. Chem*. 66: 1983-1990.
- Gandjar, I.G., & Abdul, R. 2007. *Kimia Farmasi Analisis*. Yogyakarta: Pustaka Pelajar.
- Ghosh, R.R., Ray, R., Ghosh, T.K., & Ghosh, A.P. 2014. Clinico-mycological Profil Of Dermatophytosis In a Tertiary Care Hospital in West Bengal-An Indian Scenario. *International Journal of Current Microbiology and Applied Sciences*. 3 (9): 2319-7706.
- Gritter, R.J., Bobbit, J.M., & Schwarting, A.E. 1991. *Pengantar kromatografi*. Bandung: ITB Press.
- Hanani, E., Mun'in, A., & Sekarini, R. 2005. Identifikasi senyawa antioksidan dalam spons *Callyspongia* sp. dari Kepulauan Seribu. *Majalah Ilmu Kefarmasian*. 2(3): 127-133.
- Handayani, D., Yulia, M., Allen, Y., & Voogd, N.D. 2012. Isolasi Senyawa Sitotoksik dari Spons Laut *Petrosia* sp. *JPB Perikanan*. 7(1): 69-76.
- Harborne, J.B. 1973. *Phytochemical Methods*. London: Chapman and Hall.
- Harborne, J.B. 1987. *Metode Fitokimia, Penuntun Cara Modern Menganalisa Tumbuhan*. Bandung: Institut Teknologi Bandung.
- Harwood, M.H., & Woody, C.J. 1989. *Experimental Organic Chemistry*. London: Blackwell Scientific Publication.
- Kharwar, R.N., Mishra, A., Gond, S.K., Stierle, A., & Stierle, D. 2011. Anticancer Compounds Derived From Fungal Endophytes: Their Importance And Future Challenges. *Nat. Prod. Rep*. 28: 1208-1228.

- Kjer, J., Debbab, A., Aly, A. H., & Proksch, P. 2010. Methods For Isolation Of Marine-Derived Endophytic Fungi And Their Bioactive Secondary Products. *Nature protocols*. 5(3).
- Klotz, D.M., Arnold, S.F., & McLachlan, J.A. 1997. Inhibition of 17 Betaestradiol and Progesterone Activity In Human Breast and Endometrial Cancer Cells By Carbamate Insecticides. *Life Sci*. 60: 1467–1475.
- Kobayashi, M., Chen, Y.J., Aoki, Y., Ishida, T., & Kitagawa, I. 1995. For new and carboline alkaloids isolated from two Okinawa marine sponges of *Xestospongia* sp. and *Haliclona* sp. *Tetrahedron*. 51: 3727-3736.
- Krisyanella, Handayani, D., & Yunance, L. 2011. Uji Aktivitas Sitotoksik Ekstrak dan Fraksi dari Spon Laut *Petrosia* sp dengan Metoda *Brine Shrimp Lethality Test*. *Jurnal Sains dan Teknologi Farmasi*. 16(2): 156-166.
- Lee, Y.M., Dang, H.T., Hong, J., Lee, C.O., Bae, K.S., Kim, D.K., & Jung, J.H. 2010. A Cytotoxic Lipopeptide From The Sponge-Derived Fungus *Aspergillus versicolor*. *Bull. Korean Chem. Soc*. 31(1): 205–208.
- Lindholm, P. 2005. *Cytotoxic Compounds Of Plant Origin-Biological and Chemical Diversity*. Sweden: Uppsala University.
- Lokabharathi, Tresa, R.A., Thomas, Devanand, P., Kavlekar, & Ponnapanakan. 2010. Marine drugs from sponge-microbe association-A riviev. *Mar Drugs*. 8: 1417-146.
- Mauja, A.D., Koleangan, H.S.J., & Runtuwene, M.R.J. 2013. Uji Toksisitas dengan Metode BSLT dan Analisis Kandungan Fitokimia Ekstrak Daun Soyogik (*Saurauia bracteosa* DC) dengan Metode Soxhletasi. *Jurnal mipa Unsrat Online*. 2(2): 115-118.
- Mayers, P., Espinosa, Parr, C.S., Jones, Hammond, G.S., & Dewey, T.A. 2008. *The Animal diversity web*. Diakses 3 Februari 2013 dari <http://animaldiversity.org>.
- Mc Laughlin, J.L., Chang, C.J., dan Smith, D.L. 1991. *Bench-Top Bioassay for The Discovery of Bioactive Natural Products An Update Natural Product Chemistry*. Amsterdam: Elseiveir.
- Meyer, B.N., Ferrigni, N.R., Putman, J.E., Jacobsen, D.E., Nichols, D.E., Mc Laughlin, J.L.. 1982. Brine Shrimp L A Convenient General Bioassay for Active Plant Constituent. *Planta Medica*. 45: 31-34.
- Molen, K.M.V., Raja, H.A., Elimat, T.E., & Oberlies, N.H. 2013. Evaluation Of Culture Media For The Production Of Secondary Metabolites In A Natural Products Screening Program. *AMB Express*. 3(71).

- Narang, A.S., & Desai, D.S. 2009. *Anticancer Drug Development*. USA: Pharmaceutical Perspectives of Cancer Therapeutics.
- Ogorek, R., Lejman, A., Pusz, W., Mituch, A., & Miodynska, P. 2012. Characteristics and Taxonomy of *Cladosporium* Fungi. *Mikologia Lekarska*. 19(2): 80-85.
- Parra, L.A., Yhebra, R.S., Sardiñas, I.G., & Buela, L.I. 2001. Comparative Study Of The Assay Of *Artemia salina* L. and The Estimate Of The Medium Lethal Dose (Ld₅₀ Value) In Mice, To Determine Oral Acute Toxicity Of Plant Extracts. *Phytomed*. 8: 395-400.
- Pratiwi, S.T. 2008. *Mikrobiologi Farmasi*. Jakarta : Penerbit Erlangga.
- Prihatiningtias, W. 2005. Senyawa Bioaktif Fungi Simbion Akar Kuning (*Fibraurea Chloroleuca* Miers) Sebagai Senyawa Antimikroba. (Tesis). Yogyakarta : UGM.
- Pinto, M.C.X., Dias, D.F., Puerto, H.L.D., Martins, A.S., Carvalho, A.T., Filho, O.A.M., Badet, B., Durand, P., Alves, R.J., & Fagundes, E.M.S. 2011. Discovery Of Cytotoxic And Pro-Apoptotic Compounds Against Leukemia Cells: Tert Butyl-4 [(3-Nitrophenoxy) Methyl]-2, 2-Dimethyloxazolidine-3-Carboxylate. *Life Sciences*. 89: 786–794.
- Proksch, P., Ebel, R., Edrada, R.A., Schuup, P., Lin, W.H., Sudarsono, Wray, V., & Steube, K. 2003. Detection Of Pharmacologically Active Natural Products Using Ecology. Selected Examples From Indopasific Marine Invertebrates And Sponge-Derived Fungi. *Pure and Appl Chem*. 75(2): 343-352.
- Purwanto, N., Rismawati, E., & Sadiyah, E.R. 2015. Uji Sitotoksik Ekstrak Biji Salak (*Salacca Zalacca* (Geart) Voss) Dengan Menggunakan Metoda *Brine Shrimp Lethality Test* (BSLT). *Prosiding Penelitian SpeSIA Unisba*. 2460-2472.
- Rachmat, R. 2007. Spon Indonesia Kawasan Timur Keragaman, Distribusi, Kelimpahan, dan Kandungan Metabolit Sekundernya. *J.Oceanologi dan Limnologi di Indonesia*. 33: 123 – 138.
- Rasyid, W. 2015. Penapisan Aktivitas Sitotoksik Ekstrak Etil Asetat Jamur Simbion Dari Spon Laut *Haliclona Fascigera* Dengan Metode *Brine Shrimp Lethality Test* (Bslt). Fakultas Farmasi Universitas Andalas.
- Sastrohamidjojo, H. 1991. *Spektrosfotokopi*, edisi kedua. Jogjakarta: Penerbit Liberty.
- Setyowati, E.P., Sudarsono, & Wahyuono, S. 2005. Jaspamide: Identifikasi Struktur Senyawa Sitotoksik Dan Fungisid Dari Spon *Stylissa Flabelliformis*. *Majalah Farmasi Indonesia*. 16(1): 12–19.

- Setyowati, E.P., Jenie, U.A., Sudarsono, Kardono, B., Rahmat, R., & Meiyanto, E. 2007. Isolasi Senyawa Sitotoksis Spons Kaliapsis. *Majalah Farmasi Indonesia*. 18(4): 183–189.
- Silverstein, R. M., Bassler, G.C. & Morill, T.C. 1981. *Penyidikan Spektrometri Senyawa Organik*. Terjemahan oleh Hartomo dan Anny Victor Purba. Jakarta: Erlangga.
- Shang, Z., Li X.M., Li C.S., & Wang B-G. 2012. Diverse Secondary Metabolites Produced By Marine-Derived Fungus *Nigrospora* Sp. MA75 On Various Culture Media. *Chem Biodivers*. 9: 1338–1348.
- Shriner, R. Fuson, C. Curtin, D. & Moril, T.C. 1981. *The Systematic Identification of Organic Compounds*, 4th Ed. Singapore: John Willey and Sons.
- Staf Pengajar Bagian Parasitologi FKUI. 2004. *Parasitologi Kedokteran*, Edisi III. Jakarta: Fakultas Kedokteran Universitas Indonesia.
- Strobel, G.A., & Daisy, B. 2003. Bioprospecting for Microbial Endophytes and Their Natural Products. *Microbiol and Mol Biology Rev*. 67(4): 491-502.
- Susilowati, A., & Listyawati, S. 2001. Keanekaragaman Jenis Mikroba Sumber Kontaminasi Kultur In Vitro di Sub-Lab. Biologi Laboratorium MIPA Pusat UNS. *Biodiversitas*. 2(1): 110-114.
- Suzue, M., Kikuchi, T., Tanaka, R., & Yamada, T. 2016. Tandyukisins E and F, Novel Cytotoxic Decalin Derivatives Isolated From A Marine Sponge-Derived Fungus. *Tetrahedron Letters*. 57: 5070–5073.
- UNIDO. 2008. *Annual report*. UNIDO: vienna.
- Vasanthabharathi, S., & Jayalakshmi, S. 2011. Bioactive Potential Of Symbiotic Bacteria And Fungi From Marine Sponges. *African J of Biotechnology*. 11: 7500-7511.
- Wattanadilok, R, Sawangwong, P, Rodrigues, C, Cidade, H, Pinto, M & Pinto, E. 2007. Antifungal activity evaluation of the constituent of *Haliclona baeri* and *Haliclona cymaeformis*, collected from the gulf of Thailand. *Marine Drugs*. 5: 40-51.
- Weerd, W.H., & Van Soest, R.W.M. 2001. *Haliclona* (Halichoclona) Vanderlandi Spec. Nov (Porifera: Demospongiae: Haplosclerida) From Indonesia. *Zool Verh Leiden*. 334: 189-194.
- Yalcin, F.N. 2007. Biological Activities Of The Marine Sponge *Axinella*. *Hacettepe University*. 27: 47–60.

Yuandani, Dalimunthe, A., Hasibuan, P.A.Z., & Septama, A.W. 2011. Uji Aktivitas Antikanker (Preventif dan Kuratif) Ekstrak Etanol Temu Mangga (*Curcuma mangga* Val.) Pada Mencit yang Diinduksi Siklofosamid. *Pharma Medika*. 3(2): 255-259.

