

DAFTAR PUSTAKA

- Anantharaman, K., Hausmann, B., Jungbluth, S. P., Kantor, R. S., Lavy, A., Warren, L. A., Rappé, M. S., Pester, M., Loy, A., Thomas, B. C., & Banfield, J. F. (2018). Expanded diversity of microbial groups that shape the dissimilatory sulfur cycle. *The ISME Journal*, *12*(7), 1715–1728. <https://doi.org/10.1038/s41396-018-0078-0>
- Balai Penelitian Tanah. (2009). *Petunjuk Teknis Analisis Kimia Tanah, Tanaman, Air, dan Pupuk*. Balai Penelitian dan Pengembangan Pertanian.
- Bardgett, R. D., Mommer, L., & De Vries, F. T. (2014). Going underground: Root traits as drivers of ecosystem processes. *Trends in Ecology & Evolution*, *29*(12), 692–699. <https://doi.org/10.1016/j.tree.2014.10.006>
- Berendsen, R. L., Pieterse, C. M. J., & Bakker, P. A. H. M. (2012). The rhizosphere microbiome and plant health. *Trends in Plant Science*, *17*(8), 478–486. <https://doi.org/10.1016/j.tplants.2012.04.001>
- Boersma, A. S., Kallscheuer, N., Wiegand, S., Rast, P., Peeters, S. H., Mesman, R. J., Heuer, A., Boedeker, C., Jetten, M. S. M., Rohde, M., Jogler, M., & Jogler, C. (2020). *Alienimonas californiensis* gen. Nov. Sp. Nov., a novel Planctomycete isolated from the kelp forest in Monterey Bay. *Antonie van Leeuwenhoek*, *113*(12), 1751–1766. <https://doi.org/10.1007/s10482-019-01367-4>
- Breitwieser, F. P., Lu, J., & Salzberg, S. L. (2019). A review of methods and databases for metagenomic classification and assembly. *Briefings in Bioinformatics*, *20*(4), 1125–1136. <https://doi.org/10.1093/bib/bbx120>
- Cameron, E. S., Schmidt, P. J., Tremblay, B. J.-M., Emelko, M. B., & Müller, K. M. (2021). Enhancing diversity analysis by repeatedly rarefying next generation sequencing data describing microbial communities. *Scientific Reports*, *11*(1), Article 1. <https://doi.org/10.1038/s41598-021-01636-1>
- Chao, A., & Jost, L. (2012). Coverage-based rarefaction and extrapolation: Standardizing samples by completeness rather than size. *Ecology*, *93*(12), 2533–2547. <https://doi.org/10.1890/11-1952.1>
- Chaparro, J. M., Badri, D. V., & Vivanco, J. M. (2014). Rhizosphere microbiome assemblage is affected by plant development. *The ISME Journal*, *8*(4), 790–803. <https://doi.org/10.1038/ismej.2013.196>
- Chen, K., Neimark, H., Rumore, P., & Steinman, C. R. (1989). Broad range DNA probes for detecting and amplifying eubacterial nucleic acids. *FEMS Microbiology Letters*, *57*(1), 19–24. <https://doi.org/10.1111/j.1574-6968.1989.tb03213.x>
- Clarridge, J. E. (2004). Impact of 16S rRNA Gene Sequence Analysis for Identification of Bacteria on Clinical Microbiology and Infectious

- Diseases. *Clinical Microbiology Reviews*, 17(4), 840–862. <https://doi.org/10.1128/CMR.17.4.840-862.2004>
- de Chaves, M. G., Silva, G. G. Z., Rossetto, R., Edwards, R. A., Tsai, S. M., & Navarrete, A. A. (2019). Acidobacteria Subgroups and Their Metabolic Potential for Carbon Degradation in Sugarcane Soil Amended With Vinasse and Nitrogen Fertilizers. *Frontiers in Microbiology*, 10. <https://www.frontiersin.org/articles/10.3389/fmicb.2019.01680>
- DeBruyn, J. M., Nixon, L. T., Fawaz, M. N., Johnson, A. M., & Radosevich, M. (2011). Global Biogeography and Quantitative Seasonal Dynamics of Gemmatimonadetes in Soil. *Applied and Environmental Microbiology*, 77(17), 6295–6300. <https://doi.org/10.1128/AEM.05005-11>
- Dessi, L., Podda, L., Brundu, G., Lozano, V., Carrouée, A., Marchante, E., Marhante, H., Petit, Y., Porceddu, M., & Bacchetta, G. (2021). Seed Germination Ecophysiology of *Acacia dealbata* Link and *Acacia mearnsii* De Wild.: Two Invasive Species in the Mediterranean Basin. *Sustainability*, 13(21), Article 21. <https://doi.org/10.3390/su132111588>
- Eilers, K. G., Lauber, C. L., Knight, R., & Fierer, N. (2010). Shifts in bacterial community structure associated with inputs of low molecular weight carbon compounds to soil. *Soil Biology and Biochemistry*, 42(6), 896–903. <https://doi.org/10.1016/j.soilbio.2010.02.003>
- Fadeev, E., Cardozo-Mino, M. G., Rapp, J. Z., Bienhold, C., Salter, I., Salman-Carvalho, V., Molari, M., Tegetmeyer, H. E., Buttigieg, P. L., & Boetius, A. (2021). Comparison of Two 16S rRNA Primers (V3–V4 and V4–V5) for Studies of Arctic Microbial Communities. *Frontiers in Microbiology*, 12, 637526. <https://doi.org/10.3389/fmicb.2021.637526>
- Falagán, C., & Johnson, D. B. (2014). *Acidibacter ferrireducens* gen. nov., sp. nov.: An acidophilic ferric iron-reducing gammaproteobacterium. *Extremophiles*, 18(6), 1067–1073. <https://doi.org/10.1007/s00792-014-0684-3>
- Fawaz, M. (2013). Revealing the Ecological Role of Gemmatimonadetes Through Cultivation and Molecular Analysis of Agricultural Soils. *Masters Theses*. https://trace.tennessee.edu/utk_gradthes/1652
- Fierer, N., Bradford, M. A., & Jackson, R. B. (2007). Toward an Ecological Classification of Soil Bacteria. *Ecology*, 88(6), 1354–1364.
- Foelkel, C. (2008). The Eucalyptus and The Leguminosae. *Eucalyptus Online Book & Newsletter*.
- Fuerst, J. A. (2019). Phylum Verrucomicrobia. In T. M. Schmidt (Ed.), *Encyclopedia of Microbiology (Fourth Edition)* (pp. 551–563). Academic Press. <https://doi.org/10.1016/B978-0-12-809633-8.20772-3>
- Goodrich, J. K., Di Rienzi, S. C., Poole, A. C., Koren, O., Walters, W. A., Caporaso, J. G., Knight, R., & Ley, R. E. (2014). Conducting a

Microbiome Study. *Cell*, 158(2), 250–262.
<https://doi.org/10.1016/j.cell.2014.06.037>

- Gotelli, N. J., & Colwell, R. K. (2001). *Estimating species richness*. 39–54.
- Handelsman, J., Rondon, M. R., Brady, S. F., Clardy, J., & Goodman, R. M. (1998). Molecular biological access to the chemistry of unknown soil microbes: A new frontier for natural products. *Chemistry & Biology*, 5(10), R245–R249. [https://doi.org/10.1016/S1074-5521\(98\)90108-9](https://doi.org/10.1016/S1074-5521(98)90108-9)
- Harris, R. (1992). Root-Shoot Ratios. *Arboriculture & Urban Forestry*, 18(1), 39–42. <https://doi.org/10.48044/jauf.1992.009>
- Huson, D. H., Auch, A. F., Qi, J., & Schuster, S. C. (2007). MEGAN analysis of metagenomic data. *Genome Research*, 17(3), 377–386. <https://doi.org/10.1101/gr.5969107>
- Kamutando, C. N., Vikram, S., Kamgan-Nkuekam, G., Makhalanyane, T. P., Greve, M., Roux, J. J. L., Richardson, D. M., Cowan, D., & Valverde, A. (2017). Soil nutritional status and biogeography influence rhizosphere microbial communities associated with the invasive tree *Acacia dealbata*. *Scientific Reports*, 7(1), 6472. <https://doi.org/10.1038/s41598-017-07018-w>
- Kaushik, P., Singh Sandhu, O., Singh Brar, N., Kumar, V., Singh Malhi, G., Kesh, H., & Saini, I. (2021). Soil Metagenomics: Prospects and Challenges. In R. Radhakrishnan (Ed.), *Mycorrhizal Fungi—Utilization in Agriculture and Industry*. IntechOpen. <https://doi.org/10.5772/intechopen.93306>
- Kennedy, A. C., & de Luna, L. Z. (2005). RHIZOSPHERE. In *Encyclopedia of Soils in the Environment* (pp. 399–406). Elsevier. <https://doi.org/10.1016/B0-12-348530-4/00163-6>
- Klindworth, A., Pruesse, E., Schweer, T., Peplies, J., Quast, C., Horn, M., & Glöckner, F. O. (2013). Evaluation of general 16S ribosomal RNA gene PCR primers for classical and next-generation sequencing-based diversity studies. *Nucleic Acids Research*, 41(1), e1–e1. <https://doi.org/10.1093/nar/gks808>
- Knief, C. (2014). Analysis of plant microbe interactions in the era of next generation sequencing technologies. *Frontiers in Plant Science*, 5. <https://doi.org/10.3389/fpls.2014.00216>
- Kohler, J., Hernández, J. A., Caravaca, F., & Roldán, A. (2008). Plant-growth-promoting rhizobacteria and arbuscular mycorrhizal fungi modify alleviation biochemical mechanisms in water-stressed plants. *Functional Plant Biology*, 35(2), 141. <https://doi.org/10.1071/FP07218>
- Kozich, J. J., Westcott, S. L., Baxter, N. T., Highlander, S. K., & Schloss, P. D. (2013). Development of a Dual-Index Sequencing Strategy and Curation Pipeline for Analyzing Amplicon Sequence Data on the MiSeq Illumina Sequencing Platform. *Applied and Environmental Microbiology*, 79(17), 5112–5120. <https://doi.org/10.1128/AEM.01043-13>

- Lauber, C. L., Hamady, M., Knight, R., & Fierer, N. (2009). Pyrosequencing-based assessment of soil pH as a predictor of soil bacterial community structure at the continental scale. *Applied and Environmental Microbiology*, *75*(15), 5111–5120. <https://doi.org/10.1128/AEM.00335-09>
- Lauchli, A., & Grattan, S. (2012). Soil pH Extremes. In *Plant Stress Physiology* (pp. 194–209). <https://doi.org/10.1079/9781845939953.0194>
- Le Roux, J. J., Brown, G. K., Byrne, M., Ndlovu, J., Richardson, D. M., Thompson, G. D., & Wilson, J. R. U. (2011). Phylogeographic consequences of different introduction histories of invasive Australian *Acacia* species and *Paraserianthes lophantha* (Fabaceae) in South Africa: Introduction history influences invasive range genetic structure. *Diversity and Distributions*, *17*(5), 861–871. <https://doi.org/10.1111/j.1472-4642.2011.00784.x>
- Li, L., Wing, B. A., Bui, T. H., McDermott, J. M., Slater, G. F., Wei, S., Lacrampe-Couloume, G., & Lollar, B. S. (2016). Sulfur mass-independent fractionation in subsurface fracture waters indicates a long-standing sulfur cycle in Precambrian rocks. *Nature Communications*, *7*(1), Article 1. <https://doi.org/10.1038/ncomms13252>
- Lidbury, I. D. E. A., Borsetto, C., Murphy, A. R. J., Bottrill, A., Jones, A. M. E., Bending, G. D., Hammond, J. P., Chen, Y., Wellington, E. M. H., & Scanlan, D. J. (2021). Niche-adaptation in plant-associated Bacteroidetes favours specialisation in organic phosphorus mineralisation. *The ISME Journal*, *15*(4), Article 4. <https://doi.org/10.1038/s41396-020-00829-2>
- Lorenzo, P., González, L., & Reigosa, M. J. (2010). The genus *Acacia* as invader: The characteristic case of *Acacia dealbata* Link in Europe. *Annals of Forest Science*, *67*(1), 101–101. <https://doi.org/10.1051/forest/2009082>
- Lorenzo, P., & Rodríguez-Echeverría, S. (2012). Influence of soil microorganisms, allelopathy and soil origin on the establishment of the invasive *Acacia dealbata*. *Plant Ecology & Diversity*, *5*(1), 67–73. <https://doi.org/10.1080/17550874.2012.713404>
- Lynch, J. M. (1994). The rhizosphere—Form and function. *Applied Soil Ecology*, *1*(3), 193–198. [https://doi.org/10.1016/0929-1393\(94\)90010-8](https://doi.org/10.1016/0929-1393(94)90010-8)
- Maslin, B. R., & McDonald, M. W. (2004). *AcaciaSearch: Evaluation of Acacia as a woody crop option for southern Australia*. Rural Industries Research and Development Corporation.
- McMurdie, P. J., & Holmes, S. (2014). Waste Not, Want Not: Why Rarefying Microbiome Data Is Inadmissible. *PLOS Computational Biology*, *10*(4), e1003531. <https://doi.org/10.1371/journal.pcbi.1003531>
- Mhete, M., Eze, P. N., Rahube, T. O., & Akinyemi, F. O. (2020). Soil properties influence bacterial abundance and diversity under different land-use regimes in semi-arid environments. *Scientific African*, *7*, e00246. <https://doi.org/10.1016/j.sciaf.2019.e00246>

- Micallef, S. A., Channer, S., Shiaris, M. P., & Colón-Carmona, A. (2009). Plant age and genotype impact the progression of bacterial community succession in the *Arabidopsis* rhizosphere. *Plant Signaling & Behavior*, 4(8), 777. <https://doi.org/10.4161/psb.4.8.9229>
- Moreno-Maroto, J. M., & Alonso-Azcárate, J. (2022). Evaluation of the USDA soil texture triangle through Atterberg limits and an alternative classification system. *Applied Clay Science*, 229, 106689. <https://doi.org/10.1016/j.clay.2022.106689>
- Noer, S. (2021). Identifikasi Bakteri secara Molekular Menggunakan 16S rRNA. *EduBiologia: Biological Science and Education Journal*, 1(1), 1. <https://doi.org/10.30998/edubiologia.v1i1.8596>
- Patel, J. (2001). 16S rRNA gene sequencing for bacterial pathogen identification in the clinical laboratory. *Molecular Diagnosis*, 6(4), 313–321. <https://doi.org/10.1054/modi.2001.29158>
- Praeg, N., & Illmer, P. (2020). Microbial community composition in the rhizosphere of *Larix decidua* under different light regimes with additional focus on methane cycling microorganisms. *Scientific Reports*, 10(1), Article 1. <https://doi.org/10.1038/s41598-020-79143-y>
- Quast, C., Pruesse, E., Yilmaz, P., Gerken, J., Schweer, T., Yarza, P., Peplies, J., & Glöckner, F. O. (2013). The SILVA ribosomal RNA gene database project: Improved data processing and web-based tools. *Nucleic Acids Research*, 41(Database issue), D590–596. <https://doi.org/10.1093/nar/gks1219>
- Ramos, L. R., Vollú, R. E., Jurelevicius, D., Rosado, A. S., & Seldin, L. (2019). Firmicutes in different soils of Admiralty Bay, King George Island, Antarctica. *Polar Biology*, 42(12), 2219–2226. <https://doi.org/10.1007/s00300-019-02596-z>
- Rejmánek, M., & Richardson, D. M. (2013). Trees and shrubs as invasive alien species—2013 update of the global database. *Diversity and Distributions*, 19(8), 1093–1094. <https://doi.org/10.1111/ddi.12075>
- Ricotta, C., & Podani, J. (2017). On some properties of the Bray-Curtis dissimilarity and their ecological meaning. *Ecological Complexity*, 31, 201–205. <https://doi.org/10.1016/j.ecocom.2017.07.003>
- Rinninella, E., Raoul, P., Cintoni, M., Franceschi, F., Miggiano, G. A. D., Gasbarrini, A., & Mele, M. C. (2019). What is the Healthy Gut Microbiota Composition? A Changing Ecosystem across Age, Environment, Diet, and Diseases. *Microorganisms*, 7(1). <https://doi.org/10.3390/microorganisms7010014>
- Rodríguez-Echeverría, S., Le Roux, J. J., Crisóstomo, J. A., & Ndlovu, J. (2011). Jack-of-all-trades and master of many? How does associated rhizobial diversity influence the colonization success of Australian *Acacia* species?: Invasion ecology of the *Acacia*-rhizobia symbiosis. *Diversity and*

Distributions, 17(5), 946–957. <https://doi.org/10.1111/j.1472-4642.2011.00787.x>

- Rognes, T., Flouri, T., Nichols, B., Quince, C., & Mahé, F. (2016). VSEARCH: A versatile open source tool for metagenomics. *PeerJ*, 4, e2584. <https://doi.org/10.7717/peerj.2584>
- Rojas-Sandoval, J., & Pasiecznik, N. (2022). *Acacia mearnsii* (black wattle). *CABI Compendium*, CABI Compendium, 2326. <https://doi.org/10.1079/cabicompendium.2326>
- Roswell, M., Dushoff, J., & Winfree, R. (2021). A conceptual guide to measuring species diversity. *Oikos*, 130(3), 321–338. <https://doi.org/10.1111/oik.07202>
- Sabale, S. N., Suryawanshi, P. P., & P.U., K. (2020). *Soil Metagenomics: Concepts and Applications*.
- Schlesinger, W. H. (1999). *Carbon Sequestration in Soils*. 284.
- Schloss, P. D., Westcott, S. L., Ryabin, T., Hall, J. R., Hartmann, M., Hollister, E. B., Lesniewski, R. A., Oakley, B. B., Parks, D. H., Robinson, C. J., Sahl, J. W., Stres, B., Thallinger, G. G., Van Horn, D. J., & Weber, C. F. (2009). Introducing mothur: Open-Source, Platform-Independent, Community-Supported Software for Describing and Comparing Microbial Communities. *Applied and Environmental Microbiology*, 75(23), 7537–7541. <https://doi.org/10.1128/AEM.01541-09>
- Smit, E., Leeflang, P., Gommans, S., van den Broek, J., van Mil, S., & Wernars, K. (2001). Diversity and Seasonal Fluctuations of the Dominant Members of the Bacterial Soil Community in a Wheat Field as Determined by Cultivation and Molecular Methods. *Applied and Environmental Microbiology*, 67(5), 2284–2291. <https://doi.org/10.1128/AEM.67.5.2284-2291.2001>
- Spain, A. M., Krumholz, L. R., & Elshahed, M. S. (2009). Abundance, composition, diversity and novelty of soil Proteobacteria. *The ISME Journal*, 3(8), Article 8. <https://doi.org/10.1038/ismej.2009.43>
- Speirs, L. B. M., Rice, D. T. F., Petrovski, S., & Seviour, R. J. (2019). The Phylogeny, Biodiversity, and Ecology of the Chloroflexi in Activated Sludge. *Frontiers in Microbiology*, 10. <https://www.frontiersin.org/articles/10.3389/fmicb.2019.02015>
- Traveset, A., & Richardson, D. M. (2014). Mutualistic Interactions and Biological Invasions. *Annual Review of Ecology, Evolution, and Systematics*, 45(1), 89–113. <https://doi.org/10.1146/annurev-ecolsys-120213-091857>
- Ul-Hassan, A., & Wellington, E. M. (2009). Actinobacteria. In M. Schaechter (Ed.), *Encyclopedia of Microbiology (Third Edition)* (pp. 25–44). Academic Press. <https://doi.org/10.1016/B978-012373944-5.00044-4>

- Vester, J. K., Glaring, M. A., & Stougaard, P. (2015). Improved cultivation and metagenomics as new tools for bioprospecting in cold environments. *Extremophiles*, 19(1), 17–29. <https://doi.org/10.1007/s00792-014-0704-3>
- Wagg, C., Bender, S. F., Widmer, F., & van der Heijden, M. G. A. (2014). Soil biodiversity and soil community composition determine ecosystem multifunctionality. *Proceedings of the National Academy of Sciences*, 111(14), 5266–5270. <https://doi.org/10.1073/pnas.1320054111>
- Wahyunto, & Dariah, A. (2014). Degradasi Lahan di Indonesia: Kondisi Existing, Karakteristik, dan Penyeragaman Definisi Mendukung Gerakan Menuju Satu Peta. *Jurnal Sumberdaya Lahan*, 8(2), 81–93.
- Wiegand, S., Jogler, M., & Jogler, C. (2018). On the maverick Planctomycetes. *FEMS Microbiology Reviews*, 42(6), 739–760. <https://doi.org/10.1093/femsre/fuy029>
- Wooley, J. C., Godzik, A., & Friedberg, I. (2010). A Primer on Metagenomics. *PLoS Computational Biology*, 6(2), e1000667. <https://doi.org/10.1371/journal.pcbi.1000667>
- Zhang, L., Chen, F., Zeng, Z., Xu, M., Sun, F., Yang, L., Bi, X., Lin, Y., Gao, Y., Hao, H., Yi, W., Li, M., & Xie, Y. (2021). Advances in Metagenomics and Its Application in Environmental Microorganisms. *Frontiers in Microbiology*, 12. <https://www.frontiersin.org/articles/10.3389/fmicb.2021.766364>

