

DAFTAR PUSTAKA

- Adams, A., & Kharitononkov, A. 2013. FGF21 drives a shift in adipocytokine tone to restore metabolic health. *Aging* 5(6): 386-7. <https://doi.org/10.18632/aging.100565>
- Adnan, A.Z., Taher, M., Fauzana, A., Afriani, T., Roesma, D.I., and Putra, A.E. 2018. Antihyperglycemic activity of tinocrisposide by stimulating 3T3-L1 adipocyte cell differentiation. *Asian Journal of Pharmaceutical and Clinical Research* 11(11): 494-498. <https://doi.org/10.22159/ajpcr.2018.v11i11.29304>
- Agrawal, R., Jain, P., and Dikshit, S.N. 2012. Balaglitazone: A second generation peroxisome proliferator-activated receptor (ppar) gamma agonist. *Mini-Reviews in Medicinal Chemistry* 12(2): 87-97. <https://doi.org/10.2174/138955712798995048>.
- Ahmadian, M., Suh, J.M., Hah, N., Liddle, C., Atkins, A.R., Downes, M., and Evans, R.M. 2013. PPAR γ signaling and metabolism: the good, the bad and the future. *Nature Medicine* 19(5): 557-566. <https://doi.org/10.1038/nm.3159>
- Ali, S., Khan, A. L., Ali, L., Rizvi, T. S., Khan, S.A., Hussain, J., Hamayun, M., and Al-Harrasi, A. 2017. Enzyme inhibitory metabolites from endophytic *Penicillium citrinum* isolated from *Boswellia sacra*. *Archives of Microbiology* 199(5): 691-700. <https://doi.org/10.1007/s00203-017-1348-3>
- Álvarez-Almazán, S., Bello, M., Tamay-Cach, F., Martínez-Archundia, M., Alemán-González Duhart, D., Correa-Basurto, J., and Mendieta-Wejebe, J.E. 2017. Study of new interactions of glitazone's stereoisomers and the endogenous ligand 15d-PGJ2 on six different PPAR gamma proteins. *Biochemical Pharmacology* 142:168-193. <https://doi.org/10.1016/j.bcp.2017.07.012>
- Ambele, M.A., Dhanraj, P., and Giles, R., Pepper, M.S. 2020. Adipogenesis a complex interplay of multiple determinants and pathways. *International Journal of Molecular Sciences* 21(12): 1-27. <https://doi.org/10.3390/ijms21124283>
- American Diabetes Association. 2017. 2. Classification and diagnosis of diabetes. *Diabetes Care* 2017 40(Supp1): S11-S24. <https://doi.org/10.2337/dc17-S005>
- American Diabetes Association. 2020. 2. Classification and diagnosis of diabetes: standards of medical care in diabetes-2020. *Diabetes Care* 2020 43(1): S14-S31. <https://doi.org/10.2337/dc20-S002>
- American Diabetes Association. 2021. 2. Classification and diagnosis of diabetes: Standards of medical care in diabetes-2021. *Diabetes Care* 2021 44(1), S15-S33. <https://doi.org/10.2337/dc21-S002>
- Aminah, I., Putra, A.E., Arbain, D., and Handayani, D. 2019. Screening of cytotoxic activities toward WiDr and Vero cell lines of ethyl acetate extracts of fungi-derived from the marine sponge *Acanthostrongylophora ingens*. *Journal of Applied Pharmaceutical Science* 9(1): 1-5. <https://doi.org/10.7324/JAPS.2019.90101>
- Anas, K., Fauziah, F., and Bellatasie, R. 2021. Potential bioactive antibacterial,

- cytotoxic, and antioxidants of endophytic fungi *Penicillium citrinum*: A Review. *World Journal of Pharmacy and Pharmaceutical Science* 10(2): 1840–1859.
- Andrade, A.J.M., Grande, S.W., Talsness, C.E., Grote, K., and Chahoud, I. 2006. A dose-response study following in utero and lactational exposure to di-(2-ethylhexyl)-phthalate (DEHP): Non-monotonic dose-response and low dose effects on rat brain aromatase activity. *Toxicology* 227(3): 185–192. <https://doi.org/10.1016/j.tox.2006.07.022>
- Anjum, K., Abbas, S.Q., Shah, S.A.A., Akhter, N., Batool, S., and Hassan, S.S.U. 2016. Marine sponges as a drug treasure. *Biomolecules and Therapeutics* 24(4): 347–362. <https://doi.org/10.4062/biomolther.2016.067>
- Arbain, D., Nofrizal, Syafni, N., Ismed, F., Yousuf, S., and Choudhary, M.I. 2018. Bicyclo [3.2.1]octanoid neolignans from Indonesian red beetle leaves (*Piper crocatum* Ruiz & Pav). *Phytochemistry Letters* 24(2018): 163–166. <https://doi.org/10.1016/j.phytol.2018.02.006>
- Ariyanto, E.F., Nurazizah, S.I., Pamela, Y., Wikayani, T.P., Qomarilla, N., Berbudi, A., and Rohmawaty, E. 2020. Effect of *Curcuma longa* extract on lipid accumulation during adipocyte differentiation using 3T3-L1 Cell Line. *Biomedical and Pharmacology Journal* 13(3): 1221–1226. <https://doi.org/10.13005/bpj/1990>
- Armani, A., Mammi, C., Marzolla, V., Calanchini, M., Antelmi, A., Rosano, G.M.C., Fabbri, A., and Caprio, M. 2010. Cellular models for understanding adipogenesis, adipose dysfunction, and obesity. *Journal of Cellular Biochemistry* 110(3): 564–572. <https://doi.org/10.1002/jcb.22598>
- Artasasta, M.A., Yanwirasti, Y., Taher, M., Djamaan, A., Ariantari, N.P., Edrada-ebel, R.A., and Handayani, D. 2021. Apoptotic activity of new Oxisterigmatocystin derivatives from the marine-derived fungus *Aspergillus nomius* NC06. *Marine Drugs* 19(631): 1–10.
- Ashcroft, F.M. & Rorsman, P. 2012. Diabetes Mellitus dan The Beta Cell : The Last Ten Years. *Cell* 148(6): 1160-1171. <https://doi.org/10.1016/j.cell.2012.02.010>
- Association American Diabetes. 2020. Introduction : Standards of medical care in diabetes 2020. *Diabetes Care* 43(Suppl.1): S1–S2. <https://doi.org/https://doi.org/10.2337/dc20-Sint>.
- Atanasov, A.G., Wang, J.N., Gu, S.P., Bu, J., Kramer, M.P., Baumgartner, L., Fakhrudin, N., Ladurner, A., Malainer, C., Vuorinen, A., Noha, S.M., Schwaiger, S., Rollinger, J.M., Schuster, D., Stuppner, H., Dirsch, V.M., & Heiss, E.H. 2013. Honokiol: A non-adipogenic PPAR γ agonist from nature. *Biochimica et Biophysica Acta* 1830(2013): 4813–4819. <https://doi.org/10.1016/j.bbagen.2013.06.021>
- Awazawa, M., Ueki, K., Inabe, K., Yamauchi, T., Kubota, N., Kaneko, K., Kobayashi, M., Iwane, A., Sasako, T., Okazaki, Y., Ohsugi, M., Takamoto, I., Yamashita, S., Asahara, H., Akira, S., Kasuga, M., and Kadowaki, T. 2011. Adiponectin enhances insulin sensitivity by increasing hepatic IRS-2 expression via a macrophage-derived IL-6 dependent pathway. *Cell Metabolism* 13 : 401-412. <https://doi.org/10.1016/j.cmet.2011.02.010>
- Azahari, N., Khattak, M.M.A.K., Taher, M., and Ichwan, S.J.A. 2015. Herbal extracts exhibit anti-diabetic activities in 3T3-L1 adipocytes model. *Journal*

- of Nutrition and Internal Medicine* 17(4): 301–310.
- Bachman, E.S., Dhillon, H., Zhang, C.Y., Cinti, S., Bianco, A.C., Kobilka, B.K., Lowell, B.B., 2002. β AR signaling required for diet-induced thermogenesis and obesity resistance. *Science* 297: 843–845. <https://doi.org/10.1126/SCIENCE.1073160>
- Bagchi, D.P., Nishii, A., Li, Z., DelProposto, J.B., Corsa, C.A., Mori, H., Hardij, J., Learman, B.S., Lumeng, C.N., and MacDougald, O.A. 2020. Wnt/ β -catenin signaling regulates adipose tissue lipogenesis and adipocyte-specific loss is rigorously defended by neighboring stromal-vascular cells. *Molecular Metabolism* 42(9): 1–20. <https://doi.org/10.1016/j.molmet.2020.101078>
- Bairy, P.S. 2017. Peroxisome proliferator-activated receptor-gamma, an emerging potential target to combat metabolic disorder. *Asean Journal of Pharmaceutical and Clinical Research* 10(12):40-44. <https://doi.org/10.22159/ajpcr.2017.v10i12.21569>
- Bakhtra, D.D.A., Suryani, R., Yuni, G.R., and Handayani, D. 2019. Antimicrobial and cytotoxic activities screening of symbiotic fungi extract isolated from marine sponge *Xestospongia testudinaria* DD-01. *Journal of Chemical and Pharmaceutical Sciences* 12(02): 30–34. <https://doi.org/10.30558/jchps.20191202001>
- Barbatelli, G., Murano, I., Madsen, L., Hao, Q., Jimenez, M., Kristiansen, K., Giacobino, J.P., De Matteis, R., and Cinti, S. 2010. The emergence of cold-induced brown adipocytes in mouse white fat depots is determined predominantly by white to brown adipocyte transdifferentiation. *American Journal of Physiology: Endocrinology and Metabolism* 298(6): E1244–E1253. <https://doi.org/10.1152/ajpendo.00600.2009>
- Baynest, H.W. 2015. Classification, pathophysiology, diagnosis and management of diabetes mellitus. *Journal of Diabetes and Metabolism*, 06(05): 1–9. <https://doi.org/10.4172/2155-6156.1000541>
- Bays, H., Mandarino, L., DeFronzo, R.A. 2004. Role of the adipocyte, free fatty acids, and ectopic fat in pathogenesis of type 2 diabetes mellitus: peroxisomal proliferator-activated receptor agonists provide a rational therapeutic approach. *The Journal of Clinical Endocrinology and Metabolism* 89(2): 463–478. <https://doi.org/10.1210/jc.2003-030723>
- Beausoleil, C., Beronius, A., Bodin, L., Bokkers, B.G.H., Boon, P.E., Burger, M., Cao, Y., De Wit, L., Fischer, A., Hanberg, A., Leander, K., Litens-Karlsson, S., Rousselle, C., Slob, W., Varret, C., Wolterink, G., and Zilliacus, J. 2016. External scientific report. review of non-monotonic dose-responses of substances for human risk assessment. *EFSA Supporting Publications* 13(5): 1–290. <https://doi.org/10.2903/sp.efsa.2016.en-1027>
- Benchamana, A., Mori, H., MacDougald, O.A., and Soodvilai, S. 2019. Regulation of adipocyte differentiation and metabolism by lansoprazole. *Life Sciences* 239. <https://doi.org/10.1016/j.lfs.2019.116897>
- Bermudez, Valmore; Finol, Freddy; Parra, Nailyn; Parra, Maria; Perez, Adriana ; Penaranda, Lianny; Vilchez, Daviel; Rojas, Joselyn; Arraiz, Naillet; Velasco, Manuel, Edin, F. 2010. PPAR- agonists and their role in type 2 diabetes mellitus management. *American Journal of Therapeutics*, 17(3), 274–283.
- Binh, N.T., Lam, P.V.H., Diep, C.N. 2018. Bioactive compounds frm marine fungus *Penicillium citrinum* strain ND7c by Gas chromatography-mass

- spectrometry. *The Pharmaceutical and Chemical Journal* 5 (1) : 211-224.
- Bhalla, K., Hwang, B. J., Choi, J.H., Dewi, R., Ou, L., Mclenithan, J., Twaddel, W., Pozharski, E., Stock, J., and Girnun, G.D. 2011. N-acetylfarnesylcysteine is a novel class of peroxisome proliferator-activated receptor γ ligand with partial and full agonist activity in vitro and in vivo. *Journal of Biological Chemistry* 286(48): 41626–41635. <https://doi.org/10.1074/jbc.M111.257915>
- Blaschke, F., Takata, Y., Caglayan, E., Law, R.E., Hsueh, W.A. 2006. Obesity, peroxisome proliferator-activated receptor, and atherosclerosis in type 2 diabetes. *Arteriosclerosis, Thrombosis, and Vascular Biology* 26(1): 28-40. <https://doi.org/10.1161/01.atv.0000191663.12164.77>
- Block, R.J., Durrum, E.L., Zweig, G. 2016. *A Manual of Paper Chromatography & Paper Electrophoresis*. Amsterdam: Elsevier.
- Boden, G. 2011. Obesity, insulin resistance, and free fatty acids. *Current Opinion in Endocrinology, Diabetes, and Obesity* 18(2): 139-143. <https://doi.org/10.1097/med.0b013e3283444b09>
- Bogan, J.S. 2012. Regulation of glucose transporter translocation in health and diabetes. *Annual Review of Biochemistry* 81 : 507-532. <https://doi.org/10.1146/annurev-biochem-060109-094246>
- Boucher, J., Kleinridders, A., Kahn, C.R. 2014. Insulin receptor signaling in normal & insulin-resistant states. *Cold Spring Harbor Perspectives in Biology* 6(1): a009191. <https://doi.org/10.1101/cshperspect.a009191>
- Bright, M. & Bulgheresi, S. 2010. A complex journey: transmission of microbial symbionts. *Nature Reviews Microbiology* 8(3):218-30. <https://doi.org/10.1038/nrmicro2262>
- Bucar, F., Wube, A., and Schmid, M. 2013. Natural product isolation-how to get from biological material to pure compounds. *Natural Product Reports* 30(4): 525-545. <https://doi.org/10.1039/c3np20106f>
- Calabrese, E.J. 2008. Hormesis and medicine. *British Journal of Clinical Pharmacology* 66(5): 594–617. <https://doi.org/10.1111/j.1365-2125.2008.03243.x>
- Calabrese, E. J., and Mattson, M. P. 2017. How does hormesis impact biology, toxicology, and medicine? *Npj Aging and Mechanisms of Disease* 3(1): 1–8. <https://doi.org/10.1038/s41514-017-0013-z>
- Cao, H., Wiemerslage, L., Marttila, P.S.K., Williams, M.J., and Schiöth, H.B. 2016. Bis-(2-ethylhexyl) Phthalate increases insulin expression and lipid levels in *Drosophila melanogaster*. *Basic and Clinical Pharmacology and Toxicology* 119(3): 309–316. <https://doi.org/10.1111/bcpt.12587>
- Caviglia, J.M., and Schwabe, R.F. 2014. Experimental Hepatocarcinogenesis. In *pathobiology of human disease: A dynamic encyclopedia of disease mechanisms*. Elsevier Inc 1:1866–1880. <https://doi.org/10.1016/B978-0-12-386456-7.04212-X>
- Cerf, M.E. 2013. Beta cell dysfunction dan insulin resistance. *Frontiers Endocrinology* 4(1): 37. <https://doi.org/10.3389/fendo.2013.00037>
- Cha, S., Jung, K., Lee, M.Y., Hwang, Y.J., Yang, E., Lee, S.H., Jung, H., and Cheon, Y.P. 2018. Nonmonotonic effects of chronic low-dose di(2-ethylhexyl) phthalate on gonadal weight and reproductive. *Development and Reproduction* 22(1): 85–94. <https://doi.org/10.12717/dr.2018.22.1.085>

- Chen, X.W., Leto, D., Xiong, T., Yu, G., Cheng, A., Decker, S., Saltiel, A.R. 2011. A RaI GAP complex links PI 3-kinase/Akt signaling to RaIA activation in insulin action. *Molecular Biology of the Cell* 22(1): 141-152. <https://doi.org/10.1091/mbc.e10-08-0665>
- Chen, J., Li, W., Yao, H., and Xu, J. 2015. Insights into drug discovery from natural products through structural modification. *Fitoterapia* 103: 231-241. <https://doi.org/10.1016/j.fitote.2015.04.012>
- Cho, Y.M., Fujita, Y., Kieffer, T.J. 2014. Glucagon-Like Peptide-1: Glucose Homeostasis & Beyond. *Annual Review of Physiology* 76(1): 535-559. <https://doi.org/10.1146/annurev-physiol-021113-170315>
- Christodoulides, C., and Vidal-Puig, A. 2010. PPARs and adipocyte function. *Molecular and Cellular Endocrinology* 318(1-2): 61-68. <https://doi.org/10.1016/j.mce.2009.09.014>
- Chung, Y.C., and Hyun, C.G. 2021. Inhibitory effects of pinostilbene on adipogenesis in 3t3-l1 adipocytes: A study of possible mechanisms. *International Journal of Molecular Sciences* 22(24). <https://doi.org/10.3390/ijms222413446>
- Cinti, S. 2001. The adipose organ : morphological perspectives of adipose tissues. *Proceeding of the Nutrition Society* 60(3): 319-328. <https://doi.org/10.1079/PNS200192>
- Cignarelli, A., Genchi, V.A., Perrini, S., Natalicchio, A., Laviola, L., and Giorgino, F. 2019. Insulin and insulin receptors in adipose tissue development. *International Journal of Molecular Sciences* 20(3): 1-20. <https://doi.org/10.3390/ijms20030759>
- Cita, Y.P., Suhermanto, A., Radjasa, O.K., and Sudharmono, P. 2017. Antibacterial activity of marine bacteria isolated from sponge *Xestospongia testudinaria* from Sorong, Papua. *Asian Pacific Journal of Tropical Biomedicine* 7(5): 450-454. <https://doi.org/10.1016/j.apjtb.2017.01.024>
- Clark, B.R., Capon, R.J., Lacey, E., Tennant, S., Gill, J.H. 2006. Citrinin revisited: from monomers to dimers and beyond. *Organic & Biomolecular Chemistry* 4(8): 1520-1528.
- Codario, R.A. 2011. Type 2 Diabetes, Pre-Diabetes, dan The Metabolic Syndrome. New York : Human Press
- Colberg, S.R., Sigal, R.J., Yardley, J.E., Riddell, M.C., Dunstan, D.W., Dempsey, P.C., Horton, E.S., Castorino, K., Tate, D.F. 2016. Physical activity/ exercise and diabetes : a position statement of the American Diabetes Association. *Diabetes Care* 39(11): 2065-2079. <https://doi.org/10.2337%2Fdc16-1728>
- Das, S., Kim, S.W., Choi, Y.J., Lee, S., Lee, S.H., Kong, J.S., Park, H.J., Cho, D.W., Jang, J. 2019. Decellularized extracellular matrix bioinks and the external stimuli to enhance cardiac tissue development in vitro. *Acta Biomaterialia* 95: 188-200.
- D'Orazio, N., Gammone, M.A., Gemello, E., De Girolamo, M., Cusenza, S., and Riccioni, G. 2012. Marine bioactives: Pharmacological properties and potential applications against inflammatory diseases. *Marine Drugs*, 10(4): 812-833. <https://doi.org/10.3390/md10040812>
- Departemen Kesehatan Republik Indonesia, 2000. Parameter Standar Umum Ekstrak Tumbuhan Obat. Jakarta : Direktorat Jenderal Pengawasan Obat dan Makanan.

- Derici, G.E., Özdaş, S., Canatar, I., and Koç, M. 2021. Antidiabetic activities of *Bolanthus spergulifolius* (Caryophyllaceae) extracts on insulin-resistant 3T3-L1 adipocytes. *PLoS ONE*, 16(6): 1–25. <https://doi.org/10.1371/journal.pone.0252707>
- Dimitriadis, G., Mitron, P., Lambadiari, V., Maratou, E., and Raptis, S.A. 2011. Insulin effects in muscle and adipose tissue. *Diabetes Research and Clinical Practice* 93(1): 52–59. [https://doi.org/10.1016/S0168-8227\(11\)70014-6](https://doi.org/10.1016/S0168-8227(11)70014-6)
- Ding, Y., Gao, K., Liu, Y., Mao, G., Chen, K., Qiu, X., Zhao, T., Yang, L., Feng, W., and Wu, X. 2019. Transcriptome analysis revealed the mechanism of the metabolic toxicity and susceptibility of di-(2-ethylhexyl)phthalate on adolescent male ICR mice with type 2 diabetes mellitus. *Archives of Toxicology* 93(11): 3183–3206. <https://doi.org/10.1007/s00204-019-02590-8>
- Ding, Y., Xu, T., Mao, G., Chen, Y., Qiu, X., Yang, L., Zhao, T., Xu, X., Feng, W., and Wu, X. 2021. Di-(2-ethylhexyl) phthalate-induced hepatotoxicity exacerbated type 2 diabetes mellitus (T2DM) in female pubertal T2DM mice. *Food and Chemical Toxicology* 149(8), 112003. <https://doi.org/10.1016/j.fct.2021.112003>
- Dsouza, D., and Lakshmidevi, N. 2015. Models to study in vitro antidiabetic activity of plants: a review. *Int J Pharm Bio Sci* 6(3), 732–741. <https://www.ijpbs.net>
- Ebrahimi, V., Soleimani, A., Ebrahimi, T., Azargun, R., Yazdani, P., Eyvazi, S., Tarhriz, V. 2020. Epigenetic modifications in gastric cancer: Focus on DNA methylation. *Gene* 742: 144577. <https://doi.org/10.1016/j.gene.2020.144577>
- Eichmann, T.O., Kumari, M., Haas, J.T., Farese, R.V.J, Zimmermann, R., Lass, A., Zechner, R., 2012. Studies on the substrate and stereo/regioselectivity of adipose triglyceride lipase, hormone sensitive lipase, and diacylglycerol-O-acyltransferases. *The Journal of Biological Chemistry* 287(49): 41446-57. <https://doi.org/10.1074/jbc.m112.400416>
- El-Gamal, A.A., Al-Massarani, S.M., Shaala, L.A., Alahdald, A.M., Al-Said, M.S., Ashour, A.E., Kumar, A., Abdel-Kader, M.S., Abdel-Mageed, W.M., and Youssef, D.T.A. 2016. Cytotoxic compounds from the Saudi red sea sponge *Xestospongia testudinaria*. *Marine Drugs* 14(5): 1–9. <https://doi.org/10.3390/md14050082>
- Elkhayat, E.S., and Goda, A.M. 2017. Antifungal and cytotoxic constituents from the endophytic fungus *Penicillium* sp. *Bulletin of Faculty of Pharmacy, Cairo University* 55(1): 85–89. <https://doi.org/10.1016/j.bfopcu.2017.03.001>
- El-Neketi, M., Ebrahim, W., Lin, W., Gedara, S., Badria, F., Saad, H.E.A., Lai, D., and Proksch, P. 2013. Alkaloids and polyketides from *Penicillium citrinum*, an endophyte isolated from the Moroccan plant *ceratonia siliqua*. *Journal of Natural Products* 76(6): 1099–1104. <https://doi.org/10.1021/np4001366>
- El-Sayed, O.H., Asker, M.M.S., Shash, S.M., and Hamed, S.R. 2015. Isolation, structure elucidation and biological activity of di- (2-ethylhexyl) phthalate produced by *Penicillium janthinellum* 62. *International Journal of ChemTech Research* 8(1): 58–66.
- El-Shitany, N.A., Shaala, L.A., Abbas, A.T., Abdel-dayem, U.A., Azhar, E.I., Ali, S.S., Soest, R.W.M., Youssef, D.T.A., 2015. Evaluation of the anti-

- inflammatory, antioxidant and immunomodulatory effects of the organic extract of the red sea marine sponge *Xestospongia testudinaria* against carrageenan induced rat paw inflammation. *Plos One* 10(9): 1-16. <https://doi.org/10.1371/journal.pone.0138917>
- Erythropel, H.C., Maric, M., Nicell, J.A., Leask, R.L., and Yargeau, V. 2014. Leaching of the plasticizer di(2-ethylhexyl)phthalate (DEHP) from plastic containers and the question of human exposure. *Applied Microbiology and Biotechnology* 98(24): 9967–9981. <https://doi.org/10.1007/s00253-014-6183-8>
- Escorcía, W., Ruter, D.L., Nhan, J., and Curran, S.P. 2018. Quantification of lipid abundance and evaluation of lipid distribution in *Caenorhabditis elegans* by Nile red and oil red O staining. *Journal of Visualized Experiments* 2018(133): 1–6. <https://doi.org/10.3791/57352>
- Ezzat, S.M., El Bishbishy, M.H., Habtemariam, S., Salehi, B., Sharifi-Rad, M., Martins, N., and Sharifi-Rad, J. 2018. Looking at marine-derived bioactive molecules as upcoming anti-diabetic agents: A special emphasis on PTP1B inhibitors. *Molecules* 23(3334):1–28. <https://doi.org/10.3390/molecules23123334>
- Farmer, S.R. 2008. Molecular determinants of brown adipocyte formation and function. *Genes & Development* 22(10): 1269-1275. <https://doi.org/10.1101/gad.1681308>
- Fauziah, F; Oktavia, S; Bakhtra, D.D.A; Handayani, D; Ali, H; Ilmiawati, C; Sari, W.N. 2020. Effect of ethyl acetate extract of *Penicillium citrinum* from *Xestospongia testudinaria* on blood glucose level, insulin concentration, and homeostatic model assessment of insulin resistance (HOMA-IR). *Current Trends in Biotechnology and Pharmacy* 14(2): 31–32.
- Fauziah, F; Ali, H., Ilmiawati, C., Bakhtra, D.D.A., Taher, M., and Handayani, D. 2023. Secondary metabolites of marine sponge-derived fungus *Penicillium citrinum* Xt6 induce adipocyte differentiation on 3T3-L1 preadipocytes. *AIP Conference Proceedings*, 2730(5): 080006. <https://doi.org/https://doi.org/10.1063/5.0127873>
- Fauziah, F, Ali, H., Ilmiawati, C., Bakhtra, D., Agustin, Z., and Handayani, D. 2022. Inhibitory activity of α -glucosidase by the extract and fraction of marine sponge-derived fungus *Penicillium citrinum* Xt6. *Open Access Macedonian Journal of Medical Sciences* 10(A): 1290–1293.
- Federation, I. D. 2021. IDF diabetes atlas 10th edition. In *Diabetes Research and Clinical Practice* 102(2013): 147–148. <https://doi.org/10.1016/j.diabres.2013.10.013>
- Feige, J.N., Gelman, L., Rossi, D., Zoete, V., Métivier, R., Tudor, C., Anghel, S. I., Grosdidier, A., Lathion, C., Engelborghs, Y., Michielin, O., Wahli, W., and Desvergne, B. 2007. The endocrine disruptor monoethyl-hexyl-phthalate is a selective peroxisome proliferator-activated receptor γ modulator that promotes adipogenesis. *Journal of Biological Chemistry* 282(26): 19152–19166. <https://doi.org/10.1074/jbc.M702724200>
- Ferreira, S.B., Dantas, T.B., de Figueredo, S.D., Ferreira, P.B., de Melo, T.R., de Oliveira, L.E. 2018. In silico and in vitro investigation of the antifungal activity of isoeugenol against *Penicillium citrinum*. *Current Topics in Medicinal Chemistry* 18(25): 2186-2196.

<https://doi.org/10.2174/1568026619666181130141818>

- Fulcher, F.K., Smith, B.T., Patel, Y.M. 2008. Dual role for myosin II in GLUT4-mediated glucose uptake in 3T3-L1 adipocytes. *Experimental Cell Research* 314(17):3264-3274. <https://doi.org/10.1016/j.yexcr.2008.08.007>
- Gandjar, I.G. & Rohman, A. 2007. Kimia farmasi analisis. Yogyakarta: Pustaka Pelajar.
- Gandjar, I., Samson, R.A., Tweel-Vermeulen, K.V.D., Oetari, A., Santoso, I. 1999. Pengenalan kapang tropik umum. Jakarta: Yayasan Obor Indonesia.
- Gavrilova, O., Haluzik, M., Matsusue, K., Cutson, J.J., Johnson, L., Dietz, K.R., Nicol, C.J., Vinson, C., Gonzalez, F.J., Reitman, M.L. 2003. Liver peroxisome proliferator-activated receptor γ contributes to hepatic steatosis, triglyceride clearance, and regulation of body fat mass. *The Journal of Biological Chemistry* 278(36): 34268–34276. <https://doi.org/10.1074/jbc.m300043200>
- Giacoman-Martinez, A., Alarcón-Aguilar, F.J., Zamilpa, A., Hidalgo-Figueroa, S., Navarrete-Vázquez, G., Garcia-Macedo, R., Román-Ramos, R., Almanza-Pérez, J.C. 2019. Triterpenoids from *Hibiscus sabdariffa* L. with PPAR δ / γ dual agonist action: in vivo, in vitro and in silico studies. *Planta Medica* 85(5): 412-423. <https://doi.org/10.1055/a-0824-1316>
- Goldberg, I.J., Eckel, R.H., Abumrad, N.A. 2009. Regulation of fatty acid uptake into tissues : lipoprotein lipase and CD36-mediated pathways. *Journal of Lipid Research* 50(Suppl): S86-90. <https://doi.org/10.1194/jlr.r800085-jlr200>
- Grandjean, P. 2017. Paracelsus revisited: the dose concept in a complex world. *Basic and Clinical Pharmacology and Toxicology* 119(2): 126–132. <https://doi.org/10.1111/bcpt.12622>
- Gritter, R.J., Bobbit, J.M., Schwarting, A.E. 1991. Pengantar Kromatografi (Edisi II). Penerjemah: Kosasih Padmawinata. Bandung: Penerbit ITB.
- Gu, Y., Ding, P., Liang, Z., Song, Y., Liu, Y., Chen, G., Li, J.L. 2018. Activated production of silent metabolites from marine-derived fungus *Penicillium citrinum*. *Fitoterapia* 127: 207-211. <https://doi.org/10.1016/j.fitote.2018.02.012>
- Guariguata, L., Whiting, D.R., Hambleton, I., Beagley, J., Linnenkamp, U. and Shaw, J.E. 2014. Global Estimates of Diabetes Prevalence For 2013 dan Projections For 2035. *Diabetes Research dan Clinical Practice* 103(2): 137-49. <https://doi.org/10.1016/j.diabres.2013.11.002>
- Guru, B., Tamrakar, A.K., Mandal, S.P., Kumar, P.B.R., Sharma, A., Manjula, S.N. 2022. A novel partial PPAR γ agonist has weaker lipogenic effect in adipocytes and stimulates GLUT4 translocation in skeletal muscle cells via AMPK-dependent signaling. *Pharmacology* 107(1-2): 90-101. <https://doi.org/10.1159/000519331>
- Habib, R.M., and Karim, R.M. 2009. Antimicrobial and cytotoxic activity of di-(2-ethylhexyl) phthalate and anhydrosophoradiol-3-acetate isolated from *Calotropis gigantea* (Linn.) Flower. *Mycobiology* 37(1): 31–36.
- Hall, J.E., & Hall, M.E. 2015. Guyton & Hall Textbook of Medical Physiology. Amsterdam: Elsevier.
- Hamed, E. 2011. Production of some biologically active secondary metabolites from marine-derived fungus *Penicillium brevicompactum*. *Planta Medica*

77(12): 1282583. <https://doi.org/10.1055/s-0031-1282583>

- Handayani, D., Ahdinur, R.F., and Rustini, R. 2015. Antimicrobial activity of endophytic fungi from marine sponge *Haliclona fascigera*. *Journal of Applied Pharmaceutical Science* 5(10): 154–156. <https://doi.org/10.7324/JAPS.2015.501027>
- Handayani, D. & Artasasta, M.A. 2017. Antibacterial and cytotoxic activities screening of symbiotic fungi extract isolated from marine sponge *Neopetrosia chaliniformis* AR-01. *Journal of Applied Pharmaceutical Science* 7(5): 66-69. <http://doi.org/10.7324/JAPS.2017.70512>
- Handayani, D., and Aminah, I. 2017. Antibacterial and cytotoxic activities of ethyl acetate extract of symbiotic fungi from West Sumatra marine sponge *Acanthrongylophora ingens*. *Journal of Applied Pharmaceutical Science* 7(2): 237–240. <https://doi.org/10.7324/JAPS.2017.70234>
- Handayani, D., Rivai, H., Mulyana, R., Suharti, N., Rasyid, R., and Hertiani, T. 2018. Antimicrobial and cytotoxic activities of endophytic fungi isolated from mangrove plant *Sonneratia alba* Sm. *Journal of Applied Pharmaceutical Science* 8(2): 49–53. <https://doi.org/10.7324/JAPS.2018.8207>
- Hatting, M., Tavares, C.D., Sharabi, K., Rines, A.K., Puigserver, P. 2018. Insulin Regulation of Gluconeogenesis. *Annals of The New York Academy of Sciences* 1411(1): 21-35. <https://doi.org/10.1111/nyas.13435>
- Hassan, W., Edrada, R., Ebel, R., Wray, V., Berg, A., van Soest, R., Wiryowidagdo, S., Proksch, P. 2004. New imidazole alkaloids from the Indonesian sponge *Leucetta chagosensis*. *Journal of Natural Products* 67(5):817-22. <https://doi.org/10.1021/np0305223>
- Heinonen, S., Muniandy, M., Buzkova, J., Mardinoglu, A., Rodriguez, A., Fruhbeck, G., Hakkarainen, A., Lundbom, J., Lundbom, N., Kaprio, J., Rissanen, A., Pietilainen, K.H. 2017. Mitochondria-related transcriptional signature is downregulated in adipocytes in obesity : a study of young healthy MZ twins. *Diabetologia* 60(1): 169-181. <https://doi.org/10.1007/s00125-016-4121-2>
- Hentschel, U., Hopke, J., Horn, M., Friederich, A.B., Wagner, M., Hacker, J., Moore, B.S. 2002. Molecular Evidence for a Uniform Microbial Community in Sponges from Different Oceans. *Applied and Environmental Microbiology* 68(9): 4432- 4440. <https://doi.org/10.1128/aem.68.9.4431-4440.2002>
- Hill, C.E., Myers, J.P., and Vandenberg, L.N. 2018. Nonmonotonic dose–Response curves occur in dose ranges that are relevant to regulatory decision-making. *Dose-Response* 16(3): 1–4. <https://doi.org/10.1177/1559325818798282>
- Hooper, J.N.A., & Wiedenmayer, F. 2003. ‘Sponguide’: Guide to sponge collection and identification. Australia: Queensland Museum.
- Huang, H., Ullah, F., Zhou, D.X., Yi, M., Zhao, Y. 2019. Mechanisms of ROS regulation of plant development and stress responses. *Frontiers in Plant Science* 10. <https://doi.org/10.3389/fpls.2019.00800>
- Huang, S. & Czech MP, 2007. The GLUT4 glucose transporter. *Cell Metabolism* 5 (4) : 237-252. <https://doi.org/10.1016/j.cmet.2007.03.006>
- Huang, G.L., Zhou, X.M., Bai, M., Liu, Y.X., Zhao, Y.L., Luo, Y.P., Niu, Y.Y., Zheng, C.J., Chen, G.Y. 2016. Dihydroisocoumarins from the mangrove-

- derived fungus *Penicillium citrinum*. *Marine Drugs* 14(10): 6-13. <https://doi.org/10.3390/md14100177>
- Hudak, C.S., and Sul, H.S. 2013. Pref-1, a gatekeeper of adipogenesis. *Frontiers in Endocrinology* 4(7): 1–6. <https://doi.org/10.3389/fendo.2013.00079>
- Hurrle, S., Hsu, W. 2017. The etiology of oxidative stress in insulin resistance. *Biomedical Journal* 40(5) : 257-262. <https://doi.org/10.1016/j.bj.2017.06.007>
- Ito, Y., Kamijima, M., and Nakajima, T. 2019. Di(2-ethylhexyl) phthalate-induced toxicity and peroxisome proliferator-activated receptor alpha: A review. *Environmental Health and Preventive Medicine* 24(1): 1–9. <https://doi.org/10.1186/s12199-019-0802-z>
- Ito, Y., Yokota, H., Wang, R., Yamanoshita, O., Ichihara, G., Wang, H., Kurata, Y., Takagi, K., and Nakajima, T. 2005. Species differences in the metabolism of di(2-ethylhexyl) phthalate (DEHP) in several organs of mice, rats, and marmosets. *Archives of Toxicology* 79(3): 147–154. <https://doi.org/10.1007/s00204-004-0615-7>
- Jackson, R.M., Griesel, B.A., Gurley, J.M., Szweda, L.I., and Olson, A.L. 2017. Glucose availability controls adipogenesis in mouse 3T3-L1 adipocytes via up-regulation of nicotinamide metabolism. *Journal of Biological Chemistry* 292(45): 18556–18564. <https://doi.org/10.1074/jbc.M117.791970>
- Janani, C., and Ranjitha Kumari, B.D. 2015. PPAR gamma gene: A review. *Diabetes and Metabolic Syndrome: Clinical Research and Reviews* 9(1): 46–50. <https://doi.org/10.1016/j.dsx.2014.09.015>
- Jiang, W., Liu, D., Deng, Z., de Vogt, N.J., Proksch, P., Lin, W. 2011. Brominated polyunsaturated lipids and their stereochemistry from the Chinese marine sponge *Xestospongia testudinaria*. *Tetrahedron* 67(1): 58-68. <https://doi.org/10.1016/j.tet.2010.11.045>
- Johnson, O.O., Zhao, M., Gunn, J., Santarsiero, B.D., Yin, Z.Q., Ayoola, G.A., Coker, H.A.B., Che, C.T. 2016. Alpha Glucosidase Inhibitory Prenylated Anthranols From *Harungana Madagascariensis*. *Journal of Natural Products* 79(1): 224-229. <https://doi.org/10.1021/acs.jnatprod.5b00924>
- Jones, J.R., Barrick, C., Kim, K.A., Lindner, J., Blondeau, B., Fujimoto, Y., Shiota, M., Kesterson, R.A., Kahn, B.B., and Magnuson, M.A. 2005. Deletion of PPAR γ in adipose tissues of mice protects against high fat diet-induced obesity and insulin resistance. *Proceeding of the National Academy of Sciences of the United States of America* 102(17): 6207-6212. <https://doi.org/10.1073/pnas.0306743102>
- Josh, M.K.S., Pradeep, S., Amma, K.S.V., Balachandran, S., Jaleel, U.C.A., Doble, M., Spener, F., Benjamin, S. 2013. Phthalates efficiently bind to human peroxisome proliferator activated receptor and retinoid X receptor α , β , γ subtypes: an *in silico* approach. *Journal of Applied Toxicology* 34: 754-765. <https://doi.org/10.1002/jat.2902>
- Kahn, B.B. 2019. Adipose tissue, inter-organ communication, and the path to type 2 diabetes: The 2016 banting medal for scientific achievement lecture. *Diabetes* 68(1): 3–14. <https://doi.org/10.2337/dbi18-0035>
- Kambia, N., Renault, N., Dilly, S., Farce, A., Dine, T., Gressier, B., Luyckx, M., Brunet, C., Chavatte, P. 2008. Molecular modelling of phthalates – PPARs interactions. *Journal of Enzyme Inhibition and Medicinal Chemistry* 23(5):

611-616. <https://doi.org/10.1080/14756360802205059>

- Kambia, N., Farce, A., Belarbi, K., Gressier, B., Luyckx, M., Chavatte, P., Dine, T. 2016. Docking study: PPARs interaction with the selected alternative plasticizers to di(2-ethylhexyl) phthalate. *Journal of Enzyme Inhibition and Medicinal Chemistry* 31(3): 448-455. <https://doi.org/10.3109/14756366.2015.1037748>
- Kelesha, S; and Stephens, J.M. 2012. Adipogenesis. *Cold Spring Harb Perspect Biol* 4(9): a008417. <https://doi.org/10.1101/cshperspect.a008417>
- Kim, K.Y., Cho, H.S., Jung, W.H., Kim, S.S., Cheon, H.G. 2007. Phosphatase and tensin homolog deleted on chromosome 10 suppression is an important process in peroxisome proliferator-activated receptor- β signaling in adipocytes and nyotubes. *Molecular Pharmacology* 71(6): 1554-1562. <https://doi.org/10.1124/mol.106.031948>
- Kim, D., Park, K.K., Lee, S.K., Lee, S.E., & Hwang, J.K. 2011. *Cornus kousa* F. Buerger ex Miquel increases glucose uptake through activation of peroxisome proliferator-activated receptor γ and insulin sensitization. *Journal of Ethnopharmacology* 133(2): 803–809. <https://doi.org/10.1016/j.jep.2010.11.007>
- Kim, J.H., Park, H.Y., Bae, S., Lim, Y.H., & Hong, Y.C. 2013. Diethylhexyl phthalates is associated with insulin resistance via oxidative stress in the elderly: a panel study. *PloS One* 8(8) 1–8. <https://doi.org/10.1371/journal.pone.0071392>
- Kintscher, U., & Law, R.E. 2005. PPAR γ -mediated insulin sensitization: the importance of fat versus muscle. *American Journal of Physiology* 288(2): E287–E291. <https://doi.org/10.1152/ajpendo.00440.2004>
- Kizer, 2013. A tangled threesome : adiponectin, insulin sensitivity, and adiposity. *Diabetes* 62(4): 1007-1009. <https://doi.org/10.2337/db12-1673>
- Kjer, J., Debbab, A., Aly, A.H and Proksch, P. 2010. Methods for isolation of marine-derived endophytic fungi and their bioactive secondary products. *Nature Protocols* 5(3): 479–490. <https://doi.org/10.1038/nprot.2009.233>
- Klötting, N., Hesselbarth, N., Gericke, M., Kunath, A., Biemann, R., Chakaroun, R., Kosacka, J., Kovacs, P., Kern, M., Stumvoll, M., Fischer, B., Rolle-Kampczyk, U., Feltens, R., Otto, W., Wissenbach, D.K., Von Bergen, M., and Blüher, M. 2015. Di-(2-ethylhexyl)-phthalate (DEHP) causes impaired adipocyte function and alters serum metabolites. *PLoS ONE* 10(12): 1–19. <https://doi.org/10.1371/journal.pone.0143190>
- Kozlovskii, A.G., Zhelifonova, V.P., Vinokurova, N.G., Ozerskaya, S.M., Kochkina, G.A., Grafe, U. 2003. The fungus *Penicillium citrinum*. Thom 1910 VKM FW-800 isolated from ancient permafrost sediments as a producer of the ergot alkaloids agroclavine-1 and epoxyagroclavine-1. *Microbiologia* 72: 722- 723.
- Kraus, N.A., Ehebauer, F., Zapp, B., Rudolphi, B., Kraus, B.J., & Kraus, D. 2016. Quantitative assessment of adipocyte differentiation in cell culture. *Adipocyte* 5(4): 351–358. <https://doi.org/10.1080/21623945.2016.1240137>
- Krishnapuram, R., Kirk-Ballard, H., Dhurandhar, E.J., Dubuisson, O., Messier, V., Rabasa-Lhoret, R., Hegde, V., Aggarwal, S., and Dhurandhar, N.V. 2013. Insulin receptor-independent upregulation of cellular glucose uptake. *International Journal of Obesity* 37(1): 146–153.

<https://doi.org/10.1038/ijo.2012.6>

- Krishnaswami, A. 2010. Thiazolidinediones: A 2010 Perspective. *The Permanente Journal* 14(3), 64–72. <https://doi.org/10.7812/tpp/09-052>
- Krisyanella, Handayani, D., Yunance, L. 2011. Uji aktifitas sitotoksik ekstrak dan fraksi dari spon laut *Petrosia* sp dengan metode *Brine Shrimp Lethality Test*. *Jurnal Sains dan Teknologi Farmasi* 16(2):156-166.
- Kuo, C-C., Moon, K., Thayer, K.A., Navas-Acien, A. 2013. Environmental chemicals and type 2 diabetes: an updated systematic review of the epidemiologic evidence. *Current Diabetes Reports* 13:831-849. <https://doi.org/10.1007/s11892-013-0432-6>
- Lafontan, M. 2012. Historical perspectives in fat cell biology: The fat cell as a model for the investigation of hormonal and metabolic pathways. *American Journal of Physiology - Cell Physiology* 302(2):1–85. <https://doi.org/10.1152/ajpcell.00168.2011>
- Lagarde, F., Beausoleil, C., Belcher, S. M., Belzunces, L.P., Emond, C., Guerbet, M., and Rousselle, C. 2015. Non-monotonic dose-response relationships and endocrine disruptors: A qualitative method of assessment -No section-. *Environmental Health: A Global Access Science Source* 14(1): 1–15. <https://doi.org/10.1186/1476-069X-14-13>
- Lagarrigue, S., Lopez-Mejia, I.C., Denechaud, P.D., Escote, X., Castillo-Armengol, J., Jimenez, V., Chavey, C., Giralt, A., Lai, Q., Zhang, L., Martinez-Carreres, L., Delacuisine, B., Annicotte, J.S., Blanchet, E., Hure, S., Abella, A., Tinahones, F.J., Vendrell, J., Dubus, P., Bosch, F., Kahn, C.R., Fajas, L. 2016. CDK4 is an essential insulin effector in adipocytes. *The Journal of Clinical Investigation* 126(1): 335-348. <https://doi.org/10.1172/jci81480>
- Lambadiari, V., Triantafyllou, K., Dimitriadis, G.D., 2015. Insulin action in muscle and adipose tissue in type 2 diabetes : The significance of blood flow. *World Journal of Diabetes* 6(4): 626-633. <https://doi.org/10.4239%2Fwjv6.i4.626>
- Lapinskas, P.J., Brown, S., Leesnitzer, L.M., Blanchard, S., Swanson, C., Cattley, R.C., and Corton, J.C. 2005. Role of PPAR α in mediating the effects of phthalates and metabolites in the liver. *Toxicology* 207(1): 149–163. <https://doi.org/10.1016/j.tox.2004.09.008>
- Lauritano, C., and Ianora, A. 2016. Marine organisms with anti-diabetes properties. *Marine Drugs*, 14(12): 1–14. <https://doi.org/10.3390/md14120220>
- Lee, D.S., Jang, J.H., Ko, W., Kim, K.S., Sohn, J. H., Kang, M.S., Ahn, J.S., Kim, Y.C., and Oh, H. 2013. PTP1B inhibitory and anti-inflammatory effects of secondary metabolites isolated from the marine-derived fungus *Penicillium* sp. JF-55. *Marine Drugs* 11(4): 1409–1426. <https://doi.org/10.3390/md11041409>
- Lee, D.S., Ko, W., Quang, T.H., Kim, K.S., Sohn, J.H., Jang, J.H., Ahn, J.S., Kim, Y.C., and Oh, H. 2013. Penicillinolide A: A new anti-inflammatory metabolite from the marine fungus *Penicillium* sp. SF-5292. *Marine Drugs* 11(11): 4510–4526. <https://doi.org/10.3390/md11114510>
- Lee, Y. K., Lee, J. H., and Lee, H.K. 2001. Microbial symbiosis in marine sponges. *Journal of Microbiology* 39(4): 254–264.

- Lefterova, M.I., and Lazar, M.A. 2009. New developments in adipogenesis. *Trends in Endocrinology and Metabolism* 20(3): 107–114. <https://doi.org/10.1016/j.tem.2008.11.005>
- Leonardini, A., Laviola, L., Perrini, S., Natalicchio, A., and Giorgino, F. 2009. Cross-talk between PPAR γ and insulin signaling and modulation of insulin sensitivity. *PPAR Research* 2009: 1–12. <https://doi.org/10.1155/2009/818945>
- Li, F., Liu, Y., Wang, D., Zhang, C., Yang, Z., Lu, S., and Wang, Y. 2018. Biodegradation of di-(2-ethylhexyl) phthalate by a halotolerant consortium LF. *PLoS ONE* 13(10): 1–13. <https://doi.org/10.1371/journal.pone.0204324>
- Liang, L.F., Wang, T., Cai, Y.S., He, W.F., Sun, P., Li, Y.F., Huang, Q., Tagliabatella-Scafati, O., Wang, H.Y., and Guo, Y.W. 2014. Brominated polyunsaturated lipids from the Chinese sponge *Xestospongia testudinaria* as a new class of pancreatic lipase inhibitors. *European Journal of Medicinal Chemistry* 79(5): 290–297. <https://doi.org/10.1016/j.ejmech.2014.04.003>
- Lin, Z.J., Lu, Z.Y., Zhu, T.J., Fang, Y.C., Gu, Q.Q., Zhu, Q.M. 2008. Penicilenols from *Penicillium* sp. GQ-7, an Endophytic Fungus Associated with *Aegiceras corniculatum*. *Chemical & Pharmaceutical Bulletin* 56(2): 217–221. <https://doi.org/10.1248/cpb.56.217>
- Liu, S., Su, M., Song, S.J., & Jung, J.H. 2017. Marine-derived penicillium species as producers of cytotoxic metabolites. *Marine Drugs* 15(329):1–44. <https://doi.org/10.3390/md15100329>
- Livak, K.J., Schmittgen, T.D. 2001. Analysis of relative gene expression data using real-time quantitative PCR and the $2^{-\Delta\Delta Ct}$ method. *Methods* 25:402–408. <https://doi.org/10.1006/meth.2001.1262>
- Losung, F., Bara, A., Angkouw, E.D. 2015. Isolasi antimikroba dari jamur yang bersimbiosis dengan biota laut. *Jurnal LPPM Bidang Sains dan Teknologi* 2(2): 36–41.
- Loza-Rodríguez, H., Estrada-Soto, S., Alarcón-Aguilar, F.J., Huang, F., Aquino-Jarquín, G., Fortis-Barrera, Á., Giacomán-Martínez, A., and Almanza-Pérez, J.C. 2020. Oleanolic acid induces a dual agonist action on PPAR γ/α and GLUT4 translocation: A pentacyclic triterpene for dyslipidemia and type 2 diabetes. *European Journal of Pharmacology* 883(173252). <https://doi.org/10.1016/j.ejphar.2020.173252>
- Lu, Z.Y., Lin, Z.J., Wang, W.L., Du, L., Zhu, T.J., Fang, Y.C., Gu, Q.Q., Zhu, W.M. 2008. Citrinin dimers from the halotolerant fungus *Penicillium citrinum* B-57. *Journal of Natural Products* 71(4): 543–546. <https://doi.org/10.1021/np0704708>
- Lu, D., and Carson, D.A. 2010. Repression of β -catenin signaling by PPAR γ ligands. *Eur J Pharmacol* 636(1): 198–202. <https://doi.org/10.1016/j.ejphar.2010.03.010>
- Luan, G., Li, G., Ma, X., Jin, Y., Hu, N., Li, J., Wang, Z., and Wang, H. 2019. Dexamethasone-induced mitochondrial dysfunction and insulin resistance-study in 3T3-L1 adipocytes and mitochondria isolated from mouse liver. *Molecules* 24(10): 1–16. <https://doi.org/10.3390/molecules24101982>
- Luconi, M., Cantini, G., and Serio, M. 2010. Peroxisome proliferator-activated receptor gamma (PPAR γ): Is the genomic activity the only answer?. *Steroids*

- 75(8–9): 585–594. <https://doi.org/10.1016/j.steroids.2009.10.012>
- Makki, K., Froguel, P., Wolowczuk, I. 2013. Adipose tissue in obesity-related inflammation and insulin resistance : cells, cytokines, and chemokines. *ISRN Inflammation* 2013: 139239. <https://doi.org/10.1155/2013/139239>
- Mansour, M. 2014. The roles of peroxisome proliferator-activated receptors in the metabolic syndrome. *Progress in Molecular Biology and Translational Science* 121(1):217–267. <https://doi.org/10.1016/B978-0-12-800101-1.00007-7>
- Manzoni, M., and Rollini, M. 2002. Biosynthesis and biotechnological production of statins by filamentous fungi and application of these cholesterol-lowering drugs. *Applied Microbiology and Biotechnology* 58(5): 555–564. <https://doi.org/10.1007/s00253-002-0932-9>
- Martin, H. 2010. Role of PPAR-gamma in inflammation. Prospect for therapeutic intervention by food components. *Mutation Research/Fundamental and Molecular Mechanisms of Mutagenesis* 690: 57-63. <https://doi.org/10.1016/j.mrfmmm.2009.09.009>
- Martínez-Razo, L.D., Martínez-Ibarra, A., Vázquez-Martínez, E.R., and Cerbón, M. 2021. The impact of Di-(2-ethylhexyl) Phthalate and Mono(2-ethylhexyl) Phthalate in placental development, function, and pathophysiology. *Environment International* 146(2021): 1–18. <https://doi.org/10.1016/j.envint.2020.106228>
- Masubuchi, Y., Nakagawa, Y., Ma, J., Sasaki, T., Kitamura, T., Yamamoto, Y., Kurose, H., Kojima, I., and Shibata, H. 2013. A Novel Regulatory Function Of Sweet Taste-Sensing Receptor In Adipogenic Differentiation of 3T3-L1 Cells. *Plos One* 8(1): e54500. <https://doi.org/10.1371/journal.pone.0054500>
- Mavar-Manga, H., Haddad, M., Pieters, L., Baccelli, C., Penge, A., and Quetin-Leclercq, J. 2008. Anti-inflammatory compounds from leaves and root bark of *Alchornea cordifolia* (Schumach. & Thonn.) Müll. Arg. *Journal of Ethnopharmacology* 115(1): 25–29. <https://doi.org/10.1016/j.jep.2007.08.043>
- Mayer, A.M.S., Guerrero, A.J., Rodr, A.D., Tagliatela-scafati, O., Nakamura, F., and Fusetani, N. 2021. Marine pharmacology in 2016 – 2017 : Marine compounds with affecting the immune and nervous systems, and other miscellaneous mechanisms of action. *Marine Drugs* 19(49): 1–75.
- Mayer, A.M.S., Rodríguez, A.D., Tagliatela-Scafati, O., and Fusetani, N. 2013. Marine pharmacology in 2009-2011: Marine compounds with antibacterial, antidiabetic, antifungal, anti-inflammatory, antiprotozoal, antituberculosis, and antiviral activities; affecting the immune and nervous systems, and other miscellaneous mechanisms of . *Marine Drugs* 11(7): 2510–2573. <https://doi.org/10.3390/md11072510>
- Mehlem, A., Hagberg, C.E., Muhl, L., Eriksson, U., and Falkevall, A. 2013. Imaging of neutral lipids by oil red O for analyzing the metabolic status in health and disease. *Nature Protocols* 8(6): 1149–1154. <https://doi.org/10.1038/nprot.2013.055>
- Milton, F.A., Cvaro, A., Amato, A.A., Sieglaff, D.H., Filgueira, C.S., Arumanayagam, A.S., De Lima, M.D.C.A., Pitta, I.R., De Assis Rocha Neves, F., and Webb, P. 2015. PPAR γ partial agonist GQ-16 strongly represses a subset of genes in 3T3-L1 adipocytes. *Biochemical and*

- Biophysical Research Communications* 464(3): 718–723.
<https://doi.org/10.1016/j.bbrc.2015.07.011>
- Mirza, A.Z., Althagafi, I.I., and Shamshad, H. 2019. Role of PPAR receptor in different diseases and their ligands: Physiological importance and clinical implications. *European Journal of Medicinal Chemistry* 166(2019): 502–513. <https://doi.org/10.1016/j.ejmech.2019.01.067>
- Monsalve, F.A., Pyarasani, R.D., Delgado-Lopez, F., Moore-Carrasco, R. 2013. Peroxisome proliferator-activated receptor targets for the treatment of metabolic diseases. *Mediators of Inflammation* 2013: 549-627. <https://doi.org/10.1155/2013/549627>
- Morigny, P., Houssier, M., Mouisel, E., and Langin, D. 2016. Adipocyte lipolysis and insulin resistance. *Biochimie* 125: 259–266. <https://doi.org/10.1016/j.biochi.2015.10.024>
- Morrison, S., and McGee, S.L. 2015. 3T3-L1 adipocytes display phenotypic characteristics of multiple adipocyte lineages. *Adipocyte* 4(4): 295–302. <https://doi.org/10.1080/21623945.2015.1040612>
- Moseti, D., Regassa, A., and Kim, W.K. 2016. Molecular regulation of adipogenesis and potential anti-adipogenic bioactive molecules. *International Journal of Molecular Sciences* 17(1): 1–24. <https://doi.org/10.3390/ijms17010124>
- Muharni, F., Ruliza, M.O., Susanti, D.A., and Elfita. 2014. Di-(2-ethylhexyl)phthalate and pyranon derived from endophytic fungi *Penicillium* sp the leave of kunyit putih (*Curcuma zedoaria*). *Indonesian Journal of Chemistry* 14(3): 290–296. <https://doi.org/10.22146/ijc.21241>
- Murea, M., Ma, L., Freedman, B.I. 2012. Genetic dan environmental factors associated with type 2 diabetes dan diabetic vascular complications. *The Review of Diabetic Studies : RDS* 9(1): 6-22. <https://doi.org/10.1900/RDS.2012.9.6>
- Murthihapsari, Parubak, A.S., Mangallo, B., Ekasari, W., Asih, P.B., Lestari, A.I. 2013. Isolation and presence of antimalarial activities of marine sponge *Xestospongia* sp. *Indonesian Journal of Chemistry* 13(3):199-204. <https://doi.org/10.22146/ijc.21276>
- Murugan, K.K., Poojari, C.C., Ryavalad, C., Lakshmikan, R.Y., Satwadi, P.R., Vittal, R.R., and Melappa, G. 2017. Anti-diabetic activity of endophytic fungi, *Penicillium* species of *Tabebuia argentea*: in silico and experimental analysis. *Research Journal of Phytochemistry* 11(2): 90–110. <https://doi.org/10.3923/rjphyto.2017.90.110>
- Najib, A., Handayani, V., Ahmad, A.R., and Hikmat, S. 2019. Insilico screening chemical compounds α -glucosidase inhibitor from *Cordia myxa* L. *International Journal of Research in Pharmaceutical Sciences* 10(3): 2054–2057. <https://doi.org/10.26452/ijrps.v10i3.1419>
- Nagy, A., Györffy, B. 2020. muTarget: a platform linking gene expression changes and mutation status in solid tumors. *International Journal of Cancer* 148(2): 502-511. <https://doi.org/10.1002/ijc.33283>
- Nazarko, L. 2016. Diabetes series, 2. Diagnosis of diabetes mellitus. *British Journal of Healthcare Assistants* 10(9). <https://doi.org/10.12968/bjha.2016.10.9.422>
- Nissen, S; Wolski, K. 2007. Effect of rosiglitazone on the risk of myocardial

- infarction and death from cardiovascular causes. *New England Journal of Medicine* 356(24): 687–696. <https://doi.org/10.1056/NEJMoa072761>
- O'Doherty, C., Keenan, J., Horgan, K., Murphy, R., O'Sullivan, F., Clynes, M. 2019. Copper-induced non-monotonic dose response in Caco-2 cells. *In Vitro Cellular & Developmental Biology – Animal* 55(4): 221-225. <https://doi.org/10.1007/s11626-019-00333-8>
- Olokoba, A.B., Obateru, O.A. and Olokoba, L.B. 2012. Type 2 Diabetes Mellitus: A Review of Current Trends. *Oman Medical Journal* 27(4) : 269-273. <https://doi.org/10.5001/omj.2012.68>
- Ozougwu, J.C., Obimba, K.C., Belonwu, C.D. and Unakalamba, C.B. 2013. The pathogenesis dan pathophysiology of type 1 dan type 2 diabetes mellitus. *Journal of Physiology dan Pathophysiology* 4(4): 46-57. <https://doi.org/10.5897/JPAP2013.0001>
- Parama, C.Y., Kamal Muzaki, F., Radjasa, O.K., and Sudarmono, P. 2017. Screening of antimicrobial activity of sponges extract from Pasir Putih, East Java (Indonesia). *Journal of Marine Science: Research and Development* 07(05): 1–5. <https://doi.org/10.4172/2155-9910.1000237>
- Parimala, M., Debjani, M., Vasanthi, H.R., Shoba, F.G. 2015. Nymphaea nouchali Burm. f. hydroalcoholic seed extract increases glucose consumption in 3T3-L1 adipocytes through activation of peroxisome proliferator-activated receptor gamma and insulin sensitization. *Journal of Advanced Pharmaceutical Technology and Research* 6(4): 183-189. <https://doi.org/10.4103%2F2231-4040.165013>
- Perkumpulan Endokrinologi Indonesia. 2015. Konsensus pengelolaan dan pencegahan diabetes melitus tipe 2 di Indonesia 2015. PB PERKENI.
- Perkumpulan Endokrinologi Indonesia. 2021. Pedoman pengelolaan dan pencegahan diabetes melitus tipe 2 di Indonesia 2021. PB PERKENI.
- Perrini, S., Laviola, L., Cignarelli A, Melchiorre, M., De Stefarno, F., Cacciopoli, C., Natalicchio, A., Orlando, M.R., Garruti, G., De Fazio, M., Catalano, G., Memeo, V., Giorgino, R., and Giorgino, F. 2008. fat depot-related differences in gene expression, adiponectin secretion, and insulin action and signalling in human adipocytes differentiated in vitro from precursor stromal cells. *Diabetologia* 51(1): 155-164. <https://doi.org/10.1007/s00125-007-0841-7>
- Peshdary, V., and Atlas, E. 2018. Dexamethasone induced miR-155 up-regulation in differentiating 3T3-L1 preadipocytes does not affect adipogenesis. *Scientific Reports* 8(1): 1–12. <https://doi.org/10.1038/s41598-018-19704-4>
- Petersen, M. C., & Shulman, G. I. (2018). Mechanisms of insulin action and insulin resistance. *Physiological Reviews*, 98(4), 2133–2223. <https://doi.org/10.1152/physrev.00063.2017>
- Piya, M.K., McTernan, P.G., Kumar, S. 2013. Adipokine inflammation and insulin resistance: the role of glucose, lipids, and endotoxin. *The Journal of Endocrinology* 216(1): T1-T15. <https://doi.org/10.1530/joe-12-0498>
- Pradeep, S., Faseela, P., Josh, M.K.S., Balachandran, S., Devi, R.S., and Benjamin, S. 2013. Fungal biodegradation of phthalate plasticizer in situ. *Biodegradation* 24(2): 257–267. <https://doi.org/10.1007/s10532-012-9584-3>
- Proenca, A.R.G., Sertie, R.A.L., Oliveira, A.C., Campana, A.B., Caminhoto, R.O., Chimin, P., Lima, F. 2014. New concepts in white adipose tissue

- physiology. *Brazilian Journal of Medical and Biological Research* 47 (3): 192-205. <https://doi.org/10.1590/1414-431X20132911>
- Pruksakorn, P., Arai, M., Kotoku, N., Vilchèze, C., Baughn, A.D., Moodley, P., Jacobs, J.W.R., Kobayashi, M. 2010. Trichoderins, novel aminolipopeptides from a marine sponge-derived *Trichoderma* sp. are active against dormant mycobacteria. *Bioorganic & Medicinal Chemistry Letters* 20(12): 3658–3663. <https://doi.org/10.1016/j.bmcl.2010.04.100>
- Radke, E.G., Galizia, A., Thayer, K.A., Cooper, G.S. 2019. Phthalate exposure and metabolic effects: a systematic review of the human epidemiological evidence. *Environmental International* 132:104768. <https://doi.org/10.1016/j.envint.2019.04.040>
- Rajamanikyan, M., Vadlapudi, V., Amanchy, R., and Upadhyayula, S.M. 2017. Endophytic fungi as novel resources of natural therapeutics. *Brazilian Archives of Biology and Technology* 60(12), e17160542. <https://doi.org/10.1590/1678-4324-2017160542>
- Rajesh, P., and Balasubramanian, K. 2014. Phthalate exposure in utero causes epigenetic changes and impairs insulin signalling. *Journal of Endocrinology* 223(1): 47–66. <https://doi.org/10.1530/JOE-14-0111>
- Rajesh, P., Sathish, S., Srinivasan, C., Selvaraj, J., and Balasubramanian, K. 2013. Diethyl hexyl phthalate (DEHP) is associated with insulin resistance in adipose tissue of male rat: Protective role of antioxidant vitamins (C & E). *Journal of Cellular Biochemistry* 114(3), 558–569. <https://doi.org/10.1002/jcb.24399>
- Reece, E.A, 2010. The fetal dan maternal consequences of gestational diabetes mellitus. *The Journal of Maternal-Fetal dan Neonatal Medicine* 23(3): 199–203. <https://doi.org/10.3109/14767050903550659>
- Richardson, V.R., Smith, K.A., and Carter, A.M. 2013. Adipose tissue inflammation: Feeding the development of type 2 diabetes mellitus. *Immunobiology* 218(12): 1497–1504. <https://doi.org/10.1016/j.imbio.2013.05.002>
- Rowdhwal, S.S.S., and Chen, J. 2018. Toxic Effects of Di-2-ethylhexyl Phthalate: An Overview. *BioMed Research International* 2018:1–10. <https://doi.org/10.1155/2018/1750368>
- Samanthi, K.A.U., Wickramaarachchi, S., Wijeratne, E.M.K., and Paranagama, P.A. 2015. Two new antioxidant active polyketides from penicillium citrinum, an endolichenic fungus isolated from parmotrema species in Sri Lanka. *Journal of the National Science Foundation of Sri Lanka* 43(2): 119–126. <https://doi.org/10.4038/jnsfsr.v43i2.7939>
- Samuel, V.T. & Shulman, G.I. 2016. The pathogenesis of insulin resistance : integrating signaling pathways and substrate flux. *The Journal of Clinical Investigation* 126(1):12-22. <https://doi.org/10.1172/jci77812>
- Sandrawati, N., Hati, S.P., Yunita, F., Putra, A.E., Ismed, F., Tallei, T.E., Hertiani, T., and Handayani, D. 2020. Antimicrobial and cytotoxic activities of marine sponge-derived fungal extracts isolated from *Dactylospongia* sp. *Journal of Applied Pharmaceutical Science* 10(4): 28–33. <https://doi.org/10.7324/japs.2020.104005>
- Saponaro, C., Gaggini, M., Carli, F., and Gastaldelli, A. 2015. The subtle balance between lipolysis and lipogenesis: A critical point in metabolic homeostasis.

- Nutrients* 7(11): 9453–9474. <https://doi.org/10.3390/nu7115475>
- Sarjeant, K. & Stephens, J.M. 2012. Adipogenesis. *Cold Spring Harbor Perspective in Biology* 4(9): a008417. <https://doi.org/10.1101/cshperspect.a008417>
- Sayem, A.S.M., Arya, A., Karimian, H., Krishnasamy, N., Hasamnis, A.A., & Hossain, CF. 2018. Action of phytochemicals on insulin signaling pathways accelerating glucose transporter (GLUT4) protein translocation. *Molecules* 23(258): 1–15. <https://doi.org/10.3390/molecules23020258>
- Schaedlich, K., Gebauer, S., Hunger, L., Beier, L. S., Koch, H.M., Wabitsch, M., Fischer, B., and Ernst, J. 2018. DEHP deregulates adipokine levels and impairs fatty acid storage in human SGBS-adipocytes. *Scientific Reports* 8(1): 1–14. <https://doi.org/10.1038/s41598-018-21800-4>
- Scherer, P.E. 2016. The multifaceted roles of adipose tissue-therapeutic targets for diabetes and beyond: the 2015 Banting Lecture. *Diabetes* 65(6): 1452–1461. <https://doi.org/10.2337/db16-0339>
- Schweingruber, C., Rufener, S.C., Zünd, D., Yamashita, A., Mühlemann, O. 2013. Nonsense-mediated mRNA decay- Mechanisms of substrate mRNA recognition and degradation in mammalian cells. *Biochimica et Biophysica Acta (BBA) – Gene Regulatory Mechanism* 1829(6-7): 612–623. <https://doi.org/10.1016/j.bbagr.2013.02.005>
- Seong, J., Kang, J.Y., Sun, J.S., Kim, K.W. 2019. Hypothalamic inflammation and obesity : a mechanistic review. *Archives of Pharmacal Research* 42(5): 383–392. <https://doi.org/10.1007/s12272-019-01138-9>
- Setyawati, T. 2014. Peroxisome Proliferator Activated Receptor- γ (PPRA- γ) coactivator 1- α (PGC-1 α) Pada Diabetes Melitus Tipe 2 (DMT2) dan Perannya dalam fungsi mitokondria. *Jurnal Ilmiah Kedokteran Medika Tadulako* 1(1): 54–62.
- Shehzad, A., Iqbal, W., Shehzad, O., Lee, Y. 2012. Adiponectin : regulation of its production and its role in human disease. *Hormones* 11(1): 8–20
- Shen, Y., Honma, N., Kobayashi, K., Jia, L.N., Hosono, T., Shindo, K., Ariga, T., and Seki, T. 2014. Cinnamon extract enhances glucose uptake in 3T3-L1 adipocytes and C2C12 myocytes by inducing LKB1-AMP-activated protein kinase signaling. *PLoS ONE* 9(2): 1–9. <https://doi.org/10.1371/journal.pone.0087894>
- Shlyueva, D., Stampfel, G., Stark, A. 2014. Transcriptional enhancers: from properties to genome-wide predictions. *Nature Reviews Genetics* 15:272–286. <https://doi.org/10.1038/nrg3682>
- Spriggs, K.A., Bushell, M., Willis, A.E. 2010. Translational regulation of gene expression during conditions of cell stress. *Molecular Cell* 40(2): 228–237. <https://doi.org/10.1016/j.molcel.2010.09.028>
- Sun, C., Mao, S., Chen, S., Zhang, W., and Liu, C. 2021. Ppars-orchestrated metabolic homeostasis in the adipose tissue. *International Journal of Molecular Sciences* 22(16). <https://doi.org/10.3390/ijms22168974>
- Sun, X., Lin, Y., Huang, Q., Shi, J., Qiu, L., Kang, M., Chen, Y., Fang, C., Ye, T., and Dong, S. 2015. Di(2-ethylhexyl) phthalate-induced apoptosis in rat INS-1 cells is dependent on activation of endoplasmic reticulum stress and suppression of antioxidant protection. *Journal of Cellular and Molecular Medicine* 19(3): 581–594. <https://doi.org/10.1111/jcmm.12409>

- Suparno, 2005. Kajian Bioaktif Spon (Porifera: Demospongiae) suatu Peluang Alternatif Pemanfaatan Ekosistem Karang Indonesia. Bidang Farmasi Publisher : Bogor.
- Swantara, I.M.D., Rita, W.S., and Suartha, I.N. 2018. Anticancer activities of toxic extract of *Xestospongia testudinaria* sponge from Sanur Beach, Bali, Indonesia. *Research Journal of Pharmaceutical, Biological and Chemical Sciences* 9(3): 1036–1041.
- Syafni, N., Putra, D.P., and Arbain, D. 2012. 3,4-dihydroxybenzoic acid and 3,4-dihydroxybenzaldehyde from the fern *Trichomanes chinense* L.; isolation, antimicrobial and antioxidant properties. *Indonesian Journal of Chemistry* 12(3): 273–278. <https://doi.org/10.22146/ijc.21342>
- Sylvester, P.W. 2011. Optimization Of The Tetrazolium Dye (MTT) Colorimetric Assay For Cellular Growth & Viability. *Methods In Molecular Biology* 716: 157. https://doi.org/10.1007/978-1-61779-012-6_9
- Taher, M., Mohamed Amiroudine, M.Z.A., Tengku Zakaria, T.M.F.S., Susanti, D., Ichwan, S.J.A., Kaderi, M.A., Ahmed, Q.U., and Zakaria, Z.A. 2015. α -mangostin improves glucose uptake and inhibits adipocytes differentiation in 3T3-L1 cells via PPAR γ , GLUT4, and leptin expressions. *Evidence-Based Complementary and Alternative Medicine* 2015: 1–9. <https://doi.org/10.1155/2015/740238>
- Takada, I., & Makishima, M. 2020. Peroxisome proliferator-activated receptor agonists and antagonists: a patent review (2014-present). *Expert Opinion on Therapeutic Patents* 30(1): 1–13. <https://doi.org/10.1080/13543776.2020.1703952>
- Tamori, Y., Masugi, J., Nishino, N., and Kasuga, M. 2002. Role of peroxisome proliferator-activated receptor- γ in maintenance of the characteristics of mature 3T3-L1 adipocytes. *Diabetes* 51(7): 2045–2055. <https://doi.org/10.2337/diabetes.51.7.2045>
- Teixeira, C., Sousa, A.P., Santos, I., Rocha, A.C., Alencastre, I., Pereira, A.C., Martins-Mendes, D., Barata, P., Baylina, P., Fernandes, R. 2022. Enhanced 3T3-L1 differentiation into adipocytes by Pioglitazone pharmacological activation of peroxisome proliferator activated receptor-gamma (PPAR γ). *Biology* 11:806. <https://doi.org/10.3390/biology11060806>
- Thakur, N.L., Thakur, A.N., Muller, W.E.G. 2005. Marine natural products in drug discovery. *Natural Product Radiance* 4: 471-477
- Tiwari, P. 2015. Recent trends in therapeutic approaches for diabetes management: A comprehensive update. *Journal of Diabetes Research* 2015. <https://doi.org/10.1155/2015/340838>
- Tontonoz, P., & Spiegelman, B.M. 2008. Fat and Beyond: The Diverse Biology of PPAR γ . *Annual Review of Biochemistry* 77(1): 289–312. <https://doi.org/10.1146/annurev.biochem.77.061307.091829>
- Tsang, J.Y.S., Li, D., Ho, D., Peng, J., Xu, A., Lamb, J., Chen, Y., Tam, P.K.H. 2011. Novel immunomodulatory effects of adiponectin on dendritic cell function. *International Immunopharmacology* 11(5): 604-609. <https://doi.org/10.1016/j.intimp.2010.11.009>
- Tsuda, M., Kasai, Y., Komatsu, K., Sone, T., Tanaka, M., Mikami, Y., Kobayashi, J. 2004. Citrinadin A, a novel Pentacyclic alkaloid from marine-derived fungus *Penicillium citrinum*. *Organic Letters* 6 (18) : 3087-3089.

<https://doi.org/10.1021/ol048900y>

- Tsuda, M., Sasaki, M., Mugishima, T., Komatsu, K., Sone, T., Tanaka, M., Mikami, Y., Kobayashi, J. 2005. Scalusaimdes A-C, new pyrrolidine alkaloids from the marine-derived fungus *Penicillium citrinum*. *Journal of Natural Products* 68(2): 273-276. <https://doi.org/10.1021/np049661q>
- Vandenberg, L.N., Colborn, T., Hayes, T.B., Heindel, J.J., Jacobs, D.R., Lee, D.H., Shioda, T., Soto, A.M., vom Saal, F.S., Welshons, W.V., Zoeller, R.T., and Myers, J.P. 2012. Hormones and endocrine-disrupting chemicals: Low-dose effects and nonmonotonic dose responses. *Endocrine Reviews* 33(3): 378–455. <https://doi.org/10.1210/er.2011-1050>
- Van Meerloo, J., Kaspers, G.J., Cloos, J. 2011. Cell Sensitivity Assays: The MTT Assay. *Methods in Molecular Biology (Clifton, NJ)* : 731-737. https://doi.org/10.1007/978-1-61779-080-5_20
- Varijakzhan, D., Loh, J.Y., Yap, W.S., Yusoff, K., Seboussi, R., Lim, S.H.E., Lai, K.S., and Chong, C.M. 2021. Bioactive compounds from marine sponges: Fundamentals and applications. *Marine Drugs* 19(5). <https://doi.org/10.3390/md19050246>
- Variya, B.C., Bakrania, A.K., and Patel, S.S. 2020. Antidiabetic potential of gallic acid from *Emblica officinalis*: Improved glucose transporters and insulin sensitivity through PPAR- γ and Akt signaling. *Phytomedicine* 73(March): 152906. <https://doi.org/10.1016/j.phymed.2019.152906>
- Vasanthabharathi & Jayalakshmi. 2012. Bioactive potential of symbiotic bacteria and fungi from marine sponges. *African Journal of Biotechnology* 11(29): 7500–7511. <https://doi.org/10.5897/ajb11.1378>
- Virendra, S.A., Kumar, A., Chawla, P.A., and Mamidi, N. 2022. Development of heterocyclic PPAR ligands for potential therapeutic applications. *Pharmaceutics* 14(10). <https://doi.org/10.3390/pharmaceutics14102139>
- Visht, S., & Chaturvedi, S. 2012. Isolation of Natural Products. *Current Pharma Research* 2(3): 584-599.
- Vishvanath, L., & Gupta, R.K. 2019. Contribution of adipogenesis to healthy adipose tissue expansion in obesity. *Journal of Clinical Investigation* 129(10): 4022–4031. <https://doi.org/10.1172/JCI129191>
- Viswanathan, M.P., Mullainadhan, V., Chinnaiyan, M., and Karundevi, B. 2017. Effects of DEHP and its metabolite MEHP on insulin signalling and proteins involved in GLUT4 translocation in cultured L6 myotubes. *Toxicology* 386:60–71. <https://doi.org/10.1016/j.tox.2017.05.005>
- Wang, J., Li, J., Zahid, K.R., Wang, K., Qian, Y., Ma, P., Ding, S., Yang, X., Wang, X. 2016. Adverse effect of DEHP exposure on the serum insulin level of Balb/c mice. *Molecular & Cellular Toxicology* 12:83-91. <https://doi.org/10.1007/s13273-016-0011-4>
- Wang, Y., Kim, K.A., Kim, J.H., and Hei, S.S. 2006. Pref-1, a preadipocyte secreted factor that inhibits adipogenesis. *Journal of Nutrition* 136(12): 2953–2956. <https://doi.org/10.1093/jn/136.12.2953>
- Wang, L., Waltenberger, B., Pferschy-Wenzig, E.M., Blunder, M., Liu, X., Malainer, C., Blazevic, T., Schwaiger, S., Rollinger, J.M., Heiss, E.H., Schuster, D., Kopp, B., Bauer, R., Stuppner, H., Dirsch, V.M., and Atanasov, A.G. 2014. Natural product agonists of peroxisome proliferator-activated receptor gamma (PPAR γ): A review. *Biochemical Pharmacology*

- 92(1): 73–89. <https://doi.org/10.1016/j.bcp.2014.07.018>
- Wang, W., Liao, Y., Zhang, B., Gao, M., Ke, W., Li, F., Shao, Z. 2019. Citrinin monomer and dimer derivatives with antibacterial and cytotoxic activities isolated from the Deep Sea-derived fungus *Penicillium citrinum* NLG-S01-P1. *Marine Drugs* 17(1): 46. <https://doi.org/10.3390%2Fmd17010046>
- Watson, R.T., & Pessin, J.E. 2001. Intracellular organization of insulin signaling and GLUT4 translocation. *Recent Progress in Hormone Research* 56: 175–193. <https://doi.org/10.1210/rp.56.1.175>
- Wawrzyniak, J., & Waśkiewicz, A. 2014. Ochratoxin A and citrinin production by *Penicillium verrucosum* on cereal solid substrates. *Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment* 31(1): 139–148. <https://doi.org/10.1080/19440049.2013.861933>
- Weissenstein, M., Musutova, M., Plihalova, A., Westlake, K., Elkalaf, M., Koc, M., Prochazka, A., Pala, J., Gulati, S., Trnka, J., & Polak, J. 2016. Adipogenesis, lipogenesis and lipolysis is stimulated by mild but not severe hypoxia in 3T3-L1 cells. *Biochemical and Biophysical Research Communications* 478(2): 727–732. <https://doi.org/10.1016/j.bbrc.2016.08.015>
- Wibowo. T. 2011. The charm of Bunaken Manado Indonesia. Manado: PT Samuan Rumah Kreasi..
- Wu, L.Y., Chen, C.W., Chen, L.K., Chou, H.Y., Chang, C.L., and Juan, C.C. 2019. Curcumin attenuates adipogenesis by inducing preadipocyte apoptosis and inhibiting adipocyte differentiation. *Nutrients* 11(10). <https://doi.org/10.3390/nu11102307>
- Xiaoling, C., Xiaoli, L., Shining, Z., Junping, G., Shuiping, W., Xiaoming, L., Zhingang, S., Yongcheng, L. 2010. Cytotoxic and topoisomerase I inhibitory activities from extracts of endophytic fungi isolated from mangrove plants in Zhuhai, China. *Journal of Ecology and the Natural Environment* 2(2): 017–024.
- Xie, X., Gong, Z., Mansuy-Aubert, V., Zhou, Q.L., Tatulian, S.A., Sehrt, D., Gnad, F., Brill, L.M., Motamedchaboki, K., Chen, Y., Czech, M.P., Mann, M., Kruger, M., Jiang, Z.Y. 2011. C2 domain-containing phosphorylation CDP138 regulates GLUT4 insertion into the plasma membrane. *Cell Metabolism* 14(3): 378–389. <https://doi.org/10.1016/j.cmet.2011.06.015>
- Xu, B.J., Jia, X.Q., Gu, L.J., Sung, C.K. 2006. Review on the qualitative and quantitative analysis of the mycotoxin citrinin. *Food Control* 17(4): 271–285. <https://doi.org/10.1016/j.foodcont.2004.10.012>
- Xu, J., Pan, M., Wang, X., Xu, L., Li, L., and Xu, C. 2017. Fluid Retention Caused by Rosiglitazone Is Related to Increases in AQP2 and α ENaC Membrane Expression. *PPAR Research* 2017. <https://doi.org/10.1155/2017/8130968>
- Yadav, A., Kataria, M.A., Saini, V., Yadav, A. 2013. Role of Leptin dan Adiponectin in Insulin Resistance. *Clinica Chimica Acta: International Journal of Clinical Chemistry* 417: 80–84. <https://doi.org/10.1016/j.cca.2012.12.007>
- Yao, H., Liu, J., Xu, S., Zhu, Z., and Xu, J. 2017. The structural modification of natural products for novel drug discovery. *Expert Opinion on Drug Discovery* 12(2): 121–140. <https://doi.org/10.1080/17460441.2016.1272757>

- Zebisch, K., Voigt, V., Wabitsch, M., and Brandsch, M. 2012. Protocol for effective differentiation of 3T3-L1 cells to adipocytes. *Analytical Biochemistry* 425(1): 88–90. <https://doi.org/10.1016/j.ab.2012.03.005>
- Zechner, R. 2015. FAT Flux : Enzymes, regulators, and pathophysiology of intracellular lipolysis. *EMBO Molecular Medicine* 7(4): 359–362. <https://doi.org/10.15252/emmm.201404846>
- Zhang, H., Ben, Y., Han, Y., Zhang, Y., Li, Y., and Chen, X. 2022. Phthalate exposure and risk of diabetes mellitus: Implications from a systematic review and meta-analysis. *Environmental Research* 204(March). <https://doi.org/10.1016/j.envres.2021.112109>
- Zhang, J., Liu, X., Xie, X. Bin, Cheng, X. C., and Wang, R.L. 2016. Multitargeted bioactive ligands for PPARs discovered in the last decade. *Chemical Biology and Drug Design* 17: 635–663. <https://doi.org/10.1111/cbdd.12806>
- Zhang, L., Sun, W., Duan, X., Duan, Y., and Sun, H. 2019. Promoting differentiation and lipid metabolism are the primary effects for DINP exposure on 3T3-L1 preadipocytes. *Environmental Pollution* 255: 113154. <https://doi.org/10.1016/j.envpol.2019.113154>
- Zhang, W., Shen, X-Y., Zhang, W-W., Chen, H., Xu, W-P., and Wei, W. 2017. Di-(2-ethylhexyl) phthalate could disrupt the insulin signaling pathway in liver of SD rats and L02 cells via PPAR γ . *Toxicology and Applied Pharmacology* 316: 17–26. <https://doi.org/10.1016/j.taap.2016.12.010>
- Zheng, Y., Ley, S.H., Hu, F.B. 2018. Global aetiology and epidemiology of type 2 diabetes mellitus and its complications. *Nature review Endocrinology* 14(2): 88–98. <https://doi.org/10.1038/nrendo.2017.151>
- Zhou, C., Zaman, N., Li, Y., Martinez-Arguelles, D.B., Papadopoulos, V., Zirkin, B., and Traore, K. 2019. Redox regulation of hormone sensitive lipase: Potential role in the mechanism of MEHP-induced stimulation of basal steroid synthesis in MA-10 Leydig cells. *Reproductive Toxicology* 85: 19–25. <https://doi.org/10.1016/j.reprotox.2018.12.010>
- Zhou, X., Xu, T., Yang, X.W., Huang, R., Yang, B., Tang, L., and Liu, Y. 2010. Chemical and biological aspects of marine sponges of the genus *Xestospongia*. *Chemistry and Biodiversity* 7(9): 2201–2227. <https://doi.org/10.1002/cbdv.201000024>
- Zhou, X., Lu, Y., Lin, X., Yang, B., Yang, X., Liu, Y. 2011. Brominated aliphatic hydrocarbons and sterols from the sponge *Xestospongia testudinaria* with their bioactivities. *Chemistry and Physics of Lipids* 164 : 703–706. <https://doi.org/10.1016/j.chemphyslip.2011.08.002>