

DAFTAR PUSTAKA

- Ameh, G. I., Eze, S.C., & Omeje, F.U. (2013). Phytochemical screening and antimicrobial studies on the methanolic bulb extract of *Allium sativum* L. *Afr. J. Biotechnol.*, 12, 14, 1665-1668.
- Arung, E. T., Kusuma, I.W., Christy, O.E., Shimizu, K., and Kondo, R. (2009). Evaluation of medicinal plants from central kalimantan for antimelanogenesis. *J. Nat. Med.*, 63:473-480.
- BPOM RI. (2011). *Acuan sediaan herbal*. Jakarta: Badan Pengawasan Obat dan Makanan Republik Indonesia.
- Benzie, I. F. F & Strain, J. J. (1999). Ferric reducing antioxidant power assay: direct measure of total antioxidant activity of biological fluids and modified version for stimulanous measurement of total antioxidant power and ascorbic acid concentration. *Method in Enzymology*, 299, 15-27.
- Biskup, I., Golonka, I., Gamian, A., & Sroka, Z. (2013). Antioxidant activity of selected phenols estimated by ABTS and FRAP methods. *Postepy Hig Med Dosw (online)*, 67, 958-963.
- Brewster, J.L. (2008). *Onions and other vegetable Alliums*. (Edisi 2). United Kingdom: Biddles Ltd, King's Lynn.
- Buck, D.F. (1991). *Antioxidants*. London: Blackie Academic & Professional,.
- Cools, K., Vicente, A., & Terry, L.A. (2011). Methodologies for extraction, isolation, characterization and quantification of bioactive compounds. *Health-Promoting Properties of Fruits and Vegetables*. United Kingdom: CAB International.
- Dachriyanus. (2004). *Analisis struktur senyawa organik secara spektrofotometri*. Padang: Andalas University Press.
- Departemen Kesehatan RI. (2000). *Parameter standar umum ekstrak tumbuhan obat*. Jakarta: Departemen Kesehatan Republik Indonesia.
- Departemen Kesehatan RI. (2001). *Inventaris tanaman obat Indonesia(i)*. Jilid 2. Jakarta : Departemen Kesehatan Dan Kesejahteraan Sosial Republik Indonesia.
- Departemen Kesehatan Republik Indonesia. (2006). *Monografi ekstrak tumbuhan obat Indonesia*. volume 2. Jakarta: BPOM Republik Indonesia.

- Departemen Kesehatan RI. (2008). *Farmakope herbal Indonesia* (Edisi I). Jakarta: Departemen Kesehatan Republik Indonesia.
- Djamal, R. (1998). *Prinsip-prinsip dasar kerja dalam kimia bahan alam*. Padang: Universitas Andalas Press.
- Drozd, M., Thomas, M., & Nowak, R. (2011). Determination of phenolic acids in raw garlic (*Allium sativum* L) and onion (*Allium cepa* L). *Annales*, 24, 1, 121-127.
- Dwiyana, U.D. (2012). *Penentuan aktivitas antibakteri umbi bawang mekah (Eleutherine americana (L.) Merr) terhadap Staphylococcus aureus dan Escherichia coli beserta profil kromatografi lapis tipis*. (Skripsi). Pontianak: Universitas Tanjungpura
- Ermer, J. & Miller, J. H. (2005). *Method validation in pharmaceutical analysis*. Weinheim John WCH Verlag GmbH & Co. KgaA.
- Estu, R., Berlian, V.A., & Nur. (2007). *Bawang merah*. Jakarta: Penebar Swadaya.
- Febrinda, A.E., Astawan, M., Wresdiyati, T., & Yuliana, N.D. (2013). Kapasitas antioksidan dan inhibitor alfa glukosidase ekstrak umbi bawang dayak. *J. Teknol. dan Industri Pangan*, 24, 2, 161-167.
- Firdaus, R. (2006). *Telaah kandungan kimia ekstrak metanol umbi bawang tiwai (Eleutherine americana)*. (Skripsi). Bandung: Institut Teknologi Bandung.
- Fossen, T., Pedersen AT., Andersen O.M. (1998). Flavonoids from red onion (*Allium cepa*). *Phytochemistry*, 47, 281–285,
- Galingging, R.Y. (2007). Potensi plasma nutfah tanaman obat sebagai sumber biofarmaka di Kalimantan Tengah. *Pengkajian Dan Pengembangan Teknologi Pertanian*, 10, 1, 76-83.
- Galingging, R.Y. (2009). Bawang dayak (*Eleutherine palmifolia*) sebagai tanaman obat multifungsi. *Warta Penelitian dan Pengembangan Tanaman Industri*, 15, 3, 16-18.
- Goldberg, G. (2003). *Plants: diet and health*. USA: Iowa State Press, Blackwell Publishing Company.
- Gordon, M. H. (1990). The mechanism of antioxidants actions in vitro. In Hudson, B. J. F. (Ed.). *Food Antioxidant*. London: Elsevier Applied Science.

- Haddouchi, F., Chouche, T.M., Ksouri R., & Meddini. (2014). Antioxidant activity profiling by spectrophotometric methods of aqueous methanolic extracts of *Helichrysum stoechas* subsp. *Rupestre* and *Phagnalon Saxatile* subsp. *Saxatile*. *J. Nat. Med.* 12, 6, 415–422.
- Halliwell, B. & Gutteridge, J. M. (1985). The importance of free radicals and catalytic metal ions in human diseases. *Molecular Aspects of Medicines*, 8, 2, 89-193.
- Harmita. (2004). Petunjuk pelaksanaan validasi dan perhitungannya. *Majalah Ilmu Kefarmasian*, 1, 3, 117-135.
- Harris, D.C. (2007). *Quantitative chemical analysis*. 7th ed. New York: W. H. Freeman and Company.
- Heyne, K. (1987). *Tumbuhan berguna Indonesia*. Jilid I. Jakarta: Yayasan Sarana Wana Jaya.
- Hutapea, R.J., Sugati, S. (1991). *Inventaris tanaman obat Indonesia*. (Edisi I). Departemen Kesehatan RI.
- Insanu, M., Kusmardiyani, S., & Hartati, R. (2014). Recent studies on phytochemicals and pharmacological effects of *Eleutherine americana* Merr. *Procedia Chemistry*, 13, 221-228.
- Isnawati, A., & Arifin, K. M. (2006). Karakterisasi daun kembang sunngang (*Gloria superba* (L)) dari aspek fisiko kimia. *Media Penelitian dan Pengembangan Kesehatan*, 16, 4, 8-14.
- Jannovar, E.A. (6 Mei 2016). *Budidaya cara menanam bawang merah panduan lengkap*. Diakses 30 Juli 2016 dari <http://erotani.blogspot.co.id/2016/05/budidaya-cara-menanam-bawang-merah.html>
- Jeffery, G.H., Basset, J., Mendham, J., & Denney, R.C. (1989). *Vogel's textbook of quantitative chemical analysis*. 5th. New York: Longman Group UK
- Karadag, A., Ozcelk B., Saner, S. (2009). Review methods to determine antioxidant capacities. *Food Anal. Methods*, 2, 41-60.
- Kim, J.W., Huh, J.E., Kyung, S.H., Kyung, K.H. (2004). Antimicrobial activity of alk(en)yl sulfides found in essential oils of garlic and onion. *Food Sci. Biotechnol.*, 13, 2 235–239.

- Kuncahyo, I. & Sunardi. (2007). Uji aktivitas antioksidan ekstrak belimbing wuluh (*Averrhoa Bilimbi*,L) terhadap DPPH. *Seminar Nasional Teknologi*. ISSN : 1978-9777
- Kuntorini, E.M. & Astuti, M.D. (2010). Penentuan aktivitas antioksidan ekstrak etanol bulbus bawang dayak (*Eleutherine americana*). *Sains Dan Terapan Kimia*, 4, 1, 15-22.
- Lanzotti, V. (2006). The analysis of onion and garlic. *J. Chromatogr.* 1112, 3–22.
- Londhe, V., Gavasane A., Nipate S., Bandawane D., Chaudhari P. (2011). Role of garlic (*Allium sativum*) in various disease: An overview. *Journal of Pharmaceutical Research and Opinion*, 1, 4, 129-134.
- Majewski M. (2014). *Allium sativum*: Facts and myths regarding human health. *J. Natl. Ins. Public Health*, 65, 1, 1-8.
- Mongkolsilp, S., Pongbupakit, I., Lee, N.S., & Sitthithaworn, W. (2004). Radical Scavenging Activity and Total Phenolic Content of Medicinal Plants Used in Primary Health Care. *SWU J. Pharm. Sci.*, 9, 1, 32-35.
- Melo, J.G., Santos, A.G., Amorim, E.L.C., Nascimento, S.C., & Albuquerque, U.P. (2011). Medicinal plants used as antitumor agents in brazil: an ethnobotanical approach. *Evidence-Based Complementary and Alternative Medicine*, 2011, 1-14.
- Mierza, V., Suryanto, D., & Nasution, M.P. (2011). Skrining fitokimia dan uji efek antibakteri ekstrak etanol umbi bawang sabrang (*Eleutherine Palmifolia*). *Prosiding Seminar Nasional Biologi*, 340-353.
- Othman, S.F.C., Idid, S.Z., Koya, M.S., Rehan, A.M., & Kamarudin, K.R. (2011). Antioxidant study of garlic and red onion: A comperative study. *Pertanika J. Trop. Agr. Sci.*, 34, 2, 253-261.
- Permadi, A.H., Meer, P.Q. (1992). Prosea foundation plant resources of south-east asia vegetable. Plant resources of south-east asia. *Journal Of Ethnopharmacology*, 12, 2, 15-21.
- Prakash, A. (2001). Antioxidant Activity. *Medallion Laboratories: Analytical Progress*, 9, 2, 1-4.
- Priyambodo, B. (2007). *Manajemen farmasi industri*. Yogyakarta: Global Pustaka Utama.
- Randle, M.H. (1997). Onion flavor chemistry and factors influencing flavor intensity. *J. Department of Horticulture*, 10, 5, 41-52.

- Rasmidi. (14 Maret 2013). Harga bawang meroket, yuk tanam sendiri. Diakses 4 Agustus 2016 dari <https://warasfarm.wordpress.com/2013/03/14/harga-bawang-meroket-yuk-tanam-sendiri/>.
- Rohman, A, & Gandjar, I. G. (2007). *Kimia farmasi analisis*. Yogyakarta: Cetakan Pertama, Pustaka Pelajar.
- Rohman, A. (2014). *Validasi dan penjaminan mutu; metode analisa kimia*. Yogyakarta : Gadjah Mada University Press.
- Roldan E., Moreno C.S., Ancos B., Cano M.P. (2008). Characterisation of onion (*Allium cepa* L.) by-products as food ingredients with antioxidant and antibrowning properties. *Food Chemistry*, 108, 907–916.
- Rukmana, R. (1994). *Bawang merah budidaya dan pengolahan pascapanen*. Yogyakarta: Penerbit Kanisius.
- Sadikin, M. (2001). *Pelacakan dampak radikal bebas terhadap makromolekul*. Jakarta: Fakultas Kedokteran UI.
- Senja, R.Y., Issusilaningtyas, E., Nugroho, A.K., & Setyowati, E.P. (2014). Perbandingan metode ekstraksi dan variasi pelarut terhadap rendemen dan aktivitas antioksidan ekstrak kubis ungu (*Brassica oleracea* l. *Var. Capitata f. Rubra*). *Traditional Medicine Journal*, 19, 1, 43-48.
- Sharon, N., Anam, S., & Yuliet. (2013). Formulasi krim antioksidan ekstrak etanol bawang hutan (*Eleutherine palmifolia* L.Merr). *Online Jurnal Of Natural Science*, 2, 3, 111-122.
- Soebagio, B., Rusdiana, T. dan Khairudin. (2007). *Pembuatan gel dengan aqupec hv-505 dari ekstrak umbi bawang merah (Allium cepa, L.) sebagai antioksidan*. (Skripsi). Bandung: Fakultas Farmasi, Universitas Padjadjaran.
- Sunarni, T., Suwidjiyo, P., & Ratna, A. (2007). Flavonoid antioksidan penangkap radikal dari daun kepel (*Stelechocarpus burahol* (Bl.) Hook f. & Th.). *Majalah Farmasi Indonesia*, 18, 3, 111-116.
- Syamsiah, I.S., & Tajudin. (2003). *Khasiat dan manfaat bawang putih raja antibiotik alami*. Jakarta: Agromedia Pustaka.
- Takashi, M., & Shibamoto, T. (1997). Antioxidant activities of natural compound found in plants. *J Agric Food Chem*, 45, 1819-1822.

- Thaipong, K., Boonprakob, U., Crosby, K., Zevallos, L.C., & Byrne, D.H. (2006). Comparison of ABTS, DPPH, FRAP and ORAC assays for estimating antioxidant activity from guava fruit extracts. *Journal of Food Compositions and Analysis*, 19, 669-675.
- Tjitrosoepomo, G. (1993). *Taksonomi tumbuhan (spermatophyta)*. Yogyakarta: Gadjah Mada University Press.
- Then, M., Szentihlyi K., Sarkozi A., & Varga I.S. (2003). Examination on antioxidant activity in greater celadine (*chelidonium majus* l) extracts by FRAP method. *Acta Bio Szegediensis*, 47, 115-117.
- United States Pharmacopoeia Convention. (2014). *The United States Pharmacopoeia USP 37 – National formulary 32*. United States of America.
- Vitchiphan, S., Vitchipnan, K., & Sirikkhansaeng, P. (2007). Flavonoid content and antioxidant activity of krachai-dum (*Kaempferia parviflora*) wine. *KMITL. Sci. Tech. J.*, 7, S2, 97-105.
- Wibowo, S. (1991). *Budidaya bawang putih, bawang merah dan bawang bombay*. Jakarta: Penebar Swadaya.
- Weniger, B., Berrurier, M.H., & Anton, R. (1982). Plants of haiti used as antifertility agents. *J. Ethnopharmacology*, 6, 67-84.
- Yana, Y. (16 September 2015). *10 Manfaat bawang dayak bagi kesehatan*. Diakses 3 Desember 2016 dari <http://manfaat.co.id/manfaat-bawang-dayak>.