

## DAFTAR PUSTAKA

- Aksornphusitaphong A dan Phupong V(2013). Risk factor of early and late onset pre-eclampsia. *The Journal of Obstetrics and Gynaecology Research*, 39-(3):627-631.
- Amran VYA(2015). Perbedaan Kadar Kalsium Serum antara Preeklamsia Berat/Eklamsia dengan Normotensi di RSUP Dr. M. Djamil Padang. Padang, Universitas Andalas.
- Anna R, Baviera G, Corrado F, Giordano D, Vivo A, Nicocia G, Benedetto A(2006). Adipoectin and Insulin Resistance in Early and Late Onset Preeclampsia. *An International Journal of Obstetrics and Gynaecology*, 1264-1269.
- Chaiworapongsa T, Romero R, Whitten A, Tarca LA, Bhatti G, Draghici S, Chaemsaitong P, Miranda J, Hassan SS(2013). Differences and similarities in the transcriptional profile of peripheral whole blood in early and late onset pre-eclampsia: Insights into the molecular basis of the phenotype of preeclampsia. *De Gruyter*, 41-(5):485-504.
- Crispi F, Llurba E, Dominguez C, Martin-Gallan P, Cabero L, Gratacos E(2007). Predictive Value of Angiogenic Factors and Uterine Artery Doppler for Early- Versus Late- Onset Preeclampsia and Intrauterine Growth Restriction. *Ultrasound Obstetr Gynecol*, 31:303-309.
- Cunningham FG, Leveno KJ, Bloom SL, Spong CY, Dashe JS, Hoffman, BL, Casey BM, Sheffield JS(2014). *Obstetri Williams*. Edisi 24. New York: McGraw-Hill Education.
- Dahlan MS(2010). Besar sampel dan cara pengambilan sampel, Edisi 3. Jakarta: Penerbit Salemba Medika, pp: 32, 68-70.
- Dahlan MS(2010). Langkah-langkah membuat proposal penelitian bidang kedokteran dan kesehatan, Edisi 3. Jakarta: Penerbit Salemba Medika, pp: 98-106.
- Decherney AH, Nathan L, Laufer N, Roman AS(2012). *Current Diagnosis & Treatment Obstetrics & Gynecology*, Edisi 11. McGrawhills Companies, pp: 461.

- Denantika, Oktaria, Serudji J, Revilla G(2014). Hubungan status gravida dan usia ibu terhadap kejadian preeklamsi di RSUP Dr. M. Djamil Padang. *Jurnal FK UNAND*, 4: 212-216.
- Departemen Kesehatan Indonesia. 2015. *Profil Kesehatan Indonesia 2014*. Kementerian Kesehatan RI. Jakarta.
- Ekapatria, Christofani, Udin S, Sonny S(2013). Placental growth factor level is lower in early-onset preeclampsia, while tumor necrosis factor alpha level does not show any difference between early and late onset preeclampsia. *Indonesian Journal of Obstetrics and Gynecology*, 36-(4):181-184.
- Fang R, Dawson A, Lohsoonthom V, Williams MA(2009). Risk Factors of Early and Late Onset Preeclampsia among Thai Women. *Asian Biomedicine*, 3 :477-486.
- Giyanto CC(2015). *Perbandingan Profil Hematologi pada Preeklamsi/Eklamsi dengan Kehamilan Normotensi di RSUP Dr. Kariadi, Skripsi*. Fakultas Kedokteran Universitas Diponegoro. Semarang.
- Greer JP, Foerster J, Rodgers GM, Paraskevas F, Glader B, Arber DA, Means RT (2009). *Wintrobe's Clinical Hematology*, Edisi 12. Philadelphia: Lippincott Williams & Wilkins, a Wolter Business, pp : 3-5.
- Gulec UK, Ozgunen FT, Buyukkurt S, Guzel AB, Urunsak IF, Demir SC, Evruke IC(2013). Comparison of clinical and laboratory findings in early- and late- onset preeclampsia. *The Journal of Maternal-Fetal & Neonatal Medicine*, 26-(12):1228-1233.
- Gyselaers W, Tomsin K, Staelens A, Mesens T, Oben J, Molenberghs G(2014). Maternal Venous Hemodynamics in Gestational Hypertension and Preeclampsia. *BMC Pregnancy and Childbirth*, 14:212.
- Hoffbrand AV, Pettit JE, Moss PAH(2002). *Kapita Selektta Hematologi*, Edisi 4. Jakarta: Penerbit Buku Kedokteran ECG.
- Kementrian Kesehatan RI(2015). *Profil Kesehatan RI 2014*. [www.depkes.go.id/resources/download/pusdatin/profil-kesehatan-indonesia/profil-kesehatan-indonesia-2014.pdf](http://www.depkes.go.id/resources/download/pusdatin/profil-kesehatan-indonesia/profil-kesehatan-indonesia-2014.pdf)- diakses Maret 2016
- Kurt RK, Aras Z, Silfeler DB, Kunt C, Islimye M, Kosar O(2015). Relation of red cell distribution width with the presence and severity of preeclampsia. *Clinical and Applied Thrombosis/Hemostasis*, 21-(2):121-131.

- Martaadisoebrata D, Wirakusumah FF, Effendi JS(2015). Patologi ilmu kesehatan reproduksi, Edisi 3. Jakarta: Penerbit Buku Kedokteran ECG.
- Mehta dan Hoffbrand(2008). At a Glance Hematologi, Edisi 2. Jakarta: Penerbit Erlangga, p: 100.
- Prawirohardjo S(2008). Ilmu Kebidanan, Edisi 4. Jakarta: PT. Bina Pustaka Sarwono Prawirohardjo, pp: 530-560.
- Saputra NPK(2014). Analisa Faktor Risiko Preeklamsi di RSUP Dr. M. Djamil Padang. Padang, Universitas Andalas. Tesis.
- Valensise H, Barbara V, Gagliardi G, Novelli GP(2016). Early and Late Preeclampsia Two Different Maternal Hemodynamics States in the Latent Phase of the Disease. *AHA Journals*,873-880.
- Wikstrom AK, Larsson A, Eriksson UJ, Nash P, Lindeberg SN, Olovsson M(2007). Placental Growth Factor and Soluble FMS-Like Tyrosine Kinase-1 in Early-Onset and Late-Onset Preeclampsia. *American College of Obstetri and Gynecology*, 109:1368-1374.
- Yang Y, Zhang J, Gong Y, Liu X, Bai Y, Xu W, Zhou R(2015). Increased Expression of Prostatein Contributes to Early-onset Severe Preeclampsia through Inhibiting Trophoblast Invasion. *Journal of Perinatology*, 35 : 16-22.
- Yusrawati(2015). Peran takik diastolik arteri uterina sebagai faktor risiko dan perbedaan resistensi insulin, ADMA, hs-CRP dan adinopektin antara preeklamsi awitan dini dan PEAL. Padang, Universitas Andalas. Disertasi.

