

DAFTAR PUSTAKA

- Abdou, H. M. (1989). *Dissolution, Bioavailability, and Bioequivalence*. In Pennsylvania: Mark Publishing Company Easton.
- Alatas, F., Ratih, H., & Soewandhi, S. N. (2015). Enhancement of solubility and dissolution rate of telmisartan by telmisartan-oxalic acid co-crystal formation. *International Journal of Pharmacy and Pharmaceutical Sciences*, 7(3), 423–426.
- Alatas, F., Soewandhi, S. N., & Sasongko, L. (2014). Kelarutan Dan Stabilitas Kimia Kompleks Didanosin Dengan Nikotinamid Atau L-Arginin. *Jurnal Sains Materi Indonesia*, 15(2), 94–102.
- Ardianingsih, R. (2010). Penggunaan High Performance Liquid Chromatography (HPLC) Dalam Proses Analisa Deteksi Ion. *Berita Dirgantara Vol. 10 No. 4 Desember 2009:101-104*. Retrieved from http://jurnal.lapan.go.id/index.php/berita_dirgantara/article/view/225
- Bhise, S., Mathure, D., Patil, M. V. K., & Patankar, R. D. (2011). Solubility enhancement of antihypertensive agent by solid dispersion technique. *International Journal of Pharmacy & Life Sciences*, 2(8), 640–650.
- British Pharmacopoeia Commission. (2009). *British Pharmacopoeia*. In London: The Pharmaceutical Press.
- Cadha, R., Saini, A., Arora, P., Chanda, S. ., & Dharamvirsinghjain. (2012). Cocrystal of efavirenz with selected cofomer: preparation and characterization. *Int JPharm and PharmSci*, 4, 244-250.
- Chadha, R., Bhandari, S., Haneef, J., Khullar, S., & Mandal, S. (2014). Cocrystals of telmisartan: characterization, structure elucidation, in vivo and toxicity studies. *CrystEngComm*, 8375–8389. <http://doi.org/10.1039/C4CE00797B>
- Dachriyanus. (2004). *Analisis struktur Senyawa organik secara Spektroskopi*. In Padang: Universitas Andalas.
- Davis, R. E., Lorimer, K. A., Wilkowsky, M. A., & Rivers, J. H. (2004). Studies of Relationship in Cocrystal Systems. *ACA Transactions*, 39, 41–61.
- Departemen Kesehatan Republik Indonesia. (1995). *Farmakope Indonesia (Edisi 4)*. In Jakarta.
- Dewi, R., Krisman, Khaironiati, & Fauziana. (2014). Karakterisasi Mikrostruktur Material Feroelektrik Ba_{0.8}Sr_{0.2}TiO₃ (BST) dengan Variasi Suhu Annealing. *Jurnal Fisika Indonesia No: 53, Vol XVIII, Edisi Agustus 2014 ISSN : 1410-2994, XVIII, 70–72*.

- Erlianti, R., Darusman, F., & Herawati, D. (2015). Praperlakuan Bahan Baku Glimepirid Melalui Metode Kokristalisasi Untuk Meningkatkan Kelarutan dan Laju Disolusi 1,2,3. *Prosiding Penelitian SPeSIA Unisba 2015*. ISSN 2460-6472, 3, 671–680.
- Fessenden, R., & Fessenden, J. (1986). *Kimia Organik Edisi Ke-tiga*. In Jakarta : Erlangga.
- Friscic, T., Childs, S. L., Rizvic, S. A. A., & Jonesa, W. (2009). The role of solvent in mechanochemical and sonochemical cocrystal formation: a solubility-based approach for predicting cocrystallisation outcome. *CrystEngComm*, 2009, 11, 418–426, 11, 388. <http://doi.org/10.1039/b810822f>
- Gozali, D., Bahti, H. H., & Soewandhi, S. N. (2012). Pembentukan Kokristal Antara Kalsium Atorvastatin dengan Isonikotinamid dan Karakterisasinya. *Jurnal Sains Materi Indonesia*, (April), 103–110.
- Harmita. (2007). *Pemanfaatan Kromatografi Cair Kinerja Tinggi Untuk Analisis Obat dalam Bentuk Sediaan Farmasi dan Bioanalisis*. In Jakarta: Universitas Indonesia.
- Kausalya, J., Suresh, K., Padmapriya, S., Rupenagunta, A., & Senthilnathan, B. (2011). Solubility and dissolution enhancement profile of telmisartan using various techniques. *International Journal of PharmTech Research*, 3(3), 1737–1749.
- Khopkar, S. M. (1990). *Konsep dasar kimia analitik*. In Jakarta: UI Press.
- Kotak, U., Prajapati, V., Solanki, H., Jani, G., & Jha, P. (2015). Co-crystallization Technique - Its rationale and recent progress. *World Journal of Pharmacy and Pharmaceutical Sciences*, 4(04), 1484–1508. Retrieved from www.wjpps.com/download/article/1427970181.pdf
- Martin, A., Swarbick, J., & Cammarata, A. (1993). *Physical Pharmacy 3rd Edition*. In USA: Lea and Febiger.
- Munkhbayar, B., Bat-Erdene, M., Choi, B., Joung, T., Chung, H., Jeong, & Hyomin. (2013). Grinding Effect of Rotation Speed on the Surface Changes of Multi-Walled Carbon Nanotubes and Their Dispersion Ability. *Asian Journal of Chemistry*, 25(2), 883–890.
- Nugrahani, I., Asyarie, S., Soewandhi, S. N., & Ibrahim, S. (2007). Solid state interaction between amoxicillin trihidrat and potassium clavulanat. *Malay J of Pharm Scie*, 5, 45-57.
- Patel, P. A., & Patravale, V. B. (2010). Commercial Telmisartan Tablets : A Comparative Evaluation with Innovator. *International Journal of Pharma Sciences and Research (IJPSR) Vol.1(8), 2010, 282-292, 1(8), 282–292*.

- Pranita, K., Veena, B., & Santosh, D. (2013). Solid Dispersions of Telmisartan for Enhancing Solubility , Dissolution Rate and Oral Bioavailability. *Indo American Journal of Pharmaceutical Research*, 2013 ISSN NO: 2231-6876, 3(9).
- Pubchem. (2016). diakses pada tanggal 18 Mei 2016 dari. <https://pubchem.ncbi.nlm.nih.gov/compound/Telmisartan>.
- Pubchem. (2016). diakses pada tanggal 18 Mei 2016 dari. <https://pubchem.ncbi.nlm.nih.gov/compound/nicotinamide>.
- Rao, V. M., Sanghvi, R., & Zhu, H. (2009). Solubility of Pharmaceutical Solids. *Developing Solid Oral Dosage Forms*. <http://doi.org/10.1016/B978-0-444-53242-8.00001-1>
- Singh, A., Jha, K. K., Mittal, A., & Kumar, A. (2013). A Review on : Telmisartan. *Journal Of Scientific & Innovative Research*, 2(1), 314–317.
- Sweetman, S. C. (2009). Martindale, the complete drug reference(36th ed). In *London: The Pharmaceutical Press*. (Vol. 1). <http://doi.org/10.1017/CBO9781107415324.004>
- United States Pharmacopeial. (2011). Telmisartan tablets. *All Rights Reserved*, 7–11.
- Vishweshwar, P., McMahon, J. A., Bis, J. A., & Zaworotko, M. J. (2006). Pharmaceutical Co-Crystals. *Journal of Pharmaceutical Sciences*, Vol. 95, No.3, March 2006, 95(3), 499–516. <http://doi.org/10.1002/jps>
- Voight, R. (1995). *Pelajaran Teknologi Farmasi*. In Translated by Soendani Noerono Soewandhi 5th edition. Yogyakarta: Gadjah Mada Press.
- Weiss, J. (1995). *Ion Chromatography, 2nd edition*. VCH, Weinheim.
- Zaini, E., Halim, A., Soewandhi, S. N., & Setyawan, D. (2011). Peningkatan Laju Pelarutan Trimetoprim melalui Metoda Ko-Kristalisasi dengan Nikotinamida. *Jurnal Farmasi Indonesia Vol. 5 No. 4 Juli 2011: 205 -212*, 205–212.
- Zaini, E., Sumirtapura, Y. C., & Soewandhi, S. N. (2010). Identifikasi interaksi fisika antara trimetoprim dan sulfametoksazol dengan metode kontak kofler dan reaksi kristalisasi. *Majalah Farmasi Indonesia*, 21(1), 2010, 21(1), 32–39.
- Zaini, E., Witarsah, A. S., & Agustin, R. (2014). Research Article Enhancement of dissolution rate of Meloxicam by co-grinding technique using Hydroxypropyl methylcellulose. *Journal of Chemical and Pharmaceutical Research*, 2014,6(11):263-267, 6(11), 263–267.