

## Daftar Pustaka

- [1] J. E. Hull, S. C. Sahu, and A. W. Hayes, "Nanotechnology: History and future," *Human and Experimental Toxicology*, vol. 34, no. 12. SAGE Publications Ltd, pp. 1318–1321, Dec. 01, 2015. doi: 10.1177/0960327115603588.
- [2] C. Burda, X. Chen, R. Narayanan, and M. A. El-Sayed, "Chemistry and properties of nanocrystals of different shapes," *Chemical Reviews*, vol. 105, no. 4. pp. 1025–1102, Apr. 2005. doi: 10.1021/cr030063a.
- [3] P. Afanasiev, "Elemental Sulfur and Sulfur-Rich Compounds II. Topics in Current Chemistry, 231 Edited by Ralf Steudel (Technische Universität Berlin). Springer-Verlag: Berlin, Heidelberg, New York. 2003. x + 248 pp. \$229.00. ISBN 3-540-40378-7.," *J Am Chem Soc*, vol. 126, no. 44, pp. 14678–14678, Nov. 2004, doi: 10.1021/ja0409199.
- [4] Y. Xia *et al.*, "One-Dimensional Nanostructures: Synthesis, Characterization, and Applications\*\*."
- [5] A. Huczko, "Template-based synthesis of nanomaterials," *Appl. Phys. A*, vol. 70, pp. 365–376, 2000, doi: 10.1007/s003390000440.
- [6] X. Duan *et al.*, "General Synthesis of Compound Semiconductor Nanowires\*\*," 2000.
- [7] M. P. Zach, K. H. Ng, and R. M. Penner, "Molybdenum Nanowires by Electrodeposition I Reduction to MoO<sub>3</sub> in H<sub>2</sub> at 500°C." [Online]. Available: [www.sciencemag.org](http://www.sciencemag.org)
- [8] J. Jie *et al.*, "Synthesis and characterization of aligned ZnO nanorods on porous aluminum oxide template," *Journal of Physical Chemistry B*, vol. 108, no. 32, pp. 11976–11980, Aug. 2004, doi: 10.1021/jp048974r.
- [9] M. Skompska and K. Zarębska, "Electrodeposition of ZnO nanorod arrays on transparent conducting substrates—a review," *Electrochimica Acta*, vol. 127. Elsevier Ltd, pp. 467–488, May 01, 2014. doi: 10.1016/j.electacta.2014.02.049.
- [10] B. D. Clark *et al.*, "Aluminum Nanorods," *Nano Lett*, vol. 18, no. 2, pp. 1234–1240, Feb. 2018, doi: 10.1021/acs.nanolett.7b04820.
- [11] M. Willander *et al.*, "Zinc oxide nanorod based photonic devices: Recent progress in growth, lightemitting diodes and lasers," *Nanotechnology*, vol. 20, no. 33, Aug. 2009, doi: 10.1088/0957-4484/20/33/332001.
- [12] R. Martel *et al.*, "A Novel Method for Preparing Copper Nanorods and Nanowires," 1998.
- [13] H. Liao and J. H. Hafner, "Gold nanorod bioconjugates," *Chemistry of Materials*, vol. 17, no. 18, pp. 4636–4641, Sep. 2005, doi: 10.1021/cm050935k.
- [14] K. C. Hribar, M. H. Lee, D. Lee, and J. A. Burdick, "Enhanced release of small molecules from near-infrared light responsive polymer-nanorod composites," *ACS Nano*, vol. 5, no. 4, pp. 2948–2956, Apr. 2011, doi: 10.1021/nn103575a.

- [15] S. Juodkazis, V. Mizeikis, K. K. Seet, M. Miwa, and H. Misawa, "Two-photon lithography of nanorods in SU-8 photoresist," *Nanotechnology*, vol. 16, no. 6, pp. 846–849, Jun. 2005, doi: 10.1088/0957-4484/16/6/039.
- [16] Y. H. Ko, S. Kim, and J. S. Yu, "Drop-cast and dye-sensitized ZnO nanorod-based visible-light photodetectors," *Physica Status Solidi - Rapid Research Letters*, vol. 7, no. 9, pp. 659–663, Sep. 2013, doi: 10.1002/pssr.201307160.
- [17] A. Corma, "From Microporous to Mesoporous Molecular Sieve Materials and Their Use in Catalysis," 1997.
- [18] C.T Kresge, M.E Leonowicz, W.J Roth, J.C Vartuli, and J.S Beck, "Ordered Mesoporous Molecular sieves synthesized by a liquid-crystal template mechanism".
- [19] N. Singh and L. A. Lyon, "Au nanoparticle templated synthesis of pNIPAm nanogels," *Chemistry of Materials*, vol. 19, no. 4, pp. 719–726, Feb. 2007, doi: 10.1021/cm061878d.
- [20] R.C Furneaux, W.R Rigby, and A.P Davidson, "The formation of controlled-porosity membranes from anodically oxidized aluminium".
- [21] R.L Fleischer, P.B Price, and R.M Walker, "Nuclear Tracks in Solid".
- [22] R.J Tonucci, B.L Justus, A.J Campillo, and C.E Ford, "Nanochannel Array Glass," 1991.
- [23] G. E. Possin, "A method for forming very small diameter wires," *Review of Scientific Instruments*, vol. 41, no. 5, pp. 772–774, 1970. doi: 10.1063/1.1684640.
- [24] C.-G. Wu and T. Bein, "Conducting Polyaniline Filaments in a Mesoporous Channel Host," 1994. [Online]. Available: [www.sciencemag.org](http://www.sciencemag.org)
- [25] Shousan Fan, G Michael Chapline, R Nathan Franklin, W. Tomblor Thomas, M. Cassell Alan, and Dai Hongjie, "Self-Oriented Regular Arrays of Carbon Nanotubes and Their Field." [Online]. Available: [www.sciencemag.org](http://www.sciencemag.org)
- [26] P. Enzel, J. J. Zoller, and T. Bein, "Intrazeolite Assembly and Pyrolysis of Polyacrylonitrile," 1992.
- [27] P.M Ajayan, O Stephan, and Ph Redlich, "Carbon Nanotubes as removable templates for metal oxide nanocomposites and nanostructures".
- [28] Shoushan Fan, Lieber, M Charles, Hongjie Dai, Eric W Wong, and Yuan Z Lu, "Synthesis and characterization of carbide nanorods".
- [29] Z. Wu *et al.*, "Enhancing the magnetoviscosity of ferrofluids by the addition of biological nanotubes," *ACS Nano*, vol. 4, no. 8, pp. 4531–4538, Aug. 2010, doi: 10.1021/nn100645e.
- [30] H. Hillebrenner, F. Buyukserin, M. Kang, M. O. Mota, J. D. Stewart, and C. R. Martin, "Corking nano test tubes by chemical self-assembly," *J Am Chem Soc*, vol. 128, no. 13, pp. 4236–4237, Apr. 2006, doi: 10.1021/ja058455h.
- [31] H. Xin and A. T. Woolley, "DNA-templated nanotube localization," *J Am Chem Soc*, vol. 125, no. 29, pp. 8710–8711, Jul. 2003, doi: 10.1021/ja035902p.

- [32] E. Sharon, R. Freeman, M. Riskin, N. Gil, Y. Tzfati, and I. Willner, "Optical, electrical and surface plasmon resonance methods for detecting telomerase activity," *Anal Chem*, vol. 82, no. 20, pp. 8390–8397, Oct. 2010, doi: 10.1021/ac101976t.
- [33] B. E. Conway, R. E. White, and J. O. (John O. ) Bockris, *Modern aspects of electrochemistry. no. 16*. Plenum Press, 1985.
- [34] D. Crouse, Y. H. Lo, A. E. Miller, and M. Crouse, "Self-ordered pore structure of anodized aluminum on silicon and pattern transfer," *Appl Phys Lett*, vol. 76, no. 1, pp. 49–51, Jan. 2000, doi: 10.1063/1.125652.
- [35] C. A. Foss, M. J. Tierney, and C. R. Martin, "Template Synthesis of Infrared-Transparent Metal Microcylinders: Comparison of Optical Properties with the Predictions of Effective Medium Theory," 1992.
- [36] G. Cao and D. Liu, "Template-based synthesis of nanorod, nanowire, and nanotube arrays," *Advances in Colloid and Interface Science*, vol. 136, no. 1–2, pp. 45–64, Jan. 15, 2008. doi: 10.1016/j.cis.2007.07.003.
- [37] Shashanka Rajendrachari and Dileep Ramakrishna, *1 - Functionalized nanomaterial-based electrochemical sensors: A sensitive sensor platform*,. Woodhead Publishing Series in Electronic and Optical Materials, 2022.
- [38] A. Machín *et al.*, "One-dimensional (1d) nanostructured materials for energy applications," *Materials*, vol. 14, no. 10, May 2021, doi: 10.3390/ma14102609.
- [39] N. L. Reddy *et al.*, "A review on frontiers in plasmonic nano-photocatalysts for hydrogen production," *Int J Hydrogen Energy*, vol. 44, no. 21, pp. 10453–10472, Apr. 2019, doi: 10.1016/j.ijhydene.2019.02.120.
- [40] D. P. Singh and N. Ali, "Synthesis of TiO<sub>2</sub> and CuO nanotubes and nanowires," *Sci Adv Mater*, vol. 2, no. 3, pp. 295–335, Sep. 2010, doi: 10.1166/sam.2010.1095.
- [41] A. H. Jayatissa, K. Guo, and A. C. Jayasuriya, "Fabrication of cuprous and cupric oxide thin films by heat treatment," *Appl Surf Sci*, vol. 255, no. 23, pp. 9474–9479, Sep. 2009, doi: 10.1016/j.apsusc.2009.07.072.
- [42] A. Ogwu, T. H. Darma, E. Bouquerel, A. A. Ogwu, T. H. Darma, and E. Bouquerel, "Electrical resistivity of copper oxide thin films prepared by reactive magnetron sputtering Antimicrobial thin films View project ESSnuSB View project Electrical resistivity of copper oxide thin films prepared by reactive magnetron sputtering," 2007. [Online]. Available: <https://www.researchgate.net/publication/40804795>
- [43] Y. Liu, Y. Chu, Y. Zhuo, M. Li, L. Li, and L. Dong, "Anion-controlled construction of CuO honeycombs and flowerlike assemblies on copper foils," *Cryst Growth Des*, vol. 7, no. 3, pp. 467–470, Mar. 2007, doi: 10.1021/cg060480r.
- [44] D. Chauhan, V. R. Satsangi, V. R. Satsangi, S. Dass, and R. Shrivastav, "Preparation and characterization of nanostructured CuO thin films for photoelectrochemical splitting of water ROLE OF BIOINSPIRED CATALYSTS IN SOLAR ENERGY INDUCED WATER SPLITTING View project Nanostructures and plasmonics in materials for energy, nuclear material, nano based sensors View project Preparation and characterization of nanostructured

CuO thin films for photoelectrochemical splitting of water,” 2006. [Online]. Available: <https://www.researchgate.net/publication/228867349>

- [45] S. Anandan and S. Yang, “Emergent methods to synthesize and characterize semiconductor CuO nanoparticles with various morphologies - An overview,” in *Journal of Experimental Nanoscience*, Mar. 2007, vol. 2, no. 1–2, pp. 23–56. doi: 10.1080/17458080601094421.
- [46] Y. Li, X. Y. Yang, Y. Feng, Z. Y. Yuan, and B. L. Su, “One-dimensional metal oxide nanotubes, nanowires, nanoribbons, and nanorods: Synthesis, characterizations, properties and applications,” *Critical Reviews in Solid State and Materials Sciences*, vol. 37, no. 1. pp. 1–74, Jan. 01, 2012. doi: 10.1080/10408436.2011.606512.
- [47] G. Filipič and U. Cvelbar, “Copper oxide nanowires: A review of growth,” *Nanotechnology*, vol. 23, no. 19, May 2012, doi: 10.1088/0957-4484/23/19/194001.
- [48] Y. Liu, Y. Chu, Y. Zhuo, M. Li, L. Li, and L. Dong, “Anion-controlled construction of CuO honeycombs and flowerlike assemblies on copper foils,” *Cryst Growth Des*, vol. 7, no. 3, pp. 467–470, Mar. 2007, doi: 10.1021/cg060480r.
- [49] M. Vaseem, A. Umar, S. H. Kim, and Y. B. Hahn, “Low-temperature synthesis of flower-shaped CuO nanostructures by solution process: Formation mechanism and structural properties,” *Journal of Physical Chemistry C*, vol. 112, no. 15, pp. 5729–5735, Apr. 2008, doi: 10.1021/jp710358j.
- [50] X. G. Zheng, C. N. Xu, Y. Tomokiyo, E. Tanaka, H. Yamada, and Y. Soejima, “Observation of Charge Stripes in Cupric Oxide,” 2000.
- [51] P. Mallick and S. Sahu, “Structure, Microstructure and Optical Absorption Analysis of CuO Nanoparticles Synthesized by Sol-Gel Route,” *Nanoscience and Nanotechnology*, vol. 2, no. 3, pp. 71–74, Aug. 2012, doi: 10.5923/j.nn.20120203.05.
- [52] X. P. Gao *et al.*, “Preparation and electrochemical performance of polycrystalline and single crystalline CuO nanorods as anode materials for Li ion battery,” *Journal of Physical Chemistry B*, vol. 108, no. 18, pp. 5547–5551, May 2004, doi: 10.1021/jp037075k.
- [53] R. Vijay Kumar, R. Elgamiel, Y. Diamant, A. Gedanken, and J. Norwig, “Sonochemical preparation and characterization of nanocrystalline copper oxide embedded in poly(vinyl alcohol) and its effect on crystal growth of copper oxide,” *Langmuir*, vol. 17, no. 5, pp. 1406–1410, Mar. 2001, doi: 10.1021/la001331s.
- [54] W. Wang, Y. Zhan, and G. Wang, “One-step, solid-state reaction to the synthesis of copper oxide nanorods in the presence of a suitable surfactant,” *Chemical Communications*, no. 8, pp. 727–728, Apr. 2001, doi: 10.1039/b008215p.
- [55] M. Bibi, Q. ul A. Javed, H. Abbas, and S. Baqi, “Outcome of temperature variation on sol-gel prepared CuO nanostructure properties (optical and dielectric),” *Mater Chem Phys*, vol. 192, pp. 67–71, May 2017, doi: 10.1016/j.matchemphys.2017.01.074.
- [56] D. T. Fraser and M. Z. Jahedi, “FORMATION OF ALUMINA LAYER ON ALUMINIUM-CONTAINING STEELS FOR PREVENTION OF SOLDERING IN HIGH PRESSURE DIE CASTING DIES.”

- [57] Q. Xie, M. H. Hong, H. L. Tan, G. X. Chen, L. P. Shi, and T. C. Chong, "Fabrication of nanostructures with laser interference lithography," *J Alloys Compd*, vol. 449, no. 1–2, pp. 261–264, Jan. 2008, doi: 10.1016/j.jallcom.2006.02.115.
- [58] J. H. Lee *et al.*, "Enhanced solar-cell efficiency in bulk-heterojunction polymer systems obtained by nanoimprinting with commercially available AAO membrane filters," *Small*, vol. 5, no. 19, pp. 2139–2143, 2009, doi: 10.1002/sml.200900666.
- [59] P. Peinado, S. Sangiao, and J. M. de Teresa, "Focused Electron and Ion Beam Induced Deposition on Flexible and Transparent Polycarbonate Substrates," *ACS Nano*, vol. 9, no. 6, pp. 6139–6146, Jun. 2015, doi: 10.1021/acsnano.5b01383.
- [60] X. Deng, K. Chen, and H. Tüysüz, "Protocol for the Nanocasting Method: Preparation of Ordered Mesoporous Metal Oxides," *Chemistry of Materials*, vol. 29, no. 1. American Chemical Society, pp. 40–52, Jan. 10, 2017. doi: 10.1021/acs.chemmater.6b02645.
- [61] O. P. Gujela, V. Gujela, and Gayatri, "Anodic Aluminum Oxide (AAO) nano membrane fabrication under different conditions," in *2016 International Conference on Recent Advances and Innovations in Engineering, ICRAIE 2016*, 2016. doi: 10.1109/ICRAIE.2016.7939591.
- [62] L. Shen, M. Ali, Z. Gu, B. Min, D. Kim, and C. Park, "Preparation of anodic aluminum oxide (AAO) nano-template on silicon and its application to one-dimensional copper nano-pillar array formation," *Korean Journal of Chemical Engineering*, vol. 30, no. 1, pp. 221–227, Jan. 2013, doi: 10.1007/s11814-012-0124-y.
- [63] G. D. Sulka, A. Brzózka, L. Zaraska, and M. Jaskuła, "Through-hole membranes of nanoporous alumina formed by anodizing in oksalat acid and their applications in fabrication of nanowire arrays," *Electrochim Acta*, vol. 55, no. 14, pp. 4368–4376, May 2010, doi: 10.1016/j.electacta.2010.01.048.
- [64] R. Kotha, D. Strickland, and A. A. Ayon, "Nanowire Fabrication in Porous Alumina Tempalets Produced by Employing Sulphuric, Oksalat and Phosphoric Acids," *Open Journal of Inorganic Non-metallic Materials*, vol. 05, no. 03, pp. 41–49, 2015, doi: 10.4236/ojinm.2015.53005.
- [65] Y. Huang, D. K. Sarkar, and X. G. Chen, "Fabrication of corrosion resistance micro-nanostructured superhydrophobic anodized aluminum in a one-step electrodeposition process," *Metals (Basel)*, vol. 6, no. 3, Feb. 2016, doi: 10.3390/met6030047.
- [66] A. M. Abd-Elnaiem, A. M. Mebed, W. J. Stepniowski, and T. Czujko, "Characterization of arrangement and geometry of porous anodic alumina formed by one-step anodization of Al-1 wt% Si thin films," *Surf Coat Technol*, vol. 307, pp. 359–365, Dec. 2016, doi: 10.1016/j.surfcoat.2016.09.013.
- [67] U. K. Chime, F. I. Ezema, and J. Marques-Hueso, "Porosity and hole diameter tuning on nanoporous anodic aluminium oxide membranes by one-step anodization," *Optik (Stuttg)*, vol. 174, pp. 558–562, Dec. 2018, doi: 10.1016/j.ijleo.2018.08.109.
- [68] U. K. Chime, F. I. Ezema, and J. Marques-Hueso, "Porosity and hole diameter tuning on nanoporous anodic aluminium oxide membranes by one-step anodization," *Optik (Stuttg)*, vol. 174, pp. 558–562, Dec. 2018, doi: 10.1016/j.ijleo.2018.08.109.

- [69] G. D. Sulka *et al.*, “NANOSTRUCTURING OF ALUMINIUM AND SYNTHESIS OF POROUS ALUMINIUM MEMBRANES BY ANODISING.”
- [70] Ndaru Adyono and Wahyu Dwi Lestari, “Hard Anodize of 6061-T0 Aluminium Alloy in Sulfuric Acid Bath at Near Zero Temperature and Its Mechanical Properties,” Nov. 2020, pp. 96–101. doi: 10.11594/nstp.2020.0514.
- [71] C. K. Chung, C. A. Ku, and Z. E. Wu, “A high-and-rapid-response capacitive humidity sensor of nanoporous anodic alumina by one-step anodizing commercial 1050 aluminum alloy and its enhancement mechanism,” *Sens Actuators B Chem*, vol. 343, Sep. 2021, doi: 10.1016/j.snb.2021.130156.
- [72] A. Santos, P. Formentín, J. Ferré-Borrull, J. Pallarès, and L. F. Marsal, “Nanoporous anodic alumina obtained without protective oxide layer by hard anodization,” *Mater Lett*, vol. 67, no. 1, pp. 296–299, Jan. 2012, doi: 10.1016/j.matlet.2011.09.101.
- [73] C. K. Chung, B. Y. Chu, C. H. Tsai, and C. R. Hsu, “Photoluminescence enhancement of nanoporous alumina using one-step anodization of high- and low-purity aluminum at room temperature,” *Mater Lett*, vol. 190, pp. 157–160, Mar. 2017, doi: 10.1016/j.matlet.2017.01.015.
- [74] Y. Li, N. Peng, Y. Wen, and L. Liang, “Effect of hydrothermal treatment on porous anodic alumina generated by one-step anodization,” *Microporous and Mesoporous Materials*, vol. 306, Oct. 2020, doi: 10.1016/j.micromeso.2020.110412.
- [75] A. Santos *et al.*, “Structural tuning of photoluminescence in nanoporous anodic alumina by hard anodization in oksalat and malonic acids,” 2012. [Online]. Available: <http://www.nanoscalereslett.com/content/7/1/228>
- [76] A. Nazemi and S. A. S. Sadjadi, “Controlling the anodizing conditions in preparation of a nanoporous anodic aluminium oxide template,” *Materials Science- Poland*, vol. 32, no. 4, pp. 565–570, Dec. 2014, doi: 10.2478/s13536-014-0220-2.
- [77] L. Zaraska, M. Bobruk, M. Jaskuła, and G. D. Sulka, “Growth and complex characterization of nanoporous oxide layers on metallic tin during one-step anodic oxidation in oksalat acid at room temperature,” *Appl Surf Sci*, vol. 351, pp. 1034–1042, Oct. 2015, doi: 10.1016/j.apsusc.2015.06.052.
- [78] S. Muhammad, J. Zaidi, M. Z. Butt, S. M. J. Zaidi, and M. Z. Butt, “Influence Of Anodization Temperature On The Structural Features Of First-Step Anodized Nanoporous Alumina and Of Commercial Aluminium Substrate,” 2017. [Online]. Available: <https://www.researchgate.net/publication/321913779>
- [79] A. P. Leontiev, I. v. Roslyakov, and K. S. Napolskii, “Complex influence of temperature on oksalat acid anodizing of aluminium,” *Electrochim Acta*, vol. 319, pp. 88–94, Oct. 2019, doi: 10.1016/j.electacta.2019.06.111.
- [80] “Investigation the Mild and Hard Anodizing of 1100 Aluminium Alloy”.
- [81] C. K. Chung, C. H. Tsai, C. R. Hsu, E. H. Kuo, Y. Chen, and I. C. Chung, “Impurity and temperature enhanced growth behaviour of anodic aluminium oxide from AA5052 Al-Mg alloy

using hybrid pulse anodization at room temperature,” *Corros Sci*, vol. 125, pp. 40–47, Aug. 2017, doi: 10.1016/j.corsci.2017.05.027.

- [82] Y. M. Zulaida, A. H. Ramadhanisa, and T. Partuti, “The effect of electrolyte concentration and electric current on the quality of surface colouring on anodized aluminium,” in *IOP Conference Series: Materials Science and Engineering*, Dec. 2019, vol. 673, no. 1. doi: 10.1088/1757-899X/673/1/012138.
- [83] S. A. Shamsuddin, M. N. Derman, U. Hashim, and M. F. M. Tahir, “Study on the effects of anodizing voltage to the AAO thin film dimensional properties synthesized by single step anodization method,” in *AIP Conference Proceedings*, May 2021, vol. 2339. doi: 10.1063/5.0044544.
- [84] L. Zaraska, G. D. Sulka, J. Szeremeta, and M. Jaskuła, “Porous anodic alumina formed by anodization of aluminum alloy (AA1050) and high purity aluminum,” *Electrochim Acta*, vol. 55, no. 14, pp. 4377–4386, May 2010, doi: 10.1016/j.electacta.2009.12.054.
- [85] A. Nazemi and S. A. S. Sadjadi, “Controlling the anodizing conditions in preparation of a nanoporous anodic aluminium oxide template,” *Materials Science- Poland*, vol. 32, no. 4, pp. 565–570, Dec. 2014, doi: 10.2478/s13536-014-0220-2.
- [86] C. K. Chung, C. H. Tsai, C. R. Hsu, E. H. Kuo, Y. Chen, and I. C. Chung, “Impurity and temperature enhanced growth behaviour of anodic aluminium oxide from AA5052 Al-Mg alloy using hybrid pulse anodization at room temperature,” *Corros Sci*, vol. 125, pp. 40–47, Aug. 2017, doi: 10.1016/j.corsci.2017.05.027.
- [87] Mohler J.B and Sedusky H.J, *Electroplating for the Metallurgist, Engineer and Chemist Hardcover*. 1951.
- [88] A. J. Bard and L. R. Faulkner, *Electrochemical methods : fundamentals and applications*.
- [89] D. Tonelli, E. Scavetta, and I. Gualandi, “Electrochemical deposition of nanomaterials for electrochemical sensing,” *Sensors (Switzerland)*, vol. 19, no. 5. MDPI AG, Mar. 01, 2019. doi: 10.3390/s19051186.
- [90] D. Caschera, F. Federici, D. Zane, F. Focanti, A. Curulli, and G. Padeletti, “Gold nanoparticles modified GC electrodes: Electrochemical behaviour dependence of different neurotransmitters and molecules of biological interest on the particles size and shape,” *Journal of Nanoparticle Research*, vol. 11, no. 8, pp. 1925–1936, Nov. 2009, doi: 10.1007/s11051-008-9547-0.
- [91] N. Cioffi *et al.*, “Electrosynthesis and characterization of gold nanoparticles for electronic capacitance sensing of pollutants,” in *Electrochimica Acta*, Apr. 2011, vol. 56, no. 10, pp. 3713–3720. doi: 10.1016/j.electacta.2010.12.105.
- [92] X. Zhang, K. Wan, P. Subramanian, M. Xu, J. Luo, and J. Fransaer, “Electrochemical deposition of metal-organic framework films and their applications,” *Journal of Materials Chemistry A*, vol. 8, no. 16. Royal Society of Chemistry, pp. 7569–7587, Apr. 28, 2020. doi: 10.1039/d0ta00406e.
- [93] O. Çakir, “Chemical etching of aluminium,” *J Mater Process Technol*, vol. 199, no. 1, pp. 337–340, Apr. 2008, doi: 10.1016/j.jmatprotec.2007.08.012.

- [94] N. Lim, Y. S. Choi, A. Efremov, and K. H. Kwon, "Dry etching performance and gas-phase parameters of  $\text{C}_6\text{F}_{12}\text{O} + \text{Ar}$  plasma in comparison with  $\text{CF}_4 + \text{Ar}$ ," *Materials*, vol. 14, no. 7, Apr. 2021, doi: 10.3390/ma14071595.
- [95] N. Lim, Y. S. Choi, A. Efremov, and K. H. Kwon, "Dry etching performance and gas-phase parameters of  $\text{C}_6\text{F}_{12}\text{O} + \text{Ar}$  plasma in comparison with  $\text{CF}_4 + \text{Ar}$ ," *Materials*, vol. 14, no. 7, Apr. 2021, doi: 10.3390/ma14071595.
- [96] P. Erdogan, B. Yuksel, and Y. Birol, "Effect of chemical etching on the morphology of anodic aluminum oxides in the two-step anodization process," *Appl Surf Sci*, vol. 258, no. 10, pp. 4544–4550, Mar. 2012, doi: 10.1016/j.apsusc.2012.01.025.

