

DAFTAR PUSTAKA

- [1] Shukla V, Joshi GP, Rawat MSM. Lichens as a potential natural source of bioactive compounds: A review. *Phytochemistry Reviews* 2010. <https://doi.org/10.1007/s11101-010-9189-6>.
- [2] Ibrahim SRM, Mohamed GA, Al Haidari RA, El-Kholy AA, Zayed MF, Khayat MT. Biologically active fungal depsidones: Chemistry, biosynthesis, structural characterization, and bioactivities. *Fitoterapia* 2018;129. <https://doi.org/10.1016/j.fitote.2018.04.012>.
- [3] Seshadri TR. A theory of biogenesis of lichen depsides and depsidones. *Proceedings of the Indian Academy of Sciences - Section A* 1944. <https://doi.org/10.1007/BF03048954>.
- [4] Elix JA, Jenie UA, Parker JL. A novel synthesis of the lichen depsidones divaricolic acid and stenosporonic acid, and the biosynthetic implications. *Aust J Chem* 1987. <https://doi.org/10.1071/CH9871451>.
- [5] Huneck S, Yoshimura I. Identification of Lichen Substances. *Identification of Lichen Substances*, 1996, p. 11–123. https://doi.org/10.1007/978-3-642-85243-5_2.
- [6] Russo A, Piovano M, Lombardo L, Garbarino J, Cardile V. Lichen metabolites prevent UV light and nitric oxide-mediated plasmid DNA damage and induce apoptosis in human melanoma cells. *Life Sci* 2008. <https://doi.org/10.1016/j.lfs.2008.07.012>.
- [7] Ismed F, Dévéhat FL Le, Rouaud I, Ferron S, Bakhtiar A, Boustie J. NMR reassignment of stictic acid isolated from a Sumatran lichen *Stereocaulon montagneanum* (Stereocaulaceae) with superoxide anion scavenging activities. *Zeitschrift Fur Naturforschung - Section C Journal of Biosciences* 2017. <https://doi.org/10.1515/znc-2016-0148>.
- [8] Chomcheon P, Wiyakrutta S, Sriubolmas N, Ngamrojanavanich N, Kengtong S, Mahidol C, et al. Aromatase inhibitory, radical scavenging, and antioxidant activities of depsidones and diaryl ethers from the endophytic fungus *Corynespora cassiicola* L36. *Phytochemistry* 2009. <https://doi.org/10.1016/j.phytochem.2009.01.007>.
- [9] Millot M, Girardot M, Dutreix L, Mambu L, Imbert C. Antifungal and anti-biofilm activities of acetone lichen extracts against *Candida albicans*. *Molecules* 2017. <https://doi.org/10.3390/molecules22040651>.
- [10] Ranković B, Kosanić M. Lichens as a potential source of bioactive secondary metabolites. *Lichen Secondary Metabolites: Bioactive Properties and Pharmaceutical Potential*, 2015. https://doi.org/10.1007/978-3-319-13374-4_1.

- [11] Nishanth KS, Sreerag RS, Deepa I, Mohandas C, Nambisan B. Protocetraric acid: An excellent broad spectrum compound from the lichen *Usnea albopunctata* against medically important microbes. *Nat Prod Res* 2015. <https://doi.org/10.1080/14786419.2014.953500>.
- [12] Boustie J, Tomasi S, Grube M. Bioactive lichen metabolites: Alpine habitats as an untapped source. *Phytochemistry Reviews* 2011. <https://doi.org/10.1007/s11101-010-9201-1>.
- [13] Honda NK, Pavan FR, Coelho RG, de Andrade Leite SR, Micheletti AC, Lopes TIB, et al. Antimycobacterial activity of lichen substances. *Phytomedicine* 2010. <https://doi.org/10.1016/j.phymed.2009.07.018>.
- [14] Bay M van, Nam PC, Quang DT, Mechler A, Hien NK, Hoa NT, et al. Theoretical Study on the Antioxidant Activity of Natural Depsidones. *ACS Omega* 2020. <https://doi.org/10.1021/acsomega.9b04179>.
- [15] Duong TH, Hang TXH, Pogam P le, Tran TN, Mac DH, Dinh MH, et al. α -Glucosidase Inhibitory Depsidones from the Lichen *Parmotrema tsavoense*. *Planta Med* 2020;86. <https://doi.org/10.1055/a-1179-1050>.
- [16] Nguyen HH, Duong TH, Nguyen TVA, Do TH, Pham DD, Nguyen NH, et al. α -Glucosidase inhibitory derivatives of protocetraric acid. *Nat Prod Res* 2022;0:1–12. <https://doi.org/10.1080/14786419.2022.2110093>.
- [17] Devi AP, Duong TH, Ferron S, Beniddir MA, Dinh MH, Nguyen VK, et al. Salazinic Acid-Derived Depsidones and Diphenylethers with α -Glucosidase Inhibitory Activity from the Lichen *Parmotrema dilatatum*. *Planta Med* 2020. <https://doi.org/10.1055/a-1203-0623>.
- [18] Amo de Paz G, Raggio J, Gómez-Serranillos MP, Palomino OM, González-Burgos E, Carretero ME, et al. HPLC isolation of antioxidant constituents from *Xanthoparmelia* spp. *J Pharm Biomed Anal* 2010. <https://doi.org/10.1016/j.jpba.2010.04.013>.
- [19] Pejin B, Iodice C, Bogdanović G, Kojić V, Tešević V. Stictic acid inhibits cell growth of human colon adenocarcinoma HT-29 cells. *Arabian Journal of Chemistry* 2017. <https://doi.org/10.1016/j.arabjc.2013.03.003>.
- [20] Ranković B, Mišić M. The antimicrobial activity of the lichen substances of the lichens *cladonia furcata*, *ochrolechia androgyna*, *parmelia caperata* and *parmelia conspersa*. *Biotechnology and Biotechnological Equipment* 2008;22. <https://doi.org/10.1080/13102818.2008.10817601>.
- [21] Elix JA, Whitton AA, Sargent M v. Recent Progress in the Chemistry of Lichen Substances, 1984. https://doi.org/10.1007/978-3-7091-8717-3_2.
- [22] Kathirgamanathan S, Williams DE, Andersen RJ, Bombuwela K, De Silva D, Karunaratne V. β -orcinol depsidones from the lichen *Usnea* sp. from Sri

- Lanka. Nat Prod Res 2005;19.
<https://doi.org/10.1080/14786410512331330639>.
- [23] Papadopoulou P, Tzakou O, Vagias C, Kefalas P, Roussis V. β -orcinol metabolites from the lichen *Hypotrachyna revoluta*. Molecules 2007. <https://doi.org/10.3390/12050997>.
- [24] Ranković B, Kosanić M, Stanojković T, Vasiljević P, Manojlović N. Biological activities of *toninia candida* and *usnea barbata* together with their norstictic acid and usnic acid constituents. Int J Mol Sci 2012. <https://doi.org/10.3390/ijms131114707>.
- [25] Ismed F, Putri N, Putra DP. Kajian Fitokimia Fraksi Etil Asetat dari Lichen *Stereocaulon massartianum* Hue. dan Uji Aktivitas Antibakteri dengan Metode KLT-Bioautografi. Jurnal Sains Farmasi & Klinis 2020. <https://doi.org/10.25077/jsfk.7.2.164-171.2020>.
- [26] Jayalal U, Oh SS, Joshi S, Oh SO, Hur JS. The lichen *dirinaria picta* new to South Korea. Mycobiology 2013. <https://doi.org/10.5941/MYCO.2013.41.3.155>.
- [27] Wang Z, Hui C. Contemporary advancements in the semi-synthesis of bioactive terpenoids and steroids. Org Biomol Chem 2021;19. <https://doi.org/10.1039/d1ob00448d>.
- [28] Matsumoto M, Kobayashi H, Hotta Y. Acid-Catalyzed Oxidation of Benzaldehydes to Phenols by Hydrogen Peroxide. Journal of Organic Chemistry 1984;49. <https://doi.org/10.1021/jo00198a037>.
- [29] Roy A, Reddy KR, Mohanta PK, Ila H, Junjappa H. Hydrogen peroxide/boric acid: An efficient system for oxidation of aromatic aldehydes and ketones to phenols. Synth Commun 1999;29. <https://doi.org/10.1080/00397919908086017>.
- [30] Kalita D, Holm DG, LaBarbera D.V., Pettrash JM, Jayanty SS. Inhibition of α -glucosidase, α -amylase, and aldose reductase by potato polyphenolic compounds. PLoS One 2018;13. <https://doi.org/10.1371/journal.pone.0191025>.
- [31] Ismed F, Lohézic-Le Dévéhat F, Guiller A, Corlay N, Bakhtiar A, Boustie J. Phytochemical review of the lichen genus *Stereocaulon* (Fam. Stereocaulaceae) and related pharmacological activities highlighted by a focus on nine species. Phytochemistry Reviews 2018;17. <https://doi.org/10.1007/s11101-018-9576-y>.
- [32] Stocker-Wörgötter E, Cordeiro LMC, Iacomini M. Accumulation of potential pharmaceutically relevant lichen metabolites in lichens and cultured lichen symbionts. Studies in Natural Products Chemistry, 2013. <https://doi.org/10.1016/B978-0-444-62615-8.00010-2>.

- [33] Ismed F, Arifa N, Zaini E, Bakhtiar A, Umeda D, Putra OD, et al. Ethyl haematommate from stereocaulon graminosum schaer.: Isolation and crystal structure. *Natural Product Sciences* 2018; 2018. <https://doi.org/10.20307/nps.2018.24.2.115>.
- [34] Culberson CF, Culberson WL, Johnson A. Orcinol-Type Depsidones and Depsidones in the Lichens of the Cladonia chlorophaea Group (Ascomycotina, Cladoniaceae). *Bryologist* 1985;88. <https://doi.org/10.2307/3242681>.
- [35] Torres-Benítez A, Rivera-Montalvo M, Sepúlveda B, Castro ON, Nagles E, Simirgiotis MJ, et al. Metabolomic Analysis of Two Parmotrema Lichens: *P. robustum* (Degel.) Hale and *P. andinum* (Mull. rg.) Hale Using UHPLC-ESI-OT-MS-MS. *Molecules* 2017;22. <https://doi.org/10.3390/molecules22111861>.
- [36] Khumkomkhet P, Kanokmedhakul S, Kanokmedhakul K, Hahnvajanawong C, Soytong K. Antimalarial and cytotoxic depsidones from the fungus *Chaetomium brasiliense*. *J Nat Prod* 2009;72. <https://doi.org/10.1021/np9003189>.
- [37] Prapatsorn S, Souwalak P, Jariya S, Vatcharin R. Depsidone derivatives from the marine-derived fungus *Aspergillus unguis* PSU-MF16. *Pure and Applied Chem Int Conf (PACCON)* 2018.
- [38] Si M mei, Lou J shu, Zhou CX, Shen JN, Wu HH, Yang B, et al. Insulin releasing and alpha-glucosidase inhibitory activity of ethyl acetate fraction of *Acorus calamus* in vitro and in vivo. *J Ethnopharmacol* 2010;128. <https://doi.org/10.1016/j.jep.2009.12.044>.
- [39] Sureram S, Wiyakrutta S, Ngamrojanavanich N, Mahidol C, Ruchirawat S, Kittakoop P. Depsidones, aromatase inhibitors and radical scavenging agents from the marine-derived fungus *aspergillus unguis* CRI282-03. *Planta Med* 2012;78. <https://doi.org/10.1055/s-0031-1298228>.
- [40] Sureram S, Kesornpun C, Mahidol C, Ruchirawat S, Kittakoop P. Directed biosynthesis through biohalogenation of secondary metabolites of the marine-derived fungus *Aspergillus unguis*. *RSC Adv* 2013;3. <https://doi.org/10.1039/c2ra23021f>.
- [41] Chottanapund S, van Duursen MBM, Zwartsen A, Timtavorn S, Navasumrit P, Kittakoop P, et al. Depsidones inhibit aromatase activity and tumor cell proliferation in a co-culture of human primary breast adipose fibroblasts and T47D breast tumor cells. *Toxicol Rep* 2017;4. <https://doi.org/10.1016/j.toxrep.2017.03.004>.
- [42] Klaiklay S, Rukachaisirikul V, Aungphao W, Phongpaichit S, Sakayaroj J. Depsidone and phthalide derivatives from the soil-derived fungus

- Aspergillus unguis PSU-RSPG199. Tetrahedron Lett 2016;57. <https://doi.org/10.1016/j.tetlet.2016.08.040>.
- [43] Cai R, Chen S, Long Y, Li C, Huang X, She Z. Depsidones from Talaromyces stipitatus SK-4, an endophytic fungus of the mangrove plant Acanthus ilicifolius. Phytochem Lett 2017;20. <https://doi.org/10.1016/j.phytol.2017.04.023>.
- [44] Chen S, Liu Z, Liu Y, Lu Y, He L, She Z. New depsidones and isoindolinones from the mangrove endophytic fungus Meyerozyma guilliermondii (HZ-Y2) isolated from the South China Sea. Beilstein Journal of Organic Chemistry 2015;11. <https://doi.org/10.3762/bjoc.11.133>.
- [45] Niu S, Liu D, Hu X, Proksch P, Shao Z, Lin W. Spiromastixones A-O, antibacterial chlorodepsidones from a deep-sea-derived spiomastix sp. fungus. J Nat Prod 2014;77. <https://doi.org/10.1021/np5000457>.
- [46] Motti CA, Bourne DG, Burnell JN, Doyle JR, Haines DS, Liptrot CH, et al. Screening marine fungi for inhibitors of the C4 plant enzyme pyruvate phosphate dikinase: Unguinol as a potential novel herbicide candidate. Appl Environ Microbiol 2007;73. <https://doi.org/10.1128/AEM.02479-06>.
- [47] Manojlović N, Ranković B, Kosanić M, Vasiljević P, Stanojković T. Chemical composition of three Parmelia lichens and antioxidant, antimicrobial and cytotoxic activities of some their major metabolites. Phytomedicine 2012;19:1166–72. <https://doi.org/10.1016/j.phymed.2012.07.012>.
- [48] Uchida R, Nakajyo K, Kobayashi K, Ohshiro T, Terahara T, Imada C, et al. 7-Chlorofolipastatin, an inhibitor of sterol O-acyltransferase, produced by marine-derived Aspergillus ungui NKH-007. Journal of Antibiotics 2016;69. <https://doi.org/10.1038/ja.2016.27>.
- [49] Pavlovic V, Stojanovic I, Jadranin M, Vajs V, Djordjević I, Smelcerovic A, et al. Effect of four lichen acids isolated from Hypogymnia physodes on viability of rat thymocytes. Food and Chemical Toxicology 2013;51. <https://doi.org/10.1016/j.fct.2012.04.043>.
- [50] Behera BC, Mahadik N, Morey M. Antioxidative and cardiovascular-protective activities of metabolite usnic acid and psoromic acid produced by lichen species Usnea complanata under submerged fermentation. Pharm Biol 2012;50. <https://doi.org/10.3109/13880209.2012.654396>.
- [51] Bhattacharai HD, Kim T, Oh H, Yim JH. A new pseudodepsidone from the Antarctic lichen Stereocaulon alpinum and its antioxidant, antibacterial activity. Journal of Antibiotics 2013;66:559–61. <https://doi.org/10.1038/ja.2013.41>.
- [52] Thadhani VM, Choudhary MI, Ali S, Omar I, Siddique H, Karunaratne V. Natural Product Research: Formerly Natural Product Letters Antioxidant

- activity of some lichen metabolites Antioxidant activity of some lichen metabolites. Natural Product Research: Formerly Natural Product Letters Natural Product Research 2011;2519:1827–37.
- [53] Kosanić M, Ranković B, Stanojković T, Rančić A, Manojlović N. Cladonia lichens and their major metabolites as possible natural antioxidant, antimicrobial and anticancer agents. Lwt 2014;59:518–25. <https://doi.org/10.1016/j.lwt.2014.04.047>.
 - [54] Lohezic-Le Devehat F, Tomasi S, Elix JA, Bernard A, Rouaud I, Uriac P, et al. Stictic acid derivatives from the lichen *Usnea articulata* and their antioxidant activities. J Nat Prod 2007. <https://doi.org/10.1021/np070145k>.
 - [55] Santos LC, Honda NK, Carlos IZ, Vilegas W. Intermediate reactive oxygen and nitrogen from macrophages induced by Brazilian lichens. Fitoterapia 2004;75:473–9. <https://doi.org/10.1016/j.fitote.2004.04.002>.
 - [56] Cayman chemical. Stictic Acid Safety Data Sheet. 2021.
 - [57] Elix JA, Stocker-Wörgötter E. Biochemistry and secondary metabolites. Lichen Biology, Second Edition, 2008. <https://doi.org/10.1017/CBO9780511790478.008>.
 - [58] White PAS, Oliveira RCM, Oliveira AP, Serafini MR, Araújo AAS, Gelain DP, et al. Antioxidant activity and mechanisms of action of natural compounds isolated from lichens: A systematic review. Molecules 2014. <https://doi.org/10.3390/molecules190914496>.
 - [59] Elix JA, Wardlaw JH. Lusitanic acid, peristictic acid and verrueigeric acid. Three new β -orcinol depsidones from the lichens *Relicina sydneyensis* and *Xanthoparmelia verrucigera*. Aust J Chem 2000;53. <https://doi.org/10.1071/ch00121>.
 - [60] Wardlaw JH. A Total Synthesis of Certain Lichen Depsides. Australian National University, 1988.
 - [61] Hirayama T, Fujikawa F, Yosioka I, Kitagawa I. On the Constituents of the Lichen in the Genus Menegazzia. Menegazziaic Acid, a New Depsidone from Menegazzia asahinae (Yas. ex Zahlbr.) Sant. and Menegazzia terebrata (Hoffm.) Mass. Chem Pharm Bull (Tokyo) 1976;24. <https://doi.org/10.1248/cpb.24.2340>.
 - [62] Shimada (née Miyoshi) S, Saitoh T, Sankawa U, Shibata S. New depsidones from Lobaria oregana. Phytochemistry 1980;19. [https://doi.org/10.1016/S0031-9422\(00\)81987-1](https://doi.org/10.1016/S0031-9422(00)81987-1).
 - [63] Padrón CEH, Pérez EMR guez, Barrera JB. Chemical constituents of the lichen stereocaulon azoreum. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences 1992;47. <https://doi.org/10.1515/znc-1992-7-802>.

- [64] Arifa N. Isolasi dan Elusidasi Struktur Senyawa Metabolit Sekunder dari Lichen Sumatera *Stereocaulon graminosum* serta Pengujian Aktivitas Antibakteri. Universitas Andalas, 2018.
- [65] Korth-Bradley JM. Handbook of Basic Pharmacokinetics...Including Clinical Applications, 7th Edition. Annals of Pharmacotherapy 2010;44. <https://doi.org/10.1345/aph.1m652>.
- [66] Lourenço AM, Ferreira LM, Branco PS. Molecules of natural origin, semi-synthesis and synthesis with anti-inflammatory and anticancer utilities. Curr Pharm Des 2012;18. <https://doi.org/10.2174/138161212802083644>.
- [67] Slater CD. Organic Chemistry, 4th Edition (Pine, Stanley H.; Hendrickson, James B.; Cram, Donald J.; Hammond, George S.). J Chem Educ 1982;59. <https://doi.org/10.1021/ed059pa66.1>.
- [68] Siswandono, Soekardjo. Kimia Medisinal. 2nd ed. Surabaya: Airlangga University Press; 2000.
- [69] Gad HA, El-Ahmady SH, Abou-Shoer MI, Al-Azizi MM. Application of chemometrics in authentication of herbal medicines: A review. Phytochemical Analysis 2013;24. <https://doi.org/10.1002/pca.2378>.
- [70] McMurry J. Organic Chemistry 9th Ed. 2015.
- [71] Fu GC. Transition-Metal Catalysis of Nucleophilic Substitution Reactions: A Radical Alternative to SN1 and SN2 Processes. ACS Cent Sci 2017;3. <https://doi.org/10.1021/acscentsci.7b00212>.
- [72] Solomons G, Fryhle C, Snyder S. Organic Chemistry 11th Edition. United States : John Wiley & Sons, Inc; 2015.
- [73] Firdaus. Kimia Organik Sintesis I . Makassar: Universitas Hasanuddin ; 2012.
- [74] Yaremenko IA, Vil' VA, Demchuk D V., Terent'ev AO. Rearrangements of organic peroxides and related processes. Beilstein Journal of Organic Chemistry 2016;12. <https://doi.org/10.3762/bjoc.12.162>.
- [75] Holman RW. Strategic Applications of Named Reactions in Organic Synthesis: Background and Detailed Mechanisms (Kürti, László; Czakó, Barbara). J Chem Educ 2005;82. <https://doi.org/10.1021/ed082p1780.3>.
- [76] Yaremenko IA, Vil' VA, Demchuk D V., Terent'ev AO. Rearrangements of organic peroxides and related processes. Beilstein Journal of Organic Chemistry 2016;12:1647–748. <https://doi.org/10.3762/bjoc.12.162>.
- [77] Strukul G. Transition metal catalysis in the Baeyer-Villiger oxidation of ketones. Angewandte Chemie - International Edition 1998;37. [https://doi.org/10.1002/\(sici\)1521-3773\(19980518\)37:9<1198::aid-anie1198>3.0.co;2-y](https://doi.org/10.1002/(sici)1521-3773(19980518)37:9<1198::aid-anie1198>3.0.co;2-y).

- [78] G. R. Krow. The Baeyer-Villiger oxidation of ketones and aldehydes. *Organic Reactions* 1993;43.
- [79] ten Brink GJ, Arends IWCE, Sheldon RA. The Baeyer-Villiger reaction: New developments toward greener procedures. *Chem Rev* 2004;104. <https://doi.org/10.1021/cr030011l>.
- [80] Krow RG. *The Baeyer Villager Oxidation of Ketones and Aldehydes*. John Wiley & Sons, Inc; 1993.
- [81] Hoffmann P. The development and evaluation of procedures for the synthesis of phenolic ethers by Baeyer-Villiger oxidation. 2001.
- [82] Harborne JB. *Metode Fitokimia: Penuntun Cara Modern Menganalisis Tumbuhan*, diterjemahkan oleh Kosasih Padmawinata dan Iwang Soediro. Penerbit ITB, Bandung 1987.
- [83] Kulys J. *Chromatography Today. Bioelectrochemistry and Bioenergetics* 1992. [https://doi.org/10.1016/0302-4598\(92\)80044-h](https://doi.org/10.1016/0302-4598(92)80044-h).
- [84] Davies SL, Davison AS. Liquid chromatography tandem mass spectrometry for plasma metadrenalines. *Clinica Chimica Acta* 2019. <https://doi.org/10.1016/j.cca.2019.05.024>.
- [85] Wulandari L. *Kromatografi Lapis Tipis*. 2011.
- [86] Ninla Elmawati Falabiba, Anggaran W, Mayssara A, Abo Hassanin Supervised Affiifi, Wiyono BB, Ninla Elmawati Falabiba, Zhang YJ, et al. *Kromatografi Lapis Tipis Metode Sederhana Dalam Analisis Kimia Tumbuhan Berkayu*. Paper Knowledge Toward a Media History of Documents 2014;5.
- [87] Sarker S, Latif Z, Gray A. *Natural Products Isolation Second Edition*. Journal of Young Pharmacists 2017.
- [88] Wardiyah, Yusmaniar, Nida K. *Bahan Ajar Farmasi Mikrobiologi dan Parasitologi*. 2017.
- [89] Gritter , R. J. Bobbic, J. N., dan Schwarting AE. *Pengantar Kromatografi*. Suplemen 1991.
- [90] Atun S. *Metode Isolasi dan Identifikasi Struktural Senyawa Organik Bahan Alam*. *Jurnal Konservasi Cagar Budaya* 2014. <https://doi.org/10.33374/jurnalkonservasicagarbudaya.v8i2.132>.
- [91] Watson DG. *Analisis Farmasi*. Penerbit Buku Kedokteran EGC Jakarta 2009.
- [92] Adawiyah R. *Kimia Farmasi Analisis*. Skripsi 2017.

- [93] Hostettmann K, Marston A, Hostettmann M. Preparative Pressure Liquid Chromatography. Preparative Chromatography Techniques, 1998. https://doi.org/10.1007/978-3-662-03631-0_5.
- [94] Bagur-González MG, Jiménez-Carvelo AM, Ortega-Gavilán F, González-Casado A. Chromatographic methods. Food Authentication and Traceability, 2020. <https://doi.org/10.1016/B978-0-12-821104-5.00012-X>.
- [95] Day R, Underwood A. Analisis Kimia Kuantitatif. Edisi Keenam. Jakarta: Erlangga; 2022.
- [96] Kristanti A, Aminah N, Tanjung M, Kurniadi B. Buku ajar Fitokimia. Reka Buana : Jurnal Ilmiah Teknik Sipil Dan Teknik Kimia 2019.
- [97] Dachriyanus D. Analisis Struktur Senyawa Organik Secara Spektroskopi. 2017. <https://doi.org/10.25077/car.3.1>.
- [98] Silverstein RM, Webster FX, Kiemle DJ. Spectrometric identification of organic compounds 7ed 2005 - Silverstein, Webster & Kiemle.pdf. Microchemical Journal 2005;21.
- [99] Greever JC. Organic Chemistry, Fifth Edition (Fessenden, Ralph J.; Fessenden, Joan S.). J Chem Educ 1995;72. <https://doi.org/10.1021/ed072pa151.2>.
- [100] Hart H, Craine LE, Hart DJ, Vinod TK. Melting Point Determination adapted from Organic Chemistry: A Short Course. Organic Chemistry: A Short Course 2012;13th ed.
- [101] McMurry J. Organic Chemistry. USA: Brooks/Cole; 1999.
- [102] Hart H, Craine LE, Hart DJ. Organic Chemistry: A Short Course, 10th edition. J Chem Educ 1999;76. <https://doi.org/10.1021/ed076p1341.1>.
- [103] Cahaya Himawan H, Surjana V, Prawira L. Karakterisasi dan Identifikasi Komponen Kimiarimpang Kunyit (*Curcuma domestica* Val.) Sebagai Inhibitor Bakteri Patogen. Fitofarmaka: Jurnal Ilmiah Farmasi 2012;2. <https://doi.org/10.33751/jf.v2i2.166>.
- [104] Dipiro JT, Wells BG, Schwinghammer TL. Pharmacotherapy Handbook Ninth Edition-Section 4. vol. Chapter 19. United States: The McGraw-Hill Companies, Inc; 2015.
- [105] IDF. IDF Diabetes Atlas 10 th Edition. 2021.
- [106] Kementerian Kesehatan RI. Info Datin Tetap Produktif, Cegah, dan Atasi Diabetes melitus. Jakarta: Kementerian Kesehatan RI Pusat Data dan Informasi; 2020.
- [107] Neal MJ. At a Glance Farmakologi Medis Edisi Kelima. vol. 5. 2006.

- [108] Chiba S, Hibi N, Shimomura T. Substrate Specificity of a Neutral α -Glucosidase from Pig Serum. *Agric Biol Chem* 1976;40. <https://doi.org/10.1271/bbb1961.40.1813>.
- [109] Arsiningtyas IS, Gunawan-Puteri MDPT, Kato E, Kawabata J. Identification of α -glucosidase inhibitors from the leaves of *Pluchea indica* (L.) Less., a traditional Indonesian herb: Promotion of natural product use. *Nat Prod Res* 2014;28. <https://doi.org/10.1080/14786419.2014.904306>.
- [110] Zhang M, Feng R, Yang M, Qian C, Wang Z, Liu W, et al. Effects of metformin, acarbose, and sitagliptin monotherapy on gut microbiota in Zucker diabetic fatty rats. *BMJ Open Diabetes Res Care* 2019;7. <https://doi.org/10.1136/bmjdrc-2019-000717>.
- [111] Min SH, Yoon JH, Hahn S, Cho YM. Efficacy and safety of combination therapy with an α -glucosidase inhibitor and a dipeptidyl peptidase-4 inhibitor in patients with type 2 diabetes mellitus: A systematic review with meta-analysis. *J Diabetes Investig* 2018;9. <https://doi.org/10.1111/jdi.12754>.
- [112] Derosa G, Maffioli P. α -Glucosidase inhibitors and their use in clinical practice. *Archives of Medical Science* 2012;8. <https://doi.org/10.5114/aoms.2012.31621>.
- [113] Kumar S, Narwal S, Kumar V, Prakash O. α -glucosidase inhibitors from plants: A natural approach to treat diabetes. *Pharmacogn Rev* 2011;5. <https://doi.org/10.4103/0973-7847.79096>.
- [114] Frengki. Isolasi, Elusidasi Struktur Dan Uji Bioaktivitas Kandungan Kimia Fraksi Etil Asetat Kulit Batang Tanaman *Calophyllum Macrophyllum Scheff*. Jakarta: Universitas Indonesia; 2010.
- [115] Yang Y, Gu L, Xiao Y, Liu Q, Hu H, Wang Z, et al. Rapid identification of α -glucosidase inhibitors from *phlomis tuberosa* by sepbox chromatography and thin-layer chromatography bioautography. *PLoS One* 2015;10:1–13. <https://doi.org/10.1371/journal.pone.0116922>.
- [116] MATSUMOTO M. Synthesis of fine chemicals by the use of oxidation. Oxygenation of arenes with hydrogen peroxide. *Journal of The Japan Petroleum Institute* 1986;29. <https://doi.org/10.1627/jpi1958.29.364>.
- [117] Ismed F. Phytochimie de lichens du genre *Stereocaulon* : étude particuli`ere de *S. Halei* Lamb et *S. montagneanum* Lamb, deux lichens recolt`es en Indonésie. Francais: 2012.
- [118] Gómez-Bombarelli R, Calle E, Casado J. Mechanisms of lactone hydrolysis in neutral and alkaline conditions. *Journal of Organic Chemistry* 2013;78. <https://doi.org/10.1021/jo400258w>.
- [119] Kumar K, Siva B, Sarma VUM, Mohabe S, Reddy AM, Boustie J, et al. UPLC–MS/MS quantitative analysis and structural fragmentation study of

- five Parmotrema lichens from the Eastern Ghats. *J Pharm Biomed Anal* 2018;156. <https://doi.org/10.1016/j.jpba.2018.04.017>.
- [120] Tsui GC, Ye Y. Furans and Their Benzo Derivatives: Reactivity. *Comprehensive Heterocyclic Chemistry IV*, 2021. <https://doi.org/10.1016/B978-0-12-409547-2.14773-0>.
- [121] Nguyen K Van, Duong HT. Extraction, isolation and characterization of depsidones from Usnea baileyi (Stirt.) Zahlbr collected from tree barks in Tam Bo Mountain of Di Linh, Lam Dong Province, Viet Nam. *Science and Technology Development Journal* 2018;21. <https://doi.org/10.32508/stdj.v21i1.422>.
- [122] Bui VM, Duong TH, Chavasiri W, Nguyen KPP, Huynh BLC. A new depsidone from the lichen Usnea ceratina Arch. *Nat Prod Res* 2022;36. <https://doi.org/10.1080/14786419.2020.1828405>.
- [123] Sumarlin LO, Sukandar D, Pratiwi L. Aktivitas Penghambatan α -Glukosidase Campuran Ekstrak Daun Namnam (*Cynometra cauliflora* L.) dan Madu Kaliandra. *Al-Kimiya* 2020;6. <https://doi.org/10.15575/ak.v6i2.6577>.
- [124] Van Quan N, Xuan TD, Tran HD, Thuy NTD, Trang LT, Huong CT, et al. Antioxidant, α -Amylase and α -Glucosidase Inhibitory Activities and Potential Constituents of Canarium tramedenum Bark. *Molecules* 2019;24. <https://doi.org/10.3390/molecules24030605>.
- [125] Yin Z, Zhang W, Feng F, Zhang Y, Kang W. α -Glucosidase inhibitors isolated from medicinal plants. *Food Science and Human Wellness* 2014;3. <https://doi.org/10.1016/j.fshw.2014.11.003>.
- [126] Şöhretoğlu D, Sari S. Flavonoids as alpha-glucosidase inhibitors: mechanistic approaches merged with enzyme kinetics and molecular modelling. *Phytochemistry Reviews* 2020;19. <https://doi.org/10.1007/s11101-019-09610-6>.