

DAFTAR PUSTAKA

- Ahmad, S., Ashraf, I., Mansoor, M. A., Rizwan, S., & Iqbal, M. (2021). An overview of recent advances in the synthesis and applications of the transition metal carbide nanomaterials. *Nanomaterials*, *11*(3), 1–36. <https://doi.org/10.3390/nano11030776>
- Alemu, A., & Kerie, E. (2022). Removal of acid yellow 17 dye from aqueous solutions using activated water hyacinth (*Eichhornia crassipes*). *Water Practice and Technology*, *17*(6), 1294–1304. <https://doi.org/10.2166/wpt.2022.063>
- Amanda, D. (2019). Uji Persamaan Langmuir dan Freundlich Pada Penyerapan Ion Logam Kobalt (II) oleh Kitosan dari Kulit Udang Windu (*Penaeus Monodon*). *Skripsi, Ii*, 16.
- Amelia, S. (2019). *Penerapan Zeolit Alam dalam Proses Pengolahan Air Limbah Metilen Biru oleh Metode Adsorpsi Abstrak*. *8*(2), 144–147.
- Apriyani, N. (2018). *Industri Batik: Kandungan Limbah Cair dan Metode Pengolahannya*. *3*(1), 21–29.
- Asrofi, M., Abral, H., Kasim, A., Pratoto, A., Mahardika, M., Park, J. W., & Kim, H. J. (2018). Isolation of Nanocellulose from Water Hyacinth Fiber (WHF) Produced via Digester-Sonication and Its Characterization. *Fibers and Polymers*, *19*(8), 1618–1625. <https://doi.org/10.1007/s12221-018-7953-1>
- Astuti, W. (2018). Adsorpsi Menggunakan Material Berbasis Lignoselulosa. In *Unnes Press*.
- Atkins, P., Paula, J. de, & Keeler, J. (2018). *Physical Chemistry* (11 ed.). Oxford University Press.
- Baird, R. B., & Bridgewater, L. L. (2017). *Standard Methods for the Examination of Water and Wastewater*. *23rd ed.*
- Baunsele, A. B., & Missa, H. (2020). Kajian Kinetika Adsorpsi Metilen Biru Menggunakan Adsorben Sabut Kelapa. *Akta Kimia Indonesia*, *5*(2), 76. <https://doi.org/10.12962/j25493736.v5i2.7791>
- Bisswanger, H. (2008). Enzyme Kinetics: Principles and Methods: Second Edition. In *Enzyme Kinetics: Principles and Methods: Second Edition*. <https://doi.org/10.1002/9783527622023>
- Bustami, Abdullah, D., & Fadlisyah. (2014). *Statistika; Terapannya pada Bidang Informatika*.
- Cai, C., Wang, R., Liu, S., Yan, X., Zhang, L., Wang, M., Tong, Q., & Jiao, T. (2020). Synthesis of self-assembled phytic acid-MXene nanocomposites via a facile hydrothermal approach with elevated dye adsorption capacities. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, *589*(January). <https://doi.org/10.1016/j.colsurfa.2020.124468>
- Carey, M., & Barsoum, M. W. (2021). MXene polymer nanocomposites: a review. *Materials Today Advances*, *9*. <https://doi.org/10.1016/j.mtadv.2020.100120>
- Carneiro, M. T., Barros, A. Z. B., Morais, A. I. S., Carvalho Melo, A. L. F., Bezerra, R. D. S., Osajima, J. A., & Silva-Filho, E. C. (2022). Application of Water Hyacinth Biomass (*Eichhornia crassipes*) as an Adsorbent for Methylene Blue Dye from Aqueous Medium: Kinetic and Isothermal Study. *Polymers*, *14*(13). <https://doi.org/10.3390/polym14132732>
- Dampthey, L., Jaato, B. N., Ribeiro, C. S., Varagnolo, S., Power, N. P., Selvaraj, V.,

- Dodoo-Arhin, D., Kumar, R. V., Sreenilayam, S. P., Brabazon, D., Kumar Thakur, V., & Krishnamurthy, S. (2022). Surface Functionalized MXenes for Wastewater Treatment—A Comprehensive Review. *Global Challenges*, 6(6), 2100120. <https://doi.org/10.1002/gch2.202100120>
- Dong, Y., Sang, D., He, C., Sheng, X., & Lei, L. (2019). Mxene/alginate composites for lead and copper ion removal from aqueous solutions. *RSC Advances*, 9(50), 29015–29022. <https://doi.org/10.1039/c9ra05251h>
- Dwiasi, D. W., Setyaningtyas, T., & Riyani, K. (2018). Penurunan Kadar Metilen Biru Dalam Limbah Batik Sokaraja Menggunakan Sistem Fe₂O₃-H₂O₂-UV. *Jurnal Rekayasa Kimia & Lingkungan*, 13(1), 78–86. <https://doi.org/10.23955/rkl.v13i1.10572>
- Eckenfelder, W. . (2000). *Industrial Water Pollution Control* (Third). McGraw Hill
- Elbasiouny, H., Darwesh, M., Elbeltagy, H., Abo-alhamd, F. G., Amer, A. A., Elsegaïy, M. A., Khattab, I. A., Elsharawy, E. A., Ebehiry, F., El-Ramady, H., & Brevik, E. C. (2021). Ecofriendly remediation technologies for wastewater contaminated with heavy metals with special focus on using water hyacinth and black tea wastes: a review. *Environmental Monitoring and Assessment*, 193(7). <https://doi.org/10.1007/s10661-021-09236-2>
- Fard, A. K., Mckay, G., Chamoun, R., Rhadfi, T., Preud'Homme, H., & Atieh, M. A. (2017). Barium removal from synthetic natural and produced water using MXene as two dimensional (2-D) nanosheet adsorbent. *Chemical Engineering Journal*, 317, 331–342. <https://doi.org/10.1016/j.cej.2017.02.090>
- Fitriyah. (2016). Interkalasi Xilenol Orange Pada Zeolit Alam Lampung sebagai Elektroda Zeolit Termodifikasi. *Jurnal Kimia dan Pendidikan*, 1(2), 162–175.
- Fogler, H. S. (2018). *Essentials of Chemical Reaction Engineering Second Edition* (Second). Prenrtice Hall.
- Gan, D., Huang, Q., Dou, J., Huang, H., Chen, J., Liu, M., Wen, Y., Yang, Z., Zhang, X., & Wei, Y. (2019). Bioinspired functionalization of MXenes (Ti₃C₂TX) with amino acids for efficient removal of heavy metal ions. *Applied Surface Science*, 504(October), 144603. <https://doi.org/10.1016/j.apsusc.2019.144603>
- Hao, C., Li, G., Wang, G., Chen, W., & Wang, S. (2022). Preparation of acrylic acid modified alkalized MXene adsorbent and study on its dye adsorption performance. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 632(August 2021). <https://doi.org/10.1016/j.colsurfa.2021.127730>
- Hardiyati, R., Sylvia, N., & Muahmmad. (2022). *Adsorpsi Metilen Biru Menggunakan Karbon Aktif dari Ampas Tebu*. 879–888.
- Harinaldi. (2005). *Prinsip - Prinsip Statistik Untuk Teknik dan Sains*. Erlangga.
- Herlina, A. (2022). *Uji Kemampuan Adsorben Nanokomposit Mxene/eceng gondok dalam Penyisihan Logam Berat Cu dari Air Limbah Electroplating dengan Variasi pH dan Rasio Nanokomposit*. Tugas Akhir. Padang: Universitas Andalas.
- Hidayati, P., Ulfin, I., & Juwono, H. (2016). Adsorpsi Zat Warna Remazol Brilliant Blue R Menggunakan Nata de coco: Optimasi Dosis Adsorben dan Waktu Kontak. *Jurnal Sains dan Seni ITS*, 5(2), 2337–3520.
- Huda, T., & Yulitaningtyas, T. K. (2018). Kajian Adsorpsi Methylene Blue Menggunakan Selulosa dari Alang-Alang. *IJCA (Indonesian Journal of*

- Chemical Analysis*), 1(01), 9–19. <https://doi.org/10.20885/ijca.vol1.iss1.art2>
- Ibnu Hajar, E. W., Reny Suryani Sitorus, Novi Mullaningtiyas, & Fransiska Jawa Welan. (2016). *Efektivitas Adsorpsi Logam Pb 2+ Dan Cd 2+ Menggunakan Media Adsorben Cangkang Telur Ayam* (Vol. 5, Nomor 1).
- Indah, D. R. (2022). Adsorpsi Metilen Biru Menggunakan Karbon Baggase Tanpa Aktivasi. *Jurnal Ilmiah IKIP Mataram*, 9(1), 50–58.
- Irawan, C., Purwanti, A., & Norhasanah, N. (2019). Adsorpsi Logam Timbal Secara Batch dan Kontinu Menggunakan Karbon Aktif dari Cangkang Kelapa Sawit. *JTERA (Jurnal Teknologi Rekayasa)*, 4(2), 267. <https://doi.org/10.31544/jtera.v4.i2.2019.267-276>
- Jun, B. M., Her, N., Park, C. M., & Yoon, Y. (2020). Effective removal of Pb(ii) from synthetic wastewater using Ti3C2Tx MXene. *Environmental Science: Water Research and Technology*, 6(1), 173–180. <https://doi.org/10.1039/c9ew00625g>
- Jun, B. M., Kim, S., Rho, H., Park, C. M., & Yoon, Y. (2020). Ultrasound-assisted Ti3C2Tx MXene adsorption of dyes: Removal performance and mechanism analyses via dynamic light scattering. *Chemosphere*, 254. <https://doi.org/10.1016/j.chemosphere.2020.126827>
- Jun, B. moon, Heo, J., Taheri-qazvini, N., Min, C., & Yoon, Y. (2019). *Adsorption of selected dyes on Ti3C2Tx MXene and Al-based metal-organic framework*. 1–28.
- Kadhom, M., Kalash, K., & Al-Furaiji, M. (2022). Performance of 2D MXene as an adsorbent for malachite green removal. *Chemosphere*, 290(December 2021). <https://doi.org/10.1016/j.chemosphere.2021.133256>
- Kementerian Lingkungan Hidup Republik Indonesia. (2014). Peraturan Menteri Lingkungan Hidup Republik Indonesia. *Angewandte Chemie International Edition*, 6(11), 951–952., 13(April), 15–38.
- Khan, I., Saeed, K., Zekker, I., Zhang, B., Hendi, A. H., Ahmad, A., Ahmad, S., Zada, N., Ahmad, H., Shah, L. A., Shah, T., & Khan, I. (2022). Review on Methylene Blue: Its Properties, Uses, Toxicity and Photodegradation. *Water (Switzerland)*, 14(2). <https://doi.org/10.3390/w14020242>
- Kirk, R. E., Othmer, D. F., Grayson, M., & Eckroth, D. (2004). *Kirk-Othmer Encyclopedia of Chemical Technology* (4 ed., Vol. 5).
- Kulkarni, M. R., Revanth, T., Acharya, A., & Bhat, P. (2017). Removal of Crystal Violet dye from aqueous solution using water hyacinth: Equilibrium, kinetics and thermodynamics study. *Resource-Efficient Technologies*, 3(1), 71–77. <https://doi.org/10.1016/j.refit.2017.01.009>
- Kwon, S., Fan, M., DaCosta, H. F. M., Russell, A. G., Berchtold, K. A., & Dubey, M. K. (2011). CO2 Sorption. In *Coal Gasification and Its Applications*. Elsevier Inc. <https://doi.org/10.1016/b978-0-8155-2049-8.10010-5>
- Langmuir, I. (1918). The Adsorption of Gases on Plane Surfaces of Mica. *Journal of the American Chemical Society*, 40(9), 1361–1403.
- Lei, Y., Cui, Y., Huang, Q., Dou, J., Gan, D., Deng, F., Liu, M., Li, X., Zhang, X., & Wei, Y. (2019). Facile preparation of sulfonic groups functionalized Mxenes for efficient removal of methylene blue. *Ceramics International*, 45(14), 17653–17661. <https://doi.org/10.1016/j.ceramint.2019.05.331>
- Lestari, Y. D., Wardhani, S., & Khunur, M. M. (2015). Degradasi Methylene Blue Menggunakan Fotokatalis Tio2- N/Zeolit Dengan Sinar Matahari. *American*

- journal of therapeutics*, 10(4), 289–291.
- Lim, S., Kim, J. H., Park, H., Kwak, C., Yang, J., Kim, J., Ryu, S. Y., & Lee, J. (2021). Role of electrostatic interactions in the adsorption of dye molecules by Ti₃C₂-MXenes. *RSC Advances*, 11(11), 6201–6211. <https://doi.org/10.1039/d0ra10876f>
- Lin, Q., Zeng, G., Yan, G., Luo, J., Cheng, X., Zhao, Z., & Li, H. (2022). Self-cleaning photocatalytic MXene composite membrane for synergistically enhanced water treatment: Oil/water separation and dyes removal. *Chemical Engineering Journal*, 427(July 2021), 131668. <https://doi.org/10.1016/j.cej.2021.131668>
- Linshan, Z., Huang, D., Zhao, P., Yue, G., Yang, L., & Dan, W. (2022). Highly efficient methylene blue removal by TMAOH delaminated Ti₃C₂T_x MXene suspension and the mechanistic aspect. *Separation and Purification Technology*, 288(January), 120718. <https://doi.org/10.1016/j.seppur.2022.120718>
- Luo, S., Wang, R., Yin, J., Jiao, T., Chen, K., Zou, G., Zhang, L., Zhou, J., Zhang, L., & Peng, Q. (2019). Preparation and dye degradation performances of self-assembled MXene-Co₃O₄ nanocomposites synthesized via solvothermal approach. *ACS Omega*, 4(2), 3946–3953. <https://doi.org/10.1021/acsomega.9b00231>
- Lyubchik, S., Lyubchik, A., Lygina, O., Lyubchik, S., & Fonseca, I. (2011). Comparison of the Thermodynamic Parameters Estimation for the Adsorption Process of the Metals from Liquid Phase on Activated Carbons. In *Thermodynamics - Interaction Studies - Solids, Liquids and Gases*. InTech. <https://doi.org/10.5772/19514>
- Mahreni, M. (2016). *Batik Warna Alami*. Universitas Pembangunan Nasional Veteran Yogyakarta.
- Maryudi, M., Aktawan, A., & Amelia, S. (2021). Pengolahan Limbah Pewarna Metilen Biru Menggunakan Arang Aktif dan Zeolit Aktif dengan Katalis Fe dan Oksidator Hidrogen Peroksida. *Jurnal Riset Kimia*, 12(2). <https://doi.org/10.25077/jrk.v12i2.414>
- Mashtalir, O., Cook, K. M., Mochalin, V. N., Crowe, M., Barsoum, M. W., & Gogotsi, Y. (2014). Dye adsorption and decomposition on two-dimensional titanium carbide in aqueous media. *Journal of Materials Chemistry A*, 2(35), 14334–14338. <https://doi.org/10.1039/c4ta02638a>
- Masnesia, A. (2017). *Pengolahan Limbah Cair Batik Menggunakan Metode Presipitasi dan Fitoremediasi*.
- Meng, L., Pingxiu, Z., Qianfang, W., Yu, N., Zhang, X., & Su, S. (2023). *Electrospinning Novel Sodium Alginate / MXene Nanofiber Membranes for Effective Adsorption of Methylene Blue*.
- Muñoz, A. R., Pérez, S., Saldaña, J. M., Flórez, E., & Acelas, N. (2021). Eco-friendly materials obtained through a simple thermal transformation of water hyacinth (*Eichhornia Crassipes*) for the removal and immobilization of Cd²⁺ and Cu²⁺ from aqueous solutions. *Environmental Nanotechnology, Monitoring and Management*, 16(September). <https://doi.org/10.1016/j.enmm.2021.100574>
- Nuryadi, Astuti, T. D., Utami, E. S., & Budiantara, M. (2017). *Buku ajar dasar-dasar statistik penelitian*.

- Oladoye, P. O., Ajiboye, T. O., Omotola, E. O., & Oyewola, O. J. (2022). Methylene blue dye: Toxicity and potential technologies for elimination from (waste)water. *Results in Engineering*, 16(September), 100678. <https://doi.org/10.1016/j.rineng.2022.100678>
- Patel, H. (2019). Fixed-bed column adsorption study: a comprehensive review. *Applied Water Science*, 9(3). <https://doi.org/10.1007/s13201-019-0927-7>
- Peng, Q., Guo, J., Zhang, Q., Xiang, J., Liu, B., Zhou, A., Liu, R., & Tian, Y. (2014). Unique lead adsorption behavior of activated hydroxyl group in two-dimensional titanium carbide. *Journal of the American Chemical Society*, 136(11), 4113–4116. <https://doi.org/10.1021/ja500506k>
- Pratiwi, M. R. (2018). analisis bioremediasi dengan pemanfaatan tumbuhan eceng gondok (*Eichhornia crassipes*) dan tumbuhan hydrilla (*Hydrilla verticillates*) pada budidaya ikan mas (*Cyprinus carpio*). 1–80.
- Presiden, R. I. (2021). *Peraturan Pemerintah Republik Indonesia No. 22: Penyelenggaraan Perlindungan dan Pengelolaan Lingkungan Hidup. 085459.*
- Rahayu, L. D. R., Nasra, E., Azhar, M., & Etika, S. B. (2021). Adsorpsi Zat Warna Methylene Blue Menggunakan Karbon Aktif dari Kulit Durian (*Durio zibethinus Murr.*). 10(2), 8–13.
- Razi, M. A. M., Hishammudin, M. N. A. M., & Hamdan, R. (2017). Factor Affecting Textile Dye Removal Using Adsorbent from Activated Carbon: A Review. *MATEC Web of Conferences*, 103, 1–17. <https://doi.org/10.1051/mateconf/201710306015>
- Rethinasabapathy, M., Bhaskaran, G., Park, B., Shin, J. Y., Kim, W. S., Ryu, J., & Huh, Y. S. (2022). Iron oxide (Fe₃O₄)-laden titanium carbide (Ti₃C₂Tx) MXene stacks for the efficient sequestration of cationic dyes from aqueous solution. *Chemosphere*, 286(July 2021). <https://doi.org/10.1016/j.chemosphere.2021.131679>
- Reynolds, T. D., & Richards, P. A. (1996). Unit operations and processes in environmental engineering 2nd ed. In *PWS series in engineering*. (hal. 25,350,749).
- Ristianingsih, Y., Istiani, A., & Irfandy, F. (2020). Kesenimbangan Adsorpsi Zat Warna Metilen Blue dengan Adsorben Karbon Aktif Tongkol Jagung Terimpregnasi Fe₂O₃. *Teknologi Agro-Industri*, 7(1), 47–55.
- Riwayati, I., Fikriyyah, N., & Suwardiyono. (2019). Adsorpsi Zat Warna Methylene Blue Menggunakan Abu Alang-Alang (*Imperata cylindrica*) Teraktivasi Asam Sulfat. 4(Oktober), 6–11.
- Sagita, F., Radiman, C. L., Ledyastuti, M., Khalil, M., & Kadja, G. T. M. (2022). Salt-modified MXene membrane for ultrafast and efficient cationic and anionic dyes removal. *Journal of Water Process Engineering*, 49(10), 103133. <https://doi.org/10.1016/j.jwpe.2022.103133>
- Santos, K. J. L., Santos, G. E. de S., de Sá, Í. M. G. L., Ide, A. H., Duarte, J. L. da S., de Carvalho, S. H. V., Soletti, J. I., & Meili, L. (2019). Wodyetia bifurcata biochar for methylene blue removal from aqueous matrix. *Bioresource Technology*, 293(June), 122093. <https://doi.org/10.1016/j.biortech.2019.122093>
- Shahzad, A., Rasool, K., Miran, W., Nawaz, M., Jang, J., Mahmoud, K. A., & Lee, D. S. (2017). Two-Dimensional Ti₃C₂Tx MXene Nanosheets for Efficient Copper Removal from Water. *ACS Sustainable Chemistry and Engineering*,

- 5(12), 11481–11488. <https://doi.org/10.1021/acssuschemeng.7b02695>
- Sharma, R., Saini, H., Paul, D. R., Chaudhary, S., & Nehra, S. P. (2021). Removal of organic dyes from wastewater using *Eichhornia crassipes*: a potential phytoremediation option. *Environmental Science and Pollution Research*, 28(6), 7116–7122. <https://doi.org/10.1007/s11356-020-10940-8>
- Shuck, C. E., Sarycheva, A., Anayee, M., Levitt, A., Zhu, Y., Uzun, S., Balitskiy, V., Zahorodna, V., Gogotsi, O., & Gogotsi, Y. (2020). Scalable Synthesis of Ti₃C₂T_x MXene. *Advanced Engineering Materials*, 22(3). <https://doi.org/10.1002/adem.201901241>
- Silbey, R. J., Alberty, R. A., & Bawendi, M. G. (2005). *Physical Chemistry* (Fourth).
- Sirajuddin, Syahrir, M., & Syahrir, I. (2017). Optimasi Kecepatan Pengadukan Pada Proses Adsorpsi Limbah Cair Laundry Untuk Menurunkan Kadar Surfaktan Menggunakan Batu Bara. *Seminar Nasional Sains dan Teknologi 2017*, November, 1–8. jurnal.umj.ac.id/index.php/semnastek
- Song, G., Kang, R., Guo, L., Ali, Z., Chen, X., Zhang, Z., Yan, C., Lin, C. Te, Jiang, N., & Yu, J. (2020). Highly flexible few-layer Ti₃C₂MXene/cellulose nanofiber heat-spreader films with enhanced thermal conductivity. *New Journal of Chemistry*, 44(17), 7186–7193. <https://doi.org/10.1039/d0nj00672f>
- Stuart, B. H. (2004). *Infrared Spectroscopy: Fundamentals and Applications*. In *Infrared Spectroscopy: Fundamentals and Applications*. <https://doi.org/10.1002/0470011149>
- Sukarni, S., Zakaria, Y., Sumarli, S., Wulandari, R., Ayu Permanasari, A., & Suhermanto, M. (2019). Physical and Chemical Properties of Water Hyacinth (*Eichhornia crassipes*) as a Sustainable Biofuel Feedstock. *IOP Conference Series: Materials Science and Engineering*, 515(1), 0–7. <https://doi.org/10.1088/1757-899X/515/1/012070>
- Suyasa, I. W. B., Suastuti, N. G. A. M. D. A., & Raharja, I. G. M. A. P. (2018). Inokulasi Suspensi Aktif pada Biosistem Vertikal dengan Tumbuhan Rumput Gajah (*Pennisetum purpureum*) dalam Penurunan Kadar Metilen Biru, Cd dan Cr Total. *Jurnal Kimia*, 107. <https://doi.org/10.24843/jchem.2018.v12.i02.p03>
- Suzuki, M. (1990). Adsorption engineering. In *Reactive Polymers* (Vol. 25). [https://doi.org/10.1016/0923-1137\(91\)90043-n](https://doi.org/10.1016/0923-1137(91)90043-n)
- Syukri, Santoni, A., Zein, R., Arief, S., Efdi, M., Salim, E., & Mulya, S. (2015). Jurnal Kimia Universitas Andalas. *Jurnal Kimia Universitas Andalas*, 4(4), 2303–3401.
- Tan, K. A., Morad, N., & Ooi, J. Q. (2016). Phytoremediation of Methylene Blue and Methyl Orange Using *Eichhornia crassipes*. *International Journal of Environmental Science and Development*, 7(10), 724–728. <https://doi.org/10.18178/ijesd.2016.7.10.869>
- Tang, Y., Yang, C., & Que, W. (2018). A novel two-dimensional accordion-like titanium carbide (MXene) for adsorption of Cr(VI) from aqueous solution. *Journal of Advanced Dielectrics*, 8(5). <https://doi.org/10.1142/S2010135X18500352>
- Tchobanoglous, G., Burton, F. L., & Stensel, H. D. (2003). *Wastewater Engineering Treatment and Reuse* (Fourth). Metcalf & Eddy Inc.
- Tran, N. M., Thanh Hoai Ta, Q., Sreedhar, A., & Noh, J. S. (2021). Ti₃C₂T_x MXene playing as a strong methylene blue adsorbent in wastewater. *Applied*

- Surface Science*, 537(September 2020), 148006.
<https://doi.org/10.1016/j.apsusc.2020.148006>
- Triana, G. Y. (2015). Pengaruh Aktivasi dan Dosis Adsorben Sekam Padi untuk Mengurangi Konsentrasi Methylene Blue pada Limbah Cair Industri Tekstil. *Skripsi*, 1–114.
- Tunesi, M. M., Soomro, R. A., Han, X., Zhu, Q., Wei, Y., & Xu, B. (2021). Application of MXenes in environmental remediation technologies. *Nano Convergence*, 8(1). <https://doi.org/10.1186/s40580-021-00255-w>
- Vakili, M., Cagnetta, G., Huang, J., Yu, G., & Yuan, J. (2019). Synthesis and regeneration of a MXene-based pollutant adsorbent by mechanochemical methods. *Molecules*, 24(13), 1–11.
<https://doi.org/10.3390/molecules24132478>
- Wei, Z., Peigen, Z., Wubian, T., Xia, Q., Yamei, Z., & ZhengMing, S. (2018). Alkali treated Ti₃C₂T_x MXenes and their dye adsorption performance. *Materials Chemistry and Physics*, 206, 270–276.
<https://doi.org/10.1016/j.matchemphys.2017.12.034>
- Worch, E. (2012). Adsorption Technology in Water Treatment. In *Adsorption Technology in Water Treatment*. <https://doi.org/10.1515/9783110240238>
- Yang, S., Liu, Q., Wan, X., Jiang, J., & Ai, L. (2021). Edge-rich MoS₂ nanosheets anchored on layered Ti₃C₂ MXene for highly efficient and rapid catalytic reduction of 4-nitrophenol and methylene blue. *Journal of Alloys and Compounds*, 891, 161900. <https://doi.org/10.1016/j.jallcom.2021.161900>
- Ying, Y., Liu, Y., Wang, X., Mao, Y., Cao, W., Hu, P., & Peng, X. (2015). Two-dimensional titanium carbide for efficiently reductive removal of highly toxic chromium(VI) from water. *ACS Applied Materials and Interfaces*, 7(3), 1795–1803. <https://doi.org/10.1021/am5074722>
- Yudo, S. (2018). Kondisi Pencemaran Logam Berat Di Perairan Sungai Dki Jakarta. *Jurnal Air Indonesia*, 2(1), 1–15. <https://doi.org/10.29122/jai.v2i1.2275>
- Zannah, M. (2020). *Isoterm Adsorpsi Metilen Biru oleh Biochar dari Kulit Singkong (Manihot Esculenta Crantz) yang Dimodifikasi Menggunakan Magnetit (Fe₃O₄)*.
- Zhang, P., Xiang, M., Liu, H., Yang, C., & Deng, S. (2019). Novel Two-Dimensional Magnetic Titanium Carbide for Methylene Blue Removal over a Wide pH Range: Insight into Removal Performance and Mechanism [Research-article]. *ACS Applied Materials and Interfaces*, 11(27), 24027–24036. <https://doi.org/10.1021/acsami.9b04222>
- Zhang, T., Weiwei, Z., Huan, X., Qingqing, L., Mingxia, S., Guobing, Y., & Jianfeng, Z. (2021). Polydopamine functionalized cellulose-MXene composite aerogel with superior adsorption of methylene blue. *Cellulose*, 28(7), 4281–4293. <https://doi.org/10.1007/s10570-021-03737-6>
- Zhao, W., Chi, H., Zhang, S., Zhang, X., & Li, T. (2022). One-Pot Synthesis of Cellulose/MXene/PVA Foam for Efficient Methylene Blue Removal. *Molecules*, 27(13). <https://doi.org/10.3390/molecules27134243>
- Zhihao, Z., Xu, J. Y., & Yang, X. L. (2020). MXene/sodium alginate gel beads for adsorption of methylene blue. *Materials Chemistry and Physics*, 260(December 2020), 124123.
<https://doi.org/10.1016/j.matchemphys.2020.124123>