

## DAFTAR PUSTAKA

- Abdelghaffar, F. (2021). Biosorption of anionic dye using nanocomposite derived from chitosan and silver Nanoparticles synthesized via cellulosic banana peel bio-waste. *Environmental Technology and Innovation*, 24, 101852. <https://doi.org/10.1016/j.eti.2021.101852>
- Abegunde, S. M., Idowu, K. S., Adejuwon, O. M., & Adeyemi-Adejolu, T. (2020). A review on the influence of chemical modification on the performance of adsorbents. *Resources, Environment and Sustainability*, 1(July), 100001. <https://doi.org/10.1016/j.resenv.2020.100001>
- Abidi, N., Duplay, J., Jada, A., Errais, E., Ghazi, M., Semhi, K., & Trabelsi-Ayadi, M. (2019). Removal of anionic dye from textile industries' effluents by using Tunisian clays as adsorbents. Zeta potential and streaming-induced potential measurements. *Comptes Rendus Chimie*, 22, 113–125. <https://doi.org/10.1016/j.crci.2018.10.006>
- Adeniyi, A. G., & Ighalo, J. O. (2019). Biosorption of pollutants by plant leaves: An empirical review. *Journal of Environmental Chemical Engineering*, 7(3), 103100. <https://doi.org/10.1016/j.jece.2019.103100>
- Agorku, E. S., Kuwarega, A. T., Mamba, B. B., Pandey, A. C., & Mishra, A. K. (2015). Enhanced visible-light photocatalytic activity of multi-elements-doped ZrO<sub>2</sub> for degradation of indigo carmine. *Journal of Rare Earths*, 33(5), 498–506. [https://doi.org/10.1016/S1002-0721\(14\)60447-6](https://doi.org/10.1016/S1002-0721(14)60447-6)
- Ahlawat, A., Jaswal, A. S., & Mishra, S. (2022). Proposed pathway of degradation of indigo carmine and its co-metabolism by white-rot fungus Cyathus bulleri. *International Biodeterioration and Biodegradation*, 172(March), 105424. <https://doi.org/10.1016/j.ibiod.2022.105424>
- Ahmad, T., & Danish, M. (2018). Prospects of banana waste utilization in wastewater treatment: A review. *Journal of Environmental Management*, 206, 330–348. <https://doi.org/10.1016/j.jenvman.2017.10.061>
- Al-Ghouti, M. A., & Da'ana, D. A. (2020). Guidelines for the use and interpretation

- of adsorption isotherm models: A review. *Journal of Hazardous Materials*, 393(February), 122383. <https://doi.org/10.1016/j.jhazmat.2020.122383>
- Al-Maliky, E. A., Gzar, H. A., & Al-Azawy, M. G. (2021). Determination of Point of Zero Charge (PZC) of Concrete Particles Adsorbents. *IOP Conference Series: Materials Science and Engineering*, 1184(1), 012004. <https://doi.org/10.1088/1757-899x/1184/1/012004>
- Al-Tohamy, R., Ali, S. S., Li, F., Okasha, K. M., Mahmoud, Y. A. G., Elsamahy, T., Jiao, H., Fu, Y., & Sun, J. (2022). A critical review on the treatment of dye-containing wastewater: Ecotoxicological and health concerns of textile dyes and possible remediation approaches for environmental safety. *Ecotoxicology and Environmental Safety*, 231, 113160. <https://doi.org/10.1016/j.ecoenv.2021.113160>
- Ali, R. M., Hamad, H. A., Hussein, M. M., & Malash, G. F. (2016). Potential of using green adsorbent of heavy metal removal from aqueous solutions: Adsorption kinetics, isotherm, thermodynamic, mechanism and economic analysis. *Ecological Engineering*, 91, 317–332. <https://doi.org/10.1016/j.ecoleng.2016.03.015>
- Almeida, J. M. F., Oliveira, É. S., Silva, I. N., De Souza, S. P. M. C., & Fernandes, N. S. (2017). Adsorption of erichrome black T from aqueous solution onto expanded perlite modified with orthophenanthroline. *Revista Virtual de Química*, 9(2), 502–513. <https://doi.org/10.21577/1984-6835.20170029>
- Alwared, A. I., Al-Musawi, T. J., Muhsain, L. F., & Mohammed, A. A. (2021). The biosorption of reactive red dye onto orange peel waste: a study on the isotherm and kinetic processes and sensitivity analysis using the artificial neural network approach. *Environmental Science and Pollution Research*, 28(3), 2848–2859. <https://doi.org/10.1007/s11356-020-10613-6>
- Amar, I. A., Zayid, E. A., Dhikeel, S. A., & Najem, M. Y. (2022). Biosorption removal of methylene blue dye from aqueous solutions using phosphoric acid-treated balanites aegyptiaca seed husks powder. *Biointerface Research in Applied Chemistry*, 12(6), 7845–7862.

<https://doi.org/10.33263/BRIAC126.78457862>

- Amri, A. El, Kadiri, L., Hsisou, R., Lebkiri, A., Wardighi, Z., Rifi, E. H., & Lebkiri, A. (2023). Investigation of *Typha Latifolia* (TL) as potential biosorbent for removal of the methyl orange anionic dye in the aqueous solution. Kinetic and DFT approaches. *Journal of Molecular Structure*, 1272, 134098. <https://doi.org/10.1016/j.molstruc.2022.134098>
- Andarwati, R., Fauzi, Z. I., & Noviar, I. (2022). Edukasi Bahaya Limbah Tekstil pada Kesehatan di MAS Al-Washliyah 22 Tembung. *Jurnal Abdi Masyarakat Kita*, 2(1), 26–36.
- Araci, T. A. (2022). Highly reusable plant-based biosorbent for the selective methylene blue biosorption from dye mixture in aqueous media. *International Journal of Environmental Science and Technology*, 19(3), 1849–1860. <https://doi.org/10.1007/s13762-021-03238-w>
- Azuan, N. F., Sambasevam, K. P., Jamion, N. A., & Yong, S. K. (2020). Turbidity removal of kaolin wastewater using polyacrylamide-grafted egg white. *Malaysian Journal of Chemistry*, 22(1), 56–68.
- Banerjee, S., & Chattopadhyaya, M. C. (2017). Adsorption characteristics for the removal of a toxic dye, tartrazine from aqueous solutions by a low cost agricultural by-product. *Arabian Journal of Chemistry*, 10, S1629–S1638. <https://doi.org/10.1016/j.arabjc.2013.06.005>
- Basharat, S., Rehman, R., Mahmud, T., Basharat, S., & Mitu, L. (2020). Tartaric Acid-Modified Holarrhena antidysenterica and Citrullus colocynthis Biowaste for Efficient Eradication of Crystal Violet Dye from Water. *Journal of Chemistry*, 2020. <https://doi.org/10.1155/2020/8862167>
- Beakou, B. H., Hassani, K. El, Houssaini, M. A., Belbahloul, M., Oukani, E., & Anouar, A. (2017). Novel activated carbon from *Manihot esculenta* Crantz for removal of Methylene Blue. *Sustainable Environment Research*, 27(5), 215–222. <https://doi.org/10.1016/j.serj.2017.06.003>
- Bhomick, P. C., Supong, A., Baruah, M., & Pongener, C. (2018). Pine Cone

biomass as an efficient precursor for the synthesis of activated biocarbon for adsorption of anionic dye from aqueous solution: Isotherm , kinetic , thermodynamic and regeneration studies. *Sustainable Chemistry and Pharmacy*, 10(September), 41–49. <https://doi.org/10.1016/j.scp.2018.09.001>

Borborah, K., Borthakur, S. K., & Tanti, B. (2016). Musa balbisiana collatetaxonomy, traditional knowledge and economic potentialities of the plant in Assam, India. *Indian Journal of Traditional Knowledge*, 15(1), 116–120.

Brito, D. F., Da Silva Filho, E. C., Fonseca, M. G., & Jaber, M. (2018). Organophilic bentonites obtained by microwave heating as adsorbents for anionic dyes. *Journal of Environmental Chemical Engineering*, 6(6), 7080–7090. <https://doi.org/10.1016/j.jece.2018.11.006>

Chadir, Z., Sagita, D. T., Zein, R., & Munaf, E. (2015). Bioremoval of methyl orange dye using durian fruit ( Durio zibethinus ) Murr seeds as biosorbent. *Journal of Chemical and Pharmaceutical Research*, 7(1), 589–599.

Dada, A. O., Adekola, F. A., Odebunmi, E. O., Dada, F. E., Bello, O. M., Akinyemi, B. A., Bello, O. S., & Umukoro, O. G. (2020). Sustainable and low-cost Ocimum gratissimum for biosorption of indigo carmine dye: kinetics, isotherm, and thermodynamic studies. *International Journal of Phytoremediation*, 0(0), 1524–1537. <https://doi.org/10.1080/15226514.2020.1785389>

Dahiru, M., Zango, Z. U., & Haruna, M. A. (2018). Cationic Dyes Removal Using Low-Cost Banana Peel Biosorbent. *American Journal of Materials Science*, 8(2), 32–38. <https://doi.org/10.5923/j.materials.20180802.02>

Debina, B., Eric, S. N., Fotio, D., Arnaud, K. T., Lemankre, D.-Y., & Rahman, A. N. (2020). Adsorption of Indigo Carmine Dye by Composite Activated Carbons Prepared from Plastic Waste (PET) and Banana Pseudo Stem. *Journal of Materials Science and Chemical Engineering*, 08(12), 39–55. <https://doi.org/10.4236/msce.2020.812004>

Donneys-Victoria, D., Bermúdez-Rubio, D., Torralba-Ramírez, B., Marriaga-Cabral, N., & Machuca-Martínez, F. (2019). Removal of indigo carmine dye

by electrocoagulation using magnesium anodes with polarity change. *Environmental Science and Pollution Research*, 26(7), 7164–7176. <https://doi.org/10.1007/s11356-019-04160-y>

El-Kammah, M., Elkhatib, E., Gouveia, S., Cameselle, C., & Aboukila, E. (2022). Enhanced removal of Indigo Carmine dye from textile effluent using green cost-efficient nanomaterial: Adsorption, kinetics, thermodynamics and mechanisms. *Sustainable Chemistry and Pharmacy*, 29(February), 100753. <https://doi.org/10.1016/j.scp.2022.100753>

Eldeeb, T. M., Aigbe, U. O., Ukhurebor, K. E., Onyancha, R. B., El-Nemr, M. A., Hassaan, M. A., Osibote, O. A., Ragab, S., Okundaye, B., Balogun, V. A., & El Nemr, A. (2022). Biosorption of acid brown 14 dye to mandarin-CO-TETA derived from mandarin peels. *Biomass Conversion and Biorefinery*, 14(0123456789). <https://doi.org/10.1007/s13399-022-02664-1>

Emam, A. A., Faraha, S. A. A., Kamal, F. H., Gamal, A. M., & Basseem, M. (2020). Modifi cation and characterization of Nano cellulose crystalline from Eichhornia crassipes using citric acid : An adsorption study. *Carbohydrate Polymers*, 240(April), 116202. <https://doi.org/10.1016/j.carbpol.2020.116202>

Fatombi, J. K., Idohou, E. A., Osseni, S. A., Agani, I., Neumeyer, D., Verelst, M., Mauricot, R., & Aminou, T. (2019). Adsorption of Indigo Carmine from Aqueous Solution by Chitosan and Chitosan/Activated Carbon Composite: Kinetics, Isotherms and Thermodynamics Studies. *Fibers and Polymers*, 20(9), 1820–1832. <https://doi.org/10.1007/s12221-019-1107-y>

Fernandez, M. E., & Murguía, M. C. (2020). Biosorption of an anionic dye by peanut shell modified with gemini surfactants: A study on the stability of the modification and the removal efficiency. *Journal of Molecular Liquids*, 317. <https://doi.org/10.1016/j.molliq.2020.114262>

Ferreira, R. M., de Oliveira, N. M., Lima, L. L. S., Campista, A. L. D. M., & Stapelfeldt, D. M. A. (2019). Adsorption of indigo carmine on Pistia stratiotes dry biomass chemically modified. *Environmental Science and Pollution Research*, 26(28), 28614–28621. <https://doi.org/10.1007/s11356-018-3752-x>

- Filho, R. B. de A., Baptista, A. M. S., de Araujo, C. M. B., Fraga, T. J. M., de Paiva, T. M. N., de Abreu, C. A. M., & da Motta Sobrinho, M. A. (2021). Removal of textile dyes by benefited marine shells wastes: From circular economy to multi-phenomenological modeling. *Journal of Environmental Management*, 296(March). <https://doi.org/10.1016/j.jenvman.2021.113222>
- Garg, A., & Chopra, L. (2021). Dye Waste: A significant environmental hazard. *Materials Today: Proceedings*, 48, 1310–1315. <https://doi.org/10.1016/j.matpr.2021.09.003>
- Gong, X., Yang, D., Wang, N., Sun, S., Nie, J., & Ma, G. (2020). Polyethylenimine Grafted Chitosan Nanofiber Membrane as Adsorbent for Selective Elimination of Anionic Dyes. *Fibers and Polymers*, 21(10), 2231–2238. <https://doi.org/10.1007/s12221-020-1321-7>
- Goyal, A., Singh, P., Chamoli, P., Raina, K. K., & Shukla, R. K. (2021). Eco-friendly Biowaste-based natural surfactant for lyotropic assemblies and Bio-adsorbent for dye removal. *Inorganic Chemistry Communications*, 133(July), 108871. <https://doi.org/10.1016/j.inoche.2021.108871>
- Guo, X., Wei, Q., Du, B., Zhang, Y., Xin, X., Yan, L., & Yu, H. (2013). Removal of Metanil Yellow from water environment by amino functionalized graphenes ( $\text{NH}_2\text{-G}$ ) - Influence of surface chemistry of  $\text{NH}_2\text{-G}$ . *Applied Surface Science*, 284, 862–869. <https://doi.org/10.1016/j.apsusc.2013.08.023>
- Harrache, Z., Abbas, M.K., Aksil, T., & Trari, M. (2019). Thermodynamic and kinetics studies on adsorption of Indigo Carmine from aqueous solution by activated carbon. *Microchemical Journal*, 144(September 2018), 180–189. <https://doi.org/10.1016/j.microc.2018.09.004>
- Hashem, A., Dubey, S., Sharma, Y. ., Farag, S., & Aly, A. . (2023). Zingiber officinale powder as a biosorbent for adsorption of acid violet 90 from aqueous solutions. *Biomass Conversion and Biorefinery*, 90(0123456789). <https://doi.org/10.1007/s13399-023-04488-z>
- Hastuti, H. (2021). PISANG BATU Musa Balbisana COLLA : KAJIAN BOTANI DAN PEMANFAATANNYA. *EduMatSains : Jurnal Pendidikan*,

- Hevira, L., Rahmi, A., Zein, R., Zilfa, Z., & Rahmayeni, R. (2020). The fast and of low-cost-adsorbent to the removal of cationic and anionic dye using chicken eggshell with its membrane. *Mediterranean Journal of Chemistry*, 10(3), 294–301. <https://doi.org/10.13171/mjc02003261271lh>
- Hevira, L., Zilfa, Rahmayeni, Ighalo, J. O., Aziz, H., & Zein, R. (2021). Terminalia catappa shell as low-cost biosorbent for the removal of methylene blue from aqueous solutions. *Journal of Industrial and Engineering Chemistry*, 97, 188–199. <https://doi.org/10.1016/j.jiec.2021.01.028>
- Hevira, L., Zilfa, Rahmayeni, Ighalo, J. O., & Zein, R. (2020). Biosorption of indigo carmine from aqueous solution by Terminalia Catappa shell. *Journal of Environmental Chemical Engineering*, 8(5), 104290. <https://doi.org/10.1016/j.jece.2020.104290>
- Ighalo, J. O., & Eletta, O. A. A. (2021). Recent advances in the biosorption of pollutants by fish scales: a mini-review. *Chemical Engineering Communications*, 208(9), 1301–1312. <https://doi.org/10.1080/00986445.2020.1771322>
- Karim, S. K. A., Lim, S. F., Chua, S. N. D., Salleh, S. F., & Law, P. L. (2016). Banana Fibers as Sorbent for Removal of Acid Green Dye from Water. *Journal of Chemistry*, 2016, 1–12. <https://doi.org/10.1155/2016/9648312>
- Kekes, T., & Tzia, C. (2020). Adsorption of indigo carmine on functional chitosan and  $\beta$ -cyclodextrin/chitosan beads: Equilibrium, kinetics and mechanism studies. *Journal of Environmental Management*, 262(November 2019), 110372. <https://doi.org/10.1016/j.jenvman.2020.110372>
- Kesraoui, A., Selmi, T., Seffen, M., & Brouers, F. (2017). Influence of alternating current on the adsorption of indigo carmine. *Environmental Science and Pollution Research*, 24(11), 9940–9950. <https://doi.org/10.1007/s11356-016-7201-4>

Khadhri, N., Saad, M. E. K., Mosbah, M. ben, & Moussaoui, Y. (2019). Journal of Environmental Chemical Engineering Batch and continuous column adsorption of indigo carmine onto activated carbon derived from date palm petiole. *Journal of Environmental Chemical Engineering*, 7(1), 102775. <https://doi.org/10.1016/j.jece.2018.11.020>

Korde, S., Deshmukh, S., Tandekar, S., & Jugade, R. (2021). Implementation of response surface methodology in physi-chemisorption of Indigo carmine dye using modified chitosan composite. *Carbohydrate Polymer Technologies and Applications*, 2(February), 100081. <https://doi.org/10.1016/j.carpta.2021.100081>

Kragović, M., Stojmenović, M., Petrović, J., Loredo, J., Pašalić, S., Nedeljković, A., & Ristović, I. (2019). Influence of Alginate Encapsulation on Point of Zero Charge (pH pzc ) and Thermodynamic Properties of the Natural and Fe(III)-Modified Zeolite. *Procedia Manufacturing*, 32, 286–293. <https://doi.org/10.1016/j.promfg.2019.02.216>

Kudre, T. G., Bejjanki, S. K., Kanwate, B. W., & Patiram, Z. (2018). Comparative study on physicochemical and functional properties of egg powders from Japanese quail and white Leghorn chicken. *International Journal of Food Properties*, 21(1), 956–971. <https://doi.org/10.1080/10942912.2018.1466320>

Kuete, I.-H. T., Tchuifon Tchuifon, R. D., Bopda, A., Sadeu Ngakou, C., Nche, G. N. A., & Gabche Anagho, S. (2022). Adsorption of Indigo Carmine onto Chemically Activated Carbons Derived from the Cameroonian Agricultural Waste Garcinia cola Nut Shells and Desorption Studies. *Journal of Chemistry*, 2022. <https://doi.org/10.1155/2022/1236621>

Kumar, A. M., & Raju, A. I. (2020). Adsorption of metformin from an aqueous solution by Fe-ZSM-5 nano-adsorbent\_ Isotherm, kinetic and thermodynamic studies \_ Elsevier Enhanced Reader. *Journal of Critical Reviews*, 07(04), 4547–4563.

Kumar, A., Singh, R., Upadhyay, S. K., Kumar, S., & Charaya, M. U. (2021). Plant Archives. *Plant Archives*, 21(table 1), 2184–2185.

- Lim, L. B. L., Priyantha, N., Fang, X. Y., & Mohamad Zaidi, N. A. H. (2017). Artocarpusodoratissimus peel as a potential adsorbent in environmental remediation to remove toxic Rhodamine B dye. *Journal of Materials and Environmental Science*, 8(2), 494–502.
- Lima, H. de P., & Asencios, Y. J. O. (2021). Eichhornia crassipes (Mart.) Solms (natural or carbonized) as biosorbent to remove pollutants in water. *SN Applied Sciences*, 3(8). <https://doi.org/10.1007/s42452-021-04736-9>
- M, K. C., Ramakrishna, K., & Pv, S. R. (2017). *Kinetics and Mechanism of Oxidation of Indigo Carmine with Potassium Bromate : Effect of CTAB and SDS Micelles*. 15(4), 1–9.
- Maghri, I., Kenz, A., Elkouali, M., Tanane, O., & Talbi, M. (2012). *Textile Dyes removal from industrial waste water by mytilus edulis shells*. 3(1), 121–136.
- Maknun, L., Kismiati, S., & Mangisah, I. (2015). Performans produksi burung puyuh (*Coturnix coturnix japonica*) dengan perlakuan tepung limbah penetasan telur puyuh. *Jurnal Ilmu-Ilmu Peternakan*, 25(3), 53–58. <https://doi.org/10.21776/ub.jiip.2015.025.03.07>
- Mbarki, F., Kesraoui, A., Seffen, M., & Ayrault, P. (2018). Kinetic, Thermodynamic, and Adsorption Behavior of Cationic and Anionic Dyes onto Corn Stigmata: Nonlinear and Stochastic Analyses. *Water, Air, and Soil Pollution*, 229(3). <https://doi.org/10.1007/s11270-018-3749-6>
- Misran, E., Bani, O., Situmeang, E. M., & Purba, A. S. (2022). Banana stem based activated carbon as a low-cost adsorbent for methylene blue removal: Isotherm, kinetics, and reusability. *Alexandria Engineering Journal*, 61(3), 1946–1955. <https://doi.org/10.1016/j.aej.2021.07.022>
- Miyah, Y., Lahrichi, A., Idrissi, M., Khalil, A., & Zerrouq, F. (2018). Adsorption of methylene blue dye from aqueous solutions onto walnut shells powder: Equilibrium and kinetic studies. *Surfaces and Interfaces*, 11(May 2017), 74–81. <https://doi.org/10.1016/j.surfin.2018.03.006>
- Mohan, C. (2007). *A guide for the preparation and use of buffers in biological*

*systems*. EDM Biosciences, Inc.

- Munagapati, V. S., Yarramuthi, V., Kim, Y., Lee, K. M., & Kim, D.-S. (2018). Removal of anionic dyes (Reactive Black 5 and Congo Red) from aqueous solutions using Banana Peel Powder as an adsorbent. *Ecotoxicology and Environmental Safety*, 148(August 2017), 601–607. <https://doi.org/10.1016/j.ecoenv.2017.10.075>
- Musić, S., Filipović-Vinceković, N., & Sekovanić, L. (2011). Precipitation of amorphous SiO<sub>2</sub> particles and their properties. *Brazilian Journal of Chemical Engineering*, 28(1), 89–94. <https://doi.org/10.1590/S0104-66322011000100011>
- Nakano, Y., Takeshita, K., & Tsutsumi, T. (2001). Adsorption mechanism of hexavalent chromium by redox within condensed-tannin gel. *Water Research*, 35(2), 496–500. [https://doi.org/10.1016/S0043-1354\(00\)00279-7](https://doi.org/10.1016/S0043-1354(00)00279-7)
- Nandiyanto, A. B. D., Oktiani, R., & Ragadhita, R. (2019). How to read and interpret ftir spectroscope of organic material. *Indonesian Journal of Science and Technology*, 4(1), 97–118. <https://doi.org/10.17509/ijost.v4i1.15806>
- Ngaha, M. C. D., Njanja, E., Doungmo, G., Tamo Kamdem, A., & Tonle, I. K. (2019). Indigo Carmine and 2,6-Dichlorophenolindophenol Removal Using Cetyltrimethylammonium Bromide-Modified Palm Oil Fiber: Adsorption Isotherms and Mass Transfer Kinetics. *International Journal of Biomaterials*, 2019. <https://doi.org/10.1155/2019/6862825>
- Nia, M. V., Emtyazjoo, M., & Chamani, M. (2020). Algae usage in producing functional food: A case study on Spirulina platensis for enrichment quail egg. *Research in Marine Sciences*, 5(4), 2020–2814.
- Nnadozie, E. C., & Ajibade, P. A. (2021). Isotherm, kinetics, thermodynamics studies and effects of carbonization temperature on adsorption of Indigo Carmine (IC) dye using *C. odorata* biochar. *Chemical Data Collections*, 33, 100673. <https://doi.org/10.1016/j.cdc.2021.100673>
- Öztürk, A., Bayol, E., & Abdullah, M. I. (2020). Characterization of the biosorption

of fast black azo dye K salt by the bacterium *Rhodopseudomonas palustris* 51ATA strain. *Electronic Journal of Biotechnology*, 46, 22–29. <https://doi.org/10.1016/j.ejbt.2020.05.002>

Purwaningsih, D. Y., Wulandari, I. A., & Aditya, W. (2021). Pemanfaatan cangkang telur ayam sebagai biosorben untuk penurunan COD pada limbah cair pabrik batik. *Seminar Nasional Teknologi Industri Berkelanjutan I (SENASTITAN I)*, 1(2), 507–512.

Rajesh, N. (2017). Medicinal benefits of *Musa paradisiaca* (Banana). *International Journal of Biology Research*, 2(2), 51–54.

Ramadhani, P., Chaidir, Z., Zilfa, Tomi, Z. B., Rahmiarti, D., & Zein, R. (2020). Shrimp shell (*Metapenaeus monoceros*) waste as a low-cost adsorbent for metanil yellow dye removal in aqueous solution. *Desalination and Water Treatment*, 197, 413–423. <https://doi.org/10.5004/dwt.2020.25963>

Ramadhani, P., Chaidir, Z., Zilfa, Z., Fauzia, S., & Zein, R. (2022). Isolation of chitosan from shrimp shell (*Metapenaeus monoceros*) as adsorbent for removal of metanil yellow dyes. *Journal of the Iranian Chemical Society*, 19(4), 1369–1383. <https://doi.org/10.1007/s13738-021-02385-8>

Ramos, R. O., Albuquerque, M. V. C., Lopes, W. S., Sousa, J. T., & Leite, V. D. (2020). Degradation of indigo carmine by photo-Fenton, Fenton, H<sub>2</sub>O<sub>2</sub>/UV-C and direct UV-C: Comparison of pathways, products and kinetics. *Journal of Water Process Engineering*, 37(May), 101535. <https://doi.org/10.1016/j.jwpe.2020.101535>

Rao, P. V., Pydiraju, P., Madhuri, V., Vineeth, S., Rahimuddin, S., & Vangalapati, M. (2019). Removal of indigo carmine dye from aqueous solution by adsorption on biomass of *Grevillea Robusta* leaves. *Materials Today: Proceedings*, 26, 3020–3023. <https://doi.org/10.1016/j.matpr.2020.02.628>

Rapo, E., & Tonk, S. (2021). Factors Affecting Synthetic Dye Adsorption ; Desorption Studies : A Review of Results from the Last Five Years. *Molecules*, 26, 5419–5450.

Riyanto, C. A., & Prabalaras, E. (2019). The adsorption kinetics and isotherm of activated carbon from Water Hyacinth Leaves (*Eichhornia crassipes*) on Co(II). *Journal of Physics: Conference Series*, 1307(1). <https://doi.org/10.1088/1742-6596/1307/1/012002>

Ryan, Cooper, & Tauer. (2013). 濟無No Title No Title No Title. *Paper Knowledge . Toward a Media History of Documents*, 12–26.

Samchetshabam, G., Hussan, A., Choudhury, T. G., & Gita, S. (2017). Impact of Textile Dyes Waste on Aquatic Environments and its Treatment Wastewater Management View project Tribal Sub Plan View project. *Environment & Ecology*, 35(September), 2349–2353.

Santhi, T., Manonmani, S., Vasantha, V. S., & Chang, Y. T. (2016). A new alternative adsorbent for the removal of cationic dyes from aqueous solution. *Arabian Journal of Chemistry*, 9, S466–S474. <https://doi.org/10.1016/j.arabjc.2011.06.004>

Sharafzad, A., Tamjidi, S., & Esmaeili, H. (2021). Calcined lotus leaf as a low-cost and highly efficient biosorbent for removal of methyl violet dye from aqueous media. *International Journal of Environmental Analytical Chemistry*, 101(15), 2761–2784. <https://doi.org/10.1080/03067319.2020.1711894>

Sharma, K., Dalai, A. K., & Vyas, R. K. (2017). Removal of synthetic dyes from multicomponent industrial wastewaters. *Reviews in Chemical Engineering*, 34(1), 107–134. <https://doi.org/10.1515/revce-2016-0042>

Sidhu, J. S., & Zafar, T. A. (2018). Bioactive compounds in banana fruits and their health benefits. *Food Quality and Safety*, 2(4), 183–188. <https://doi.org/10.1093/fqsafe/fyy019>

Stavrinou, A., Aggelopoulos, C. A., & Tsakiroglou, C. D. (2018). Exploring the adsorption mechanisms of cationic and anionic dyes onto agricultural waste peels of banana, cucumber and potato: Adsorption kinetics and equilibrium isotherms as a tool. *Journal of Environmental Chemical Engineering*, 6(6), 6958–6970. <https://doi.org/10.1016/j.jece.2018.10.063>

- Tan, C. H. C., Sabar, S., & Hussin, M. H. (2018). Development of immobilized microcrystalline cellulose as an effective adsorbent for methylene blue dye removal. *South African Journal of Chemical Engineering*, 26(July), 11–24. <https://doi.org/10.1016/j.sajce.2018.08.001>
- Tan, K. B., Vakili, M., Horri, B. A., Poh, P. E., Abdullah, A. Z., & Salamatinia, B. (2015). Adsorption of dyes by nanomaterials: Recent developments and adsorption mechanisms. *Separation and Purification Technology*, 150, 229–242. <https://doi.org/10.1016/j.seppur.2015.07.009>
- Thomas, K. S., Jagatheesan, P. N. R., Reetha, T. L., & Rajendran, D. (2016). Nutrient Composition of Japanese Quail Eggs. *International Journal of Science, Environment and Technology*, 5(3), 1293–1295.
- Tka, N., Jabli, M., Saleh, T. A., & Salman, G. A. (2018). Amines modified fibers obtained from natural Populus tremula and their rapid biosorption of Acid Blue 25. *Journal of Molecular Liquids*, 250, 423–432. <https://doi.org/10.1016/j.molliq.2017.12.026>
- Tokay, B., & Akpinar, I. (2021). A comparative study of heavy metals removal using agricultural waste biosorbents. *Bioresource Technology Reports*, 15(January). <https://doi.org/10.1016/j.biteb.2021.100719>
- Villabona-Ortíz, Á., Figueroa-Lopez, K. J., & Ortega-Toro, R. (2022). Kinetics and Adsorption Equilibrium in the Removal of Azo-Anionic Dyes by Modified Cellulose. *Sustainability (Switzerland)*, 14(6). <https://doi.org/10.3390/su14063640>
- Wawrzkiewicz, M., Bartczak, P., & Jesionowski, T. (2017). Enhanced removal of hazardous dye form aqueous solutions and real textile wastewater using bifunctional chitin/lignin biosorbent. *International Journal of Biological Macromolecules*, 99, 754–764. <https://doi.org/10.1016/j.ijbiomac.2017.03.023>
- Wekoye, J. N., Wanyonyi, W. C., Wangila, P. T., & Tonui, M. K. (2020). Kinetic and equilibrium studies of Congo red dye adsorption on cabbage waste powder. *Environmental Chemistry and Ecotoxicology*, 2, 24–31.

<https://doi.org/10.1016/j.enceco.2020.01.004>

- Zein, R., Astuti, A. W., Wahyuni, D., Firda Furqani, K., & Munaf, E. (2015). Removal of methyl red from aqueous solution by Neplhelium lappaceum. *Research Journal of Pharmaceutical, Biological and Chemical Sciences*, 6(3), 86–97.
- Zein, R., Chaidir, Z., Zilfa, Z., Fauzia, S., & Ramadhani, P. (2022). Isotherm and Kinetic Studies on the Adsorption Behavior of Metanil Yellow Dyes onto Modified Shrimp Shell-Polyethylenimine (SS-PEI). *Jurnal Kimia Valensi*, 8(1), 10–22. <https://doi.org/10.15408/jkv.v8i1.22566>
- Zein, R., Hevira, L., Zilfa, Rahmayeni, Fauzia, S., & Ighalo, J. O. (2022). The improvement of indigo carmine dye adsorption by Terminalia catappa shell modified with broiler egg white. *Biomass Conversion and Biorefinery*, 0123456789. <https://doi.org/10.1007/s13399-021-02290-3>
- Zein, R., Purnomo, J. S., Ramadhani, P., Alif, M. F., & Safni, S. (2022). Lemongrass (*Cymbopogon nardus*) leaves biowaste as an effective and low-cost adsorbent for methylene blue dyes removal: isotherms, kinetics, and thermodynamics studies. *Separation Science and Technology (Philadelphia)*, 57(15), 2341–2357. <https://doi.org/10.1080/01496395.2022.2058549>
- Zein, R., Ramadhani, P., Aziz, H., & Suhaili, R. (2019). Pensi shell (*Corbicula moltkiana*) as a biosorbent for metanil yellow dyes removal: pH and equilibrium model evaluation. *Jurnal Litbang Industri*, 15–22.
- Zein, R., Satrio Purnomo, J., Ramadhani, P., Safni, Alif, M. F., & Putri, C. N. (2023). Enhancing sorption capacity of methylene blue dye using solid waste of lemongrass biosorbent by modification method. *Arabian Journal of Chemistry*, 16(2), 104480. <https://doi.org/10.1016/j.arabjc.2022.104480>
- Zein, R., Tomi, Z. B., Fauzia, S., & Zilfa, Z. (2020). Modification of rice husk silica with bovine serum albumin (BSA) for improvement in adsorption of metanil yellow dye. *Journal of the Iranian Chemical Society*, 17(10), 2599–2612. <https://doi.org/10.1007/s13738-020-01955-6>

Zhai, H., Liu, F., Huang, Y., Yang, Q., Tian, C., & Zhou, W. (2022). Preparation of peanut shell-like calcium carbonate from biowaste chicken eggshell and its application for aqueous Victoria Blue B removal. *Microporous and Mesoporous Materials*, 329(September 2021), 111549. <https://doi.org/10.1016/j.micromeso.2021.111549>

Zheng, C., Zheng, H., Wang, Y., Sun, Y., An, Y., Liu, H., & Liu, S. (2019). Modified magnetic chitosan microparticles as novel superior adsorbents with huge “force field” for capturing food dyes. *Journal of Hazardous Materials*, 367(August 2018), 492–503. <https://doi.org/10.1016/j.jhazmat.2018.12.120>

