

## DAFTAR PUSTAKA

- Ain, S. Z., & Noviana, L. (2021). Efektifitas Melati Air dalam Menurunkan Kadar BOD, COD dan TSS pada Air Limbah Laundry. *Jurnal Sustainable Environmental and Optimizing (SEOI)*, 1(2).
- Alhinai, A. S. (2019). Laundry Wastewater Characterization And Treatment For Reuse Purposes In Oman. *Towards a Sustainable Water Future: Proceedings of OICWE2020*.
- Aslam, M. M. A., Khan, Z. M., Sultan, M., Niaz, Y., Mahmood, M. H., Shoaib, M., Shakoor, A., & Ahmad, M. (2017). Performance Evaluation of Trickling Filter-Based Wastewater Treatment System Utilizing Cotton Sticks as Filter Media. *Polish Journal of Environmental Studies*, 26(5), 1955–1962.
- Bist, J., & Pratik, P. (2019). Treatment of Wastewater Using Cocopeat Biofilter. *Journal of Emerging Technologies and Innovative Research (JETIR)*, 6(5), 425–428.
- Braga, J. K., & Varesche, M. B. A. (2014). Commercial Laundry Water Characterisation. *American Journal of Analytical Chemistry*, 05(01), 8–16.
- Cheremisinoff, N. P. (2002). *Handbook of Water and Wastewater Treatment Technologies* (N&P Limited, Ed.). Butterworth-Heinemann.
- Clescerl, L. S., Greenberg, A. E., & Eaton, A. D. (1999). *Standard Methods for the Examination of Water and Wastewater* (20th Edition). American Public Health Association.
- Deshpande, V. V., & Thorvat, A. R. (2018). Experimental Investigation of Treatment of Domestic Wastewater Using Multi Soil Layering (MSL) System. *Aquademia: Water, Environment and Technology*, 2(2).
- Duke, W., Nordin, R., Baker, D., & Mazumder, A. (2006). The Use and Performance of BioSand Filters in the Artibonite Valley of Haiti: a Field Study of 107 Households. *The International Electronic Journal of Rural and Remote Health Research, Education Practice and Policy*, 1–19.
- Earwaker, P. (2005). *Evaluation of Household BioSand Filters in Ethiopia*. Cranfield University.
- Edahwati, L., & Suprihatin. (2020). Kombinasi Proses Aerasi, Adsorpsi, Dan Filtrasi Pada Pengolahan Air Limbah Industri Perikanan. *Jurnal Ilmiah Teknik Lingkungan*, 1(2), 79–83.
- El Nadi, M. H., Elazizy, I. M., & Abdalla, M. A. F. (2014). Use of Agricultural Wastes as Bio Filter Media in Aerobic Sewage Treatment. *Australian Journal of Basic and Applied Sciences*, 2–5.
- Firza, S. S. (2021). *Uji Kemampuan Adsorben Sabut Kelapa pada Penyisihan Fosfat dari Air Limbah Laundry*. Tugas Akhir. Sarjana. Departemen Teknik Lingkungan. Universitas Andalas.
- Fitri, I. T., Samudro, G., & Sumiyati, S. (2013). Studi Penurunan Parameter TSS dan Turbidity dalam Air Limbah Domestik Artifisial Menggunakan

- Kombinasi Vertical Roughing Filter dan Horizontal Roughing Filter. *Jurnal Teknik Lingkungan*, 1–7.
- Gubernur Daerah Istimewa Yogyakarta. (2016). *Peraturan Daerah Istimewa Yogyakarta Nomor 7 Tahun 2016 tentang Baku Mutu Air Limbah*.
- Gubernur Jawa Timur. (2013). *Peraturan Gubernur Jawa Timur Nomor 72 Tahun 2013 tentang Baku Mutu Air Limbah Bagi Industri dan/atau Kegiatan Usaha Lainnya*.
- Gubernur Provinsi Daerah Khusus Ibukota Jakarta. (2013). *Peraturan Gubernur Provinsi Daerah Khusus Ibukota Jakarta Nomor 69 Tahun 2013 tentang Baku Mutu Air Limbah Bagi Kegiatan dan/atau Usaha*.
- Hudori. (2008). Pengolahan Air Limbah Laundry dengan Menggunakan Elektrokoagulasi. *Jurnal Sains dan Teknologi Lingkungan* (Vol. 1). Institut Teknologi Bandung.
- Huisman, L., & Wood, W. E. (1974). *Slow Sand Filtration*. World Health Generation.
- Ismiyati, M. (2020). *Pemanfaatan Sabut Kelapa dan Tempurung Kelapa Sebagai Bioadsorben untuk Penurunan Kadar Besi (Fe) dengan Sistem Batch*. Skripsi. Sarjana. Universitas Islam Negeri Sunan Ampel.
- Joseph, K., Thomas, S., & Pavithran, C. (1995). Effect of Ageing on The Physical and Mechanical Properties of Sisal-Fiber-Reinforced Polyethylene Composites. *Composites Science and Technology*, 53, 9–110.
- Juhna, T., & Melin, E. (2006). Ozonation and Biofiltration in Water Treatment-Operation Status and Optimization Issues. *Techneau*.
- Juniar, H., Said, M., Haryati, S., & Faizal, M. (2016). Removal of COD and TSS From Dye Solution Using Sand Filtration and Adsorption. *Indonesian Journal of Fundamental and Applied Chemistry*.
- Kaviya, S., Jayabalakrishnan, R. M., Maheswari, M., & Selvakumar, S. (2020). Preparation, Characterization and Utilization of Coconut Adsorbents as a Filter Media for Wastewater Treatment. *International Research Journal of Pure and Applied Chemistry*, 129–138.
- Lakkimsetty, N. R., & Feroz, S. (2018). Automobile Wash Water Treatment Using Date Seed Adsorbent and Bio-Sand Filtration System. *International Journal of Environmental Chemistry*, 4(2).
- Latrach, L., Ouazzani, N., Hejjaj, A., Mahi, M., Masunaga, T., & Mandi, L. (2018). Two-Stage Vertical Flow Multi-Soil-Layering (MSL) Technology For Efficient Removal Of Coliforms And Human Pathogens From Domestic Wastewater In Rural Areas Under Arid Climate. *International Journal of Hygiene and Environmental Health*, 221(1), 64–80.
- Latrach, L., Ouazzani, N., Hejjaj, A., Mahi, M., Masunaga, T., & Mandi, L. (2018). Two-Stage Vertical Flow Multi-Soil-Layering (MSL) Technology For Efficient Removal Of Coliforms And Human Pathogens From Domestic Wastewater In Rural Areas Under Arid Climate. *International Journal of Hygiene and Environmental Health*, 221(1), 64–80.

- Mangoua-Allali, A. L. C., & Coulibaly, L. (2022). Effect of Flow Rate on the Performance of Biosand Filter. *International Journal of Biological and Chemical Sciences*, 15(5), 2224–2232.
- Mubin, F., Binilang, A., & Halim, F. (2016). Perencanaan Sistem Pengolahan Air Limbah Domestik di Kelurahan Istiqlal Kota Manado. *Jurnal Sipil Statik*, 4(3), 211–223.
- Muhajar, & Togomi, Z. (2020). *Pengaruh Ketebalan Media dan Waktu Filtrasi Terhadap Pengelolaan Sampah Rumah Tangga*. Universitas Muhammadiyah Makassar.
- Muharrami, S. (2021). *Efektivitas Filtrasi Pasir Cepat pada Pengolahan Limbah Rumah Makan dengan Media Sabut Kelapa dan Karbon Aktif*. Tugas Akhir. Sarjana. Universitas Islam Negeri Ar-Raniry.
- Muhid, A., & Si, M. (2019). *Analisis Statistik 5 Langkah Praktis Analisis Statistik dengan SPSS for Windows Edisi ke 2*.
- Nugroho, S. Y., Sumiyati, S., & Hadiwidodo, M. (2014). Penurunan Kadar COD dan TSS pada Limbah Industri Pencucian Pakaian (Laundry) dengan Teknologi Biofilm Menggunakan Media Filter Serat Plastik dan Tembikar dengan Susunan Random. In *Universitas Diponegoro*. Universitas Diponegoro.
- Ouazzani, N., Ait-Hmane, A., Ouazzani, N., Latrach, L., Hejjaj, A., Assabbane, A., Belkouadssi, M., & Mandi, L. (2018). Feasibility of Olive Mill Wastewater treatment by Multi-Soil-Layering Ecotechnology. *J. Mater. Environ. Sci*, 9(4), 1223–1233.
- Pradhan, S., Helal, M. I., Al-Ghamdi, S. G., & Mackey, H. R. (2020). Performance Evaluation of Various Individual and Mixed Media for Greywater Treatment in Vertical Nature-Based Systems. *Chemosphere*, 245.
- Purba, M. E. K. (2009). *Analisa Kadar Total Suspended Solid (TSS), Amoniak (NH<sub>3</sub>), Sianida (CN<sup>-</sup>) dan Sulfida (S<sub>2</sub><sup>-</sup>) pada Limbah Cair Bapedaldasu [Kimia Analisis]*. Tugas Akhir. Sarjana. Universitas Sumatera Utara.
- Putri, D. T. (2021). *Penyisihan Chemical Oxygen Demand (COD) dari Air Limbah Laundry dengan Memanfaatkan Sabut Kelapa Sebagai Adsorben*. Tugas Akhir. Sarjana. Departemen Teknik Lingkungan. Universitas Andalas.
- Rahmatiyas, H. (2021). *WL-Port (Waste Laundry Portable) Sebagai Sarana Pengelolaan Limbah Laundry Menggunakan Konsep Fitoremediasi dan Filtrasi*. Skripsi. Sarjana. Universitas Islam Indonesia.
- Reynolds, T. D., & Richards, P. A. (1996). *Unit Operations and Processes in Environmental Engineering* (2nd Edition). PWS Publishing Company Boston, MA.
- Robbins, D. M., & Richkus, J. (2010). Utilizing Cocopeat as a Medium for Wastewater Treatment Biofiltration for Residential and Institutional Applications. *Wastewater Irrigation and Health*, 1–9. Duke University.



- Rohman, Moh. K. (2016). *Pengolahan Limbah Cair Laundry Menggunakan Filter Membran Sintesis Zeolit dan Kitosan untuk Menurunkan Total Suspended Solid (TSS) dan Surfaktan*. Institut Teknologi Sepuluh Nopember.
- Rumi, S., Ashari, T. M., & Rahman, A. (2022). Penyisihan Polutan pada Limbah Cair Penatu Menggunakan Adsorben Arang Aktif Berasal dari Bambu. *Jurnal Phi: Jurnal Pendidikan Fisika Dan Fisika Terapan*, 3(1), 6–14.
- Samaniego, J., & Tanchuling, M. A. (2019). Predicting Useful Life of Cocopeat in A Filter Bed Treating Wastewater With Heavy Metals Using Hydrus-1D. *ASEAN Engineering Journal*, 9(2), 44–56.
- Setiahadi, W. (2007). *Penurunan Konsentrasi Total Disolved Solid (TDS) dan Total Suspended Solid (TSS) pada Air Selokan Mataram Yogyakarta dengan Menggunakan Teknologi Biosand Filter-Activated Carbon*. Universitas Islam Indonesia.
- Setyobudiarso, H., & Yuwono, E. (2014). Rancang Bangun Alat Penjernih Air Limbah Cair Laundry Dengan Menggunakan Media Penyaring Kombinasi Pasir-Arang Aktif. *Jurnal Neutrino*, 6(2), 84–90.
- Shaheed, R., Wan Mohtar, W. H. M., & El-Shafie, A. (2017). Ensuring water security by utilizing roof-harvested rainwater and lake water treated with a low-cost integrated adsorption-filtration system. *Water Science and Engineering*, 10(2), 115–124.
- Siahaan, J. Y. N., & Sudarmadji. (2016). *Pengaruh Limbah Laundry Terhadap Kualitas Air Tanah di Sebagian Wilayah Desa Sinduadi, Kecamatan Mlati, Sleman, Daerah Istimewa Yogyakarta*. Universitas Gadjah Mada.
- SNI 6989.3:2019 tentang Cara Uji Padatan Tersuspensi Total (Total Suspended Solid/TSS) Secara Gravimetri.
- Sulistiyanti, D., Antoniker, A., & Nasrokhah, N. (2018). Penerapan Metode Filtrasi dan Adsorpsi pada Pengolahan Limbah Laboratorium. *EduChemia (Jurnal Kimia Dan Pendidikan)*, 3(2), 147.
- Switarto, B., & Sugito. (2012). Aplikasi Biofilter Aerobik Untuk Menurunkan Kandungan Detergen Pada Air Limbah Laundry. *Jurnal Teknik Waktu*, 10(02).
- Sy, S., Sofyan, Muchtar, H., & Kasman, M. (2017). Pengaruh Laju Alir Inlet Reaktor MSL Terhadap Reduksi BOD, COD, TSS, dan Minyak Lemak Limbah Cair Industri Minyak Goreng. *Jurnal Litbang Industri*, 7(1), 41–51.
- Sze, Y. S., Zaidi, N. S., & Bahrodin, M. B. (2021). Performance of Sand Filtration System with Different Sand Bed Depth for Polishing Wastewater Treatment. *Journal of Environmental Treatment Techniques*, 9(2), 451–456.
- Tchobanoglous, G., Burton, F. L., & Stensel, H. D. (2014). *Wastewater Engineering: Treatment and Resource Recovery* (5th Edition). McGraw Hill Companies, Inc.
- Tifany, S. (2021). *Uji Kemampuan Adsorben Sabut Kelapa dalam Menyisihkan Detergen dari Air Limbah Laundry*. Tugas Akhir. Sarjana. Departemen Teknik Lingkungan. Universitas Andalas.

- Verasoundarapandian, G., Zakaria, N. N., Shaharuddin, N. A., Khalil, K. A., Puasa, N. A., Azmi, A. A., Gomez-Fuentes, C., Zulkharnain, A., Wong, C. Y., Rahman, M. F., & Ahmad, S. A. (2021). Cocopeat as Agricultural Waste Sorbent for Sustainable Diesel-Filter System. *Plants*, 10(11).
- Verma, S., Daverey, A., & Sharma, A. (2019). Wastewater Treatment By Slow Sand Filters Using Uncoated And Iron-Coated Fine Sand: Impact Of Hydraulic Loading Rate And Media Depth. *Environmental Science and Pollution Research*, 26(33), 34148–34156.
- Wahyudi, N., Rochardjo, H. S. B., & Waluyo, J. (2022). Karakterisasi Permeabilitas Serabut Kelapa Sebagai Bahan Media Filtrasi. *Journal of Mechanical Design and Testing*, 4(1), 10.
- Yaseen, Z. M., Zigale, T. T., Tiyyasha, D. R. K., Salih, S. Q., Awasthi, S., Tung, T. M., Al-Ansari, N., & Bhagat, S. K. (2019). Laundry Wastewater Treatment Using A Combination Of Sand Filter, Bio-Char And Teff Straw Media. *Scientific Reports*, 9(1).
- Yettefti, I. K., Aboussabiq, F., Etahiri, S., Mountadar, M., & Assobhei, O. (2013). Performance Evaluation of Sand Filter for Tertiary Treatment of Secondary Effluent of Wastewater: Effect of Hydraulic Loading. In *Phys. Chem. News* (Vol. 68).

