

DAFTAR PUSTAKA

- Aiboudi, M., Fekar, G., & Bouyazza, L. (2016). The study of the antioxidant activity of oil extracts from the seeds of two sorts of red onion in Morocco. *Journal of Applied Chemistry (IOSR-JAC)*, 9(2), 69–76.
- Amin, Manjang, Y., Ibrahim, S., Efdi, M., & Santoni, A. (2015). Phytochemical Screening and Antioxidant Activity From Stem Bark Callicarpa arborea Roxb. *Journal of Chemical and Pharmaceutical Research*, 7, 749–755.
- Amriani, Y. A., & Tuahatu, J. W. (2021). Optimasi Kondisi Pengujian Senyawa Flavonoid Total di dalam Ekstrak Tanaman Sebagai Pengayaan Bahan Ajar Praktikum Makromolekul dan Hasil Alam di Laboratorium Kimia Organik. *Jurnal Penelitian Sains*, 21(3), 163–167.
- Andi Suhendi, Haryoto, Peni Indrayudha, Muhtadi, & Tanti Azizah. (2013). Determination of antioxidant activity of extract, polar, and semipolar fraction of Cynometra ramnifolia Linn leaf using DPPH assay. *Acta Pharmaciae Indonesia*, 1(1), 22–25.
- Aryani, F., Novari, F., Maria Naibaho, N., Paurru Jurusan Teknologi Pertanian, P., & Pertanian Negeri Samarinda, P. (2021). *Pengujian Aktivitas Antioksidan Ekstrak Daun Ulin (Eusideroxylon zwageri) dengan Menggunakan Metode DPPH Antioxidant Activity of Ulin Leaves Extract (Eusideroxylon zwageri) Using DPPH Method*. 17(01).
- Behrman, E. J., & Gopalan, V. (2005). Cholesterol and plants. *Journal of Chemical Education*, 82(12), 1791–1793.
- Boligon, A. A. (2014). Technical Evaluation of Antioxidant Activity. *Medicinal Chemistry*, 4(7), 517–522.
- Chaerunisaa, A. Y., Muhamimin, M., Syamsurizal, S., Harizon, H., & Wicaksono, I. A. (2020). *Antifungal Activity of Neolignan Derivatives from Eusideroxylon zwageri Against Pathogenic Fungus Microsporum gypseum*. 12(5), 993–999.
- Dewi, B. A. D., Wardani, T. S., & Nurhayati, N. (2022). *Fitokimia*. Pustaka Baru Press.
- Dumanauw. (2015). *Mengenal Kayu*. Gramedia.
- Fernandes, V. C., & Almeida, E. S. (2023). *Phenolic content and antioxidant activity of medicinal plants Conteúdo fenólico e atividade antioxidante de plantas medicinais Contenido fenólico y actividad antioxidante de las plantas medicinales*. 2023, 1–11.
- Fofana, S., Gnoula, C., Ou eacute draogo, M., Pal eacute, E., N eacute bi eacute, R. H., Nikiema, J. B., Guissou, I. P., & Simpore, J. (2016). DPPH radical scavenging and lipoxygenase inhibitory effects in extracts from *Erythrina senegalensis* (Fabaceae) DC. *African Journal of Pharmacy and Pharmacology*, 10(11), 185–191.

- Giri, A. G., & Oza, R. (2015). *Isolation , Purification and Characterization of Triterpenes from Lantana camara*. 4(14), 520–525.
- Gupta, U., Singh, V., Kumar, V., & Khajuria, Y. (2014). Spectroscopic Studies of Cholesterol: Fourier Transform Infra-Red and Vibrational Frequency Analysis. *Materials Focus*, 3(3), 211–217.
- Herrera-Pool, E., Ramos-Díaz, A. L., Lizardi-Jiménez, M. A., Pech-Cohuo, S., Ayora-Talavera, T., Cuevas-Bernardino, J. C., García-Cruz, U., & Pacheco, N. (2021). Effect of solvent polarity on the Ultrasound Assisted extraction and antioxidant activity of phenolic compounds from habanero pepper leaves (*Capsicum chinense*) and its identification by UPLC-PDA-ESI-MS/MS. *Ultrasonics Sonochemistry*, 76(May).
- Hidayat, R., & Wulandari, P. (2021). Methods of Extraction: Maceration, Percolation and Decoction. *Eureka Herba Indonesia*, 2(1), 73–79.
- Hilma, R. (2018). Determination of Total Phenolic, Flavonoid Content Andfree Radical Scavenging Activity of Etanol Extract Sawo Stem Bark (*Manilkara Zapota* (L.)). *Conference Proceedings CelSciTech-UMRI*, 3, 62–68.
- Ilmi, H. M., Elya, B., & Handayani, R. (2020). Association between total phenol and flavonoid contents in *Artocarpus Heterophyllus* (jackfruit) bark and leaf extracts and lipoxygenase inhibition. *International Journal of Applied Pharmaceutics*, 12(Special Issue 1), 252–256.
- Irawan, B. (2015). Soil properties and the abundance of ironwood (*eusideroxylon zwageri teijsm.& binn.*) varieties in Jambi, Indonesia. *Jurnal Manajemen Hutan Tropika*, 21(3), 155–161.
- Jusoh, I., Ping, S. S., & Assim, Z. (2019). Toxicity of Dichloromethane and Methanol- soluble Extractives from *Eusideroxylon zwageri* and *Potoxylon melagangai* heartwoods. *Transactions on Science and Technology*, 6(1), 86–94.
- Khairah, Efdi, M., & Afrizal. (2016). *Profil Aktivitas Antioksidan dengan Metode DPPH dan Total Fenolik dari Ekstrak Daun Pacar Cina*. 5, 1–6.
- Kurniawan, Y. R., Santoni, A., & Suryati. (2023). Phytochemical Constituent and Cytotoxic Activity of *Eusideroxylon zwageri*Teijsm & Binn Extract and Sub-Fraction on Human Breast Cancer Cell Line T47D. *Molekul*, 18(2013), 255–265.
- Kurokawa, H., Kitahashi, Y., Koike, T., Lai, J., & Nakashizuka, T. (2004). Allocation to defense or growth in dipterocarp forest seedlings in Borneo. *Oecologia*, 140(2), 261–270.
- Kusuma, I. W., Rahmini, Ramadhan, R., Rahmawati, N., Suwasono, R. A., & Sari, N. M. (2018). Phytochemicals and antidiabetic activity of *Eusideroxylon zwageri* stem bark collected from East Kalimantan, Indonesia. *IOP Conference Series: Earth and Environmental Science*, 144(1).

- Mariani, Y., Yusro, F., Konishi, Y., Taguchi, T., & Tominaga, A. (2016). Regulatory Effects of Five Medicinal Plants Used by Dayak Uud Danum in West Kalimantan Indonesia on the Delayed-Type Hypersensitivity and the Inflammation of Human Colon Epithelial Cells. *Kuroshio Science*, 10–1(December), 59–71.
- Mariani, Y., Yusro, F., & Wardenaar, E. (2020). Aktivitas Ekstrak Metanol Daun Ulin (Eusideroxylon Zwageri Teijsm & Binn) Terhadap Empat Jenis Bakteri Patogen. *Jurnal Biologi Tropis*, 20(1), 94–101.
- Martono, Y., Yanuarsih, F. F., Aminu, N. R., & Muninggar, J. (2019). Fractionation and determination of phenolic and flavonoid compound from *Moringa oleifera* leaves. *Journal of Physics: Conference Series*, 1307(1).
- Melek, F. R., Tadros, M. M., Yousif, F., Selim, M. A., & Hassan, M. H. (2012). Screening of marine extracts for schistosomicidal activity in vitro. Isolation of the triterpene glycosides echinosides A and B with potential activity from the Sea Cucumbers *Actinopyga echinata* and *Holothuria edukis*. *Pharmaceutical Biology*, 50(4), 490–496.
- Misquitta, A. J. (2012). Intermolecular interactions. *Handbook of Computational Chemistry*, 157–194.
- Mohd, W., Hakimi, N., Salleh, W., Ahmad, F., Khong, H. Y., & Zulkifli, R. M. (2016). *Chemical constituents and bioactivities from the leaves of Beilschmiedia glabra Kosterm (Lauraceae)*. 401–407.
- Natasya, S. I., Wayan Arya Krishnawan Firdaus, I., & Azizah, A. (2021). *Uji Toksisitas Ekstrak Kulit Batang Ulin (Eusideroxylon zwageri) Terhadap Sel Fibroblas BHK-21 Secara In Vitro*.
- Nguyen, H. (n.d.). *UV-Vis Spectroscopy Chapter 6*.
- Ningsih, S. (2015). *Buku Pintar Pembibitan Pohon Ulin*. Lembar Langit Indonesia.
- Nofita, S. D., Ngibad, K., & Rodli, A. F. (2022). Determination of percentage yield and total phenolic content of ethanol extract from purple passion (*Passiflora edulis f. edulis Sims*) fruit peel. *Jurnal Pijar Mipa*, 17(3), 309–313.
- Okselni, T., Santoni, A., Dharma, A., & Efendi, M. (2018). Determination of antioxidant activity, total phenolic content, and total flavonoid content of roots, stem bark, and leaves of *elaeocarpus mastersii* king. *Rasayan Journal of Chemistry*, 11(3), 1211–1216.
- Permatasari, D. A. I., & Wardani, T. S. (2021). *Elusidasi Struktur*. Pustaka Baru Press.
- Pradiadinata, S., & Murniati. (2014). PENGELOLAAN DAN KONSERVASI JENIS ULIN (Eusideroxylon zwageri Teijsm. & Binn.) DI INDONESIA (Management and Conservation of Ulin (Eusideroxylon zwageri Teijsm . & Binn.) in Indonesia). *Hurnal Penelitian Hutan Dan*

Konservasi Alam, 11, 205–223.

- Rasul, M. G. (2018). Conventional Extraction Methods Use in Medicinal Plants, their Advantages and Disadvantages. *International Journal of Basic Sciences and Applied Computing*, 6, 10–14.
- Safrina, U., Wardiyah, W., & Cartika, H. (2022). Evaluation of Total Flavonoid, Total Phenolic, and Antioxidant Activity of Etlingera elatior (Jack) R.M.Sm Flower, Fruit, and Leaf. *Majalah Obat Tradisional*, 27(1), 50.
- Santoni, A. (2022). *Potensi Tumbuhan Surian (Toona Sinensis) Penghasil Senyawa Metabolit Sekunder dan Manfaatnya*. Deepublish (CV Budi Utama).
- Santos-Sánchez, N. F., Salas-Coronado, R., Villanueva-Cañongo, C., & Hernández-Carlos, B. (2019). Antioxidant Compounds and Their Antioxidant Mechanism. *Antioxidants, April*.
- Septiana, E., Rahmawati, S. I., Izzati, F. N., & Simanjuntak, P. (2020). Antioxidant Activity, Total Phenolic, And Flavonoid Contents Of The Extract Of Endophytic Fungi Derived From Turmeric (*Curcuma Longa*) Leaves. *Journal of Pharmaceutical Sciences and Community*, 16(2), 78–85.
- Shalaby, E. A., & Shanab, S. M. M. (2013). Comparison of DPPH and ABTS assays for determining antioxidant potential of water and methanol extracts of *Spirulina platensis*. *Indian Journal of Marine Sciences*, 42(5), 556–564.
- Silva, M. G. V, Vieira, Í. G. P., Mendes, F. N. P., Albuquerque, I. L., Santos, R. N., Silva, F. O., & Morais, S. M. (2008). *from Northeastern Brazil*. 2482–2487.
- Smith, W. B. (n.d.). Carbon-13 NMR Spectroscop of Steroid. *Departement of Chemistry, Texas Christian University*, 199–226.
- Stochmal, A., Oleszek, W., & Kapusta, I. (2008). *TLC of Triterpenes (Including Saponins)*. May 2014.
- Syamsurizal, & Afrida. (2012). *Synthesis and Structure Activity Relationships of Eusiderin A Derivatives as Antifeedant*. 2(7), 64–72.
- Timotius, H. K., & Rahayu, I. (2020). Qualitative Analysis of Eusideroxylon Zwageri Teijsm and Binn Seed By Gc-Ms and Lc-Ms. *International Journal of Advanced Research*, 8(5), 878–884.
- Timotius, K. H., & Rahayu, I. (2021). Ethnopharmacological Relevance of Eusideroxylon Zwageri Teijsm. et Binnend: A Review. In *Systematic Reviews in Pharmacy* (Vol. 12, Issue 1).
- Utami, N. W., Hoesen, D. S. H., Witjaksono, & Danu. (2005). Perbanyak Ulin (Eusideroxylon zwageri T.et.B) dengan BUI dan Setek. *Berita Biologi*, 7(4), 199–206.
- Wardani, T. S., & Setianto, R. (2022). *Standarisasi Bahan Obat Alam*. Pustaka Baru Press.

- Werff, H. Van Der. (2019). *Alseodaphnopsis (Lauraceae) revisited*. 186–189.
- Yoosu, S., Namseok, C., & Minoru, T. (2009). Two new isomeric lignans from Eusideroxylon zwageri. *Chemistry of Natural Compounds*, 45(3), 356–359.

