

KEPUSTAKAAN

- Abere, D.V., Ojo, S.A., Oyatogun, G.M., Paredes-Epinosa, M.B., Niluxsshun, M.C.D. & Hakami, A., 2022, 'Mechanical and morphological characterization of nano-hydroxyapatite (nHA) for bone regeneration: A mini review', *Biomedical Engineering Advances*, 100056.
- A. J. Delima and T. E. Van Dyk. 2003. "Origin and function of the cellular components in gingival crevice fluid," *Periodontology* 2000, vol. 31, pp. 55–76
- A. M. Alhadlaq and S. Patil, 2015. "Biomarkers of orthodontic tooth movement in gingival crevicular fluid: a systematic review," *The Journal of Contemporary Dental Practice*, vol. 16, no. 7, pp. 578–
- Alawiyah, T., 2017, 'Komplikasi dan resiko yang berhubungan dengan perawatan ortodonti', *Jurnal Ilmiah WIDYA*, 4(1), 256.
- Alfaqeeh, S. A., & Anil, S. (2011). Osteocalcin and N-telopeptides of type I collagen marker levels in gingival crevicular fluid during different stages of orthodontic tooth movement. *American Journal of Orthodontics and Dentofacial Orthopedics*, 139(4), 553-559.
- Alswafeeri, H., Al-Jobair, A., & Al-Mutairi, M. (2018). Comparison of the effects of constant and gradually increasing orthodontic forces on the activity of alkaline phosphatase during canine retraction. *Journal of orthodontic science*, 7(1), 7.
- Apajalahti S, Sorsa T, Railavo S, Ingman T. 2003. The in vivo level of Matrix Metalloproteinase-1 and -8 in Gingival Crevicular Fluid during initial orthodontic tooth Movement. *Journal of Dental Research*; Dec 2003; 82,12; Proquest. Pg 1018-1022
- Appleford MR, Oh S, Oh N. 2009. In vivo study on hydroxyapatite scaffolds with trabecular architecture for bonerepair. *J Biomed Mater Res A* 2009; 89:1019-27 A.
- J. Delima and T. E. Van Dyke, "Origin and function of the cellular components in gingival crevice fluid," *Periodontology* 2000, vol. 31, pp. 55–76
- Balamurugan A, Rebelo A, Kannan S.2007. Characterization and in vivo evaluation of sol-gel derived hydroxyapatite coatings on Ti6Al4V substrates. *J Biomed Mater Res B Appl Biomater* 2007; 81:441-7.
- Barros, J., Ferraz, M.P., Azeredo, J., Fernandes, M.H., Gomes, P.S. & Monteiro, F.J., 2019, 'Alginate-nanohydroxyapatite hydrogel system: Optimizing the formulation for enhanced bone regeneration', *Materials Science and Engineering: C*, 105, 109985.
- Batra, P., Kharbanda, O.P., Duggal, R., Singh, N. & Parkash, H., 2006, 'Alkaline phosphatase activity in gingival crevicular fluid during canine retraction', *Orthodontics & Craniofacial Research*, 9(1), 44–51.

- Batra, P., Kharbanda, O. P., Duggal, R., & Singh, N. (2011). Alkaline phosphatase activity during orthodontic tooth movement: a systematic review. *The Angle Orthodontist*, 81(1), 153-159.
- Capelli J, Fidel R, Figueredo CM, Teles RP. 2010. Change in the Gingival fluid volume during maxillary canine retraction. *Dental Press J. Orthod.* Vol.15.no.2
- Chaves MD, de Souza Nunes LS, de Oliveira RV. 2012. Bovine hydroxyapatite (Bio- Oss ((R))) induces osteocalcin, RANK-L and osteoprotegerin expression in sinus lift of rabbits. *J Craniomaxillofac Surg* 2012; 40:e315-20.
- Chellaiah, M.A., Kizer, N., Biswas, R., Alvarez, U., Strauss-Schoenberger, J., Rifas, L., Rittling, S.R., Denhardt, D.T. & Hruska, K.A., 2003, 'Osteopontin deficiency produces osteoclast dysfunction due to reduced CD44 surface expression', *Molecular biology of the cell*, 14(1), 173–189.
- Clemens TL, Karsenty G. 2011. The osteoblast: an insulin target cell controlling glucose homeostasis. *J Bone Miner Res.* 2011;26:677–680
- Ingman T, Terrahartiala T, Ding Y, Sorsa T. 2005. Matrix metalloproteinase and their inhibitors in gingival crevicular fluid and saliva of periodontitis patients. *J clin Periodontol* 23 (12):1127-32
- De Aguiar, M. C. S., Perinetti, G., & Capelli, J. 2017. The Gingival Crevicular Fluid as a Source of Biomarkers to Enhance Efficiency of Orthodontic and Functional Treatment of Growing Patients. *BioMed Research International*, 2017, 1–7. doi:10.1155/2017/3257235 587
- Della Porta G, Nguyen BN, Campardelli R, Reverchon E, Fisher JP. 2015. Synergistic effect of sustained release of growth factors and dynamic culture on osteoblastic differentiation of mesenchymal stem cells. *J Biomed Mater Res A.*;103(6):2161-71.
- Dhopatkar, A.A., Sloan, A.J., Rock, W.P., Cooper, P.R. & Smith, A.J., 2005, 'A novel in vitro culture model to investigate the reaction of the dentine-pulp complex to orthodontic force', *Journal of Orthodontics*, 32(2), 122–132.
- Franzen, TJ, Brudvik P, Radunovic VV. 2011. Periodontal tissue Reaction during Orthodontic Relapse in rat Molars. *European Journal of Orthodontic edisi Oktober* 2011
- Frost H.M. . 1990. Skeletal structural adaptations to mechanical usage (SATMU): Redefining Wolff's law: the bone modeling problem *Anat. Rec.*, 226 pp. 403-413
- Fujihara S, Yokozeki M, Oba Y, Higashibata Y, Nomura S, Moriyama K. Function and regulation of osteopontin in response to mechanical stress. *J Bone Miner Res.* 2006;21:956–64.
- Granito Renata Neves, Ana Claudia Muniz Renno , Hirochi Yamamura, Matheus Cruz de Almeida , Pedro Luiz Menin Ruiz , Daniel Araki Ribeiro. 2018. Hydroxyapatite

from Fish for Bone Tissue Engineering: A Promising Approach IJMCM Mini review Spring Vol 7, No 2 DOI: 10.22088/IJMCM.BUMS.7.2. 80

- Griffiths G. S., 2003. "Formation, collection and significance of gingival crevice fluid," *Periodontology* 2000, vol. 31, pp. 32–42
- Griffiths, G. S., Scully, C., & Bagan-Sebastian, J. V. (1998). Prospective evaluation of osteocalcin and pyridinium crosslinks of bone turnover in gingival crevicular fluid during different stages of orthodontic treatment. *Journal of Clinical Periodontology*, 25(6), 455-462.
- Gundberg CM, Clough ME. The osteocalcin propeptide is not secreted in vivo or in vitro. *J Bone Miner Res.* 1992;7:73–80. Hauschka PV, Lian JB, Cole DE, Gundberg CM. 1989. Osteocalcin and matrix Gla protein: vitamin K-dependent proteins in bone. *Physiol Rev.* 1989;69:990–1047.
- Huang Hechang,a Ray C. Williams,b and Stephanos Kyrkanidesc. 2014. Accelerated orthodontic tooth movement: Molecular mechanisms. *Am J Orthod Dentofacial Orthop*;146:620-32
- Ince, A., Schütze, N., Karl, N., Löhr, J.F. & Eulert, J., 2007, 'Gentamicin negatively influenced osteogenic function in vitro', *International Orthopaedics*, 31, 223–228.
- Ingman T,Apajalahti S, Mantyla P, Sorsa T.2005. Matrix metalloproteinase-1 and -8 in gingival crevicular fluid during orthodontic tooth movement: a pilot study during 1 month of follow up after fixed appliance activation. *European J Orthod.*2005;27:202-07
- Insoft, M., King, G.J. & Keeling, S.D., 1996, 'The measurement of acid and alkaline phosphatase in gingival crevicular fluid during orthodontic tooth movement', *American Journal of Orthodontics and Dentofacial Orthopedics*, 109(3), 287–296.
- Intan ZZA, Shahrul H, Rohaya MAW, Sahidan S, Zaidah ZA. 2008. Osteoclast and osteoblast development of Musculus haemopoietic mononucleated cells. *J Biol Sci*; 8(3):506-16.
- Isik, F., Sayinsu, K., Arun, T., & Unlucerci, Y. (2005). Bone marker levels in gingival crevicular fluid during orthodontic intrusive tooth movement: a preliminary study. *Journal of Contemporary Dental Practice*, 6(1), 1-9.
- Jafary, F., Hanachi, P. & Gorjipour, K., 2017, 'Osteoblast differentiation on collagen scaffold with immobilized alkaline phosphatase', *International journal of organ transplantation medicine*, 8(4), 195.
- Jang SJ, Kim SE, Han TS, 2017. Bone Regeneration of Hydroxyapatite with Granular Form or Porous Scaffold in Canine Alveolar Sockets. *In Vivo* 2017; 31:335-41.
- Janjic Mila, Denitsa Docheva, Olivera Trickovic Janjic ,Andrea Wichelhaus, Uwe Baumert . 2018.In Vitro Weight-Loaded Cell Models for Understanding Mechanodependent Molecular Pathways Involved in Orthodontic Tooth

Movement: A Systematic Review Hindawi Stem Cells International Volume 2018, Article ID 3208285, 17 pages <https://doi.org/10.1155/2018/3208285>

- John, A., Tuszynski, G., 2001. The role of matrix metalloproteinases in tumor angiogenesis and tumor metastasis. *Pathology Oncology Research* 7, 14–23
- Kanzaki, H., Chiba, M., Arai, K., Takahashi, I., Haruyama, N., & Nishimura, M. (2002). Local Osteogenic Factors Regulate Bone Formation During Orthodontic Tooth Movement. *Journal of Dental Research*, 81(12), 801-805. doi: 10.1177/154405910208101204
- Kakali, L., Kavadia, S., & Kakali, G. (2022). Biomarkers of bone turnover during orthodontic tooth movement: a systematic review. *Systematic Reviews*, 11(1), 3.
- Kapoor .P, O. P. R. Kharbanda, N. Monga, R. Miglani, and S. Kapila, 2014. “Effect of orthodontic forces on cytokine and receptor levels in gingival crevicular fluid: a systematic review,” *Progress in Orthodontics*, vol. 15, article 65, 2014.
- Karsenty G, Ferron M. 2012. The contribution of bone to whole-organism physiology. *Nature*. 2012;481:314–320.
- Kattimani et al.2016. hydroxyapatite—Past, Present, and Future in Bone Regeneration. *Bone and Tissue Regeneration Insights* 2016;7 9–19 doi:10.4137/BTRi.s36138.
- Kattimani V, Lingamaneni KP, Chakravarthi PS, 2016. Eggshell-Derived Hydroxyapatite: A New Era in BoneRegeneration. *J Craniofac Surg* 2016; 27:112-7.
- Kawakami, M. & Takano-Yamamoto, T., 2004, ‘Local injection of 1, 25-dihydroxyvitamin D3 enhanced bone formation for tooth stabilization after experimental tooth movement in rats’, *Journal of bone and mineral metabolism*, 22(6), 541.
- Kerrigan JJ, Mansell Jp, Sandy JR.2000. Matriks turnover. *J Orthod* 2000;27 (3):227-33
- Khotib, J.; Gani, M.A.; Budiatin, A.S.; Lestari, M.L.A.D.; Rahadiansyah, E.; Ardianto, C. Signaling Pathway and Transcriptional Regulation in Osteoblasts during Bone Healing: Direct Involvement of Hydroxyapatite as a Biomaterial. *Pharmaceuticals* 2021, 14, 615. <https://doi.org/10.3390/ph14070615>
- Kido, J., Nakamura, T., Asahara, Y., & Ito, K. (2008). Osteopontin in gingival crevicular fluid during orthodontic tooth movement. *American Journal of Orthodontics and Dentofacial Orthopedics*, 133(4), 587-593.
- Kiili M.2002. collagenase-2 and MMP13 in adult periodontitis molecular forms and levels in GCF and immunolocalization in gingival tissue. *J clin periodontol* 2002;29: 224-32
- Krishnan V, Davidovitch Z. 2006. Cellular,molecular and tissue-level reactions to orthodontic force. *Am J Orthod Dentofacial Orthop* 2006 ; 129-469

- Krishnan V, Davidovitch Z. 2009. On a Path to Unfolding the Biological Mechanism of Orthodontic Tooth Movement. *J Dent Res.*88(7) :597-608, 2009
- Kumar A A, Saravanan K, Kohila K, Kumar S S.2015. Biomarkers in orthodontic tooth movement. *J Pharm Bioall Sci* 2015;7, Suppl S2:325-30
- Lamster, I.B. & Ahlo, J.K., 2007, 'Analysis of gingival crevicular fluid as applied to the diagnosis of oral and systemic diseases', *Annals of the New York Academy of Sciences*, 1098(1), 216–229.
- Lee, N. K., Sowa, H., Hinoi, E., Ferron, M., Ahn, J. D., Confavreux, C., ... & Karsenty, G. (2007). Endocrine regulation of energy metabolism by the skeleton. *Cell*, 130(3), 456-469.
- Li S, Zhang H, Li S, Yang Y, Huo B, Zhang D.2015. Connexin 43 and ERK regulate tension-induced signal transduction in human periodontal ligament fibroblasts. *J Orthop Res.*:33:1008–14.
- Li Yina, Laura A. Jacox, Shannyn H. Little, Ching-Chang Ko. 201. Orthodontic tooth movement: The biology and clinical implications *Kaohsiung Journal of Medical Sciences* 34, 207e214
- Li, Y., Li, X., & Li, J. (2019). Osteopontin in bone metabolism and bone diseases. *Medical Science Monitor*, 25, 2867-2873.
- Liu Chao and Jiao Sun. 2015. Hydrolyzed tilapia fish collagen induces osteogenic differentiation of human periodontal ligament cells *Biomed. Mater.* 10065020
- Loskutoff, D.J., Sawdey, M., Keeton, M., Schneiderman, J., 1993. Regulation of PAI-1 gene expression in vivo. *Thrombosis and Haemostasis* 70, 135–137.
- Lowe, D., Sanvictores, T., Zubair, M. & John, S., 2022, 'Alkaline phosphatase', *StatPearls [internet]*, StatPearls Publishing.
- Luckprom P, Kanjanamekanant K, Pavasant P. 2011.Role of connexin43 hemichannels in mechanical stress-induced ATP release in human periodontal ligament cells. *J Periodontal Res.* 2011;46:607–15.
- Luckprom P, Wongkhantee S, Yongchaitrakul T, Pavasant P. 2010. Adenosine triphosphate stimulates RANKL expression through P2Y 1receptor-cyclooxygenase-dependent pathway in human periodontal ligament cells.*J Periodontal Res.* 2010;45:404–11.
- Manolagas SC (2020) Osteocalcin promotes bone mineralization but is not a hormone. *PLoS Genet* 16(6): e1008714. [https:// doi.org/10.1371/journal.pgen.1008714A](https://doi.org/10.1371/journal.pgen.1008714)
- Meikle MC. 2006. The tissue, cellular and molecular regulation of orthodontic tooth movement :100 years after carl sandstedt.*European J Orthod* 2006; 28:221-40

- Mieke S. 2006. The role of extra cellular matrix during orthodontic treatment. *FoliaMedica Indonesiana* 2006; 42 (5):1-5
- Mitsui N, Suzuki N, Maeno M, Mayahara K, Yanagisawa M, Otsuka K, Shimizu N. Optimal compressive force induces bone formation via increasing bone
- Mitsui N.2006.. Effect of compressive force on the expression of MMPs, PAs,and their inhibitors in osteoblastic Saos-2 cells. *Life Sciences* 79 (2006) 575–583
- Morris DP, Stevens RD, Wright DJ, Stafford DW. Processive post-translational modification. Vitamin K-dependent carboxylation of a peptide substrate. *J Biol Chem.* 1995;270:30491–30498.
- Moser SC and van der Eerden BCJ (2019) Osteocalcin—A Versatile Bone-Derived Hormone. *Front. Endocrinol.* 9:794. doi: 10.3389/fendo.2018.00794
- Moser, S.C. & Eerden, B.C.J. van der, 2019, 'Osteocalcin—A versatile bone-derived hormone', *Frontiers in endocrinology*, 9, 794.
- Murshid Sakhr A. 2017. The role of osteocytes during experimental orthodontic tooth movement: *Archives of Oral Biology* 73 25–33
- N Kasuma, F Oenzil, E Darwin, Y Sofyan.2015. The analysis of matrix metalloproteinase-8 in gingival crevicular fluid and periodontal diseases. *Indian Journal of Dental Research* 29 (4), 450
- Nagase H,Visse R, Murphy G.2006. structure and function of matrix metalloproteinase and TIMP. *Cardiovascular Res.*69(3).562-70
- Nayak AK. 2010.Hydroxyapatite Synthesis Methodologies: An Overview. *Int J Chem Tech Res* 2010; 2:903-7.
- Neve A, Corrado A, Cantatore FP. 2013 Osteocalcin: skeletal and extra-skeletal effects. *J Cell Physiol.* Jun;228(6):1149-53. doi: 10.1002/jcp.24278..
- Noh, J.-Y., Yang, Y. & Jung, H., 2020, 'Molecular mechanisms and emerging therapeutics for osteoporosis', *international journal of molecular sciences*, 21(20), 7623.
- Palosaari H, Walgren j, Larmas M, ronka h.2000.The expression of MMP-8 in human odontoblast and dental pulp cells is down regulated by TGF-beta 1. *J Dent Rest*; 79:77-84
- Parizi AM, Oryan A, Shafiei-Sarvestani Z.2013. Effectiveness of synthetic hydroxyapatite versus Persian Gulcoral in an animal model of long bone defect reconstruction. *J Orthop Traumatol* 2013; 14:259-6
- Perinetti G., B. Di Leonardo, R. Di Lenarda, and L. Contardo, 2013. "Repeatability of gingival crevicular fluid collection and quantification, as determined through its

- alkaline phosphatase activity: implications for diagnostic use,” *Journal of Periodontal Research*, vol. 48, no. 1, pp. 98–104
- Perinetti G., L. Franchi, A. Castaldo, and L. Contardo, 2012. “Gingival crevicular fluid protein content and alkaline phosphatase activity in relation to pubertal growth phase,” *Angle Orthodontist*, vol. 82, no. 6, pp. 1047–1052, 2012.
- Perinetti, G., Paolantonio, M., D’Attilio, M., D’Archivio, D., Tripodi, D., Femminella, B., Festa, F. & Spoto, G., 2002, ‘Alkaline phosphatase activity in gingival crevicular fluid during human orthodontic tooth movement’, *American Journal of Orthodontics and Dentofacial Orthopedics*, 122(5), 548–556.
- Perinetti, G., Paolantonio, M., Serra, E., D’Archivio, D., D’Ercole, S., Festa, F. & Spoto, G., 2004, ‘Longitudinal monitoring of subgingival colonization by *Actinobacillus actinomycetemcomitans*, and crevicular alkaline phosphatase and aspartate aminotransferase activities around orthodontically treated teeth’, *Journal of Clinical Periodontology*, 31(1), 60–67.
- Persson M. 2005. A 100th anniversary : Sanstedt’s experiment on tissue changes during tooth movement. *J Orthod*. 32;27-8
- Price PA, Otsuka AA, Poser JW, Kristaponis J, Raman N.1976. Characterization of a gamma-carboxyglutamic acid-containing protein from bone. *Proc Natl Acad Sci U S A*. 1976;73:1447–1451.
- Price PA, Poser JW, Raman N.1976. Primary structure of the gamma-carboxyglutamic acid-containing protein from bovine bone. *Proc Natl Acad Sci U S A*. 1976;73:3374–3375.
- Price PA, Urist MR, Otawara Y. Matrix Gla protein, a new gamma-carboxyglutamic acid-containing protein which is associated with the organic matrix of bone. *Biochem Biophys Res Commun*. 1983;117:765–771.
- Price PA, Williamson MK. Primary structure of bovine matrix Gla protein, a new vitamin K-dependent bone protein. *J Biol Chem*. 1985;260:14971–14975
- Priyana, A., 2007, ‘Peran pertanda tulang dalam serum pada tatalaksana osteoporosis’, *Universa Medicina*, 26(3), 152–159.
- Priyanto, R., Fauzia, M., Pratiwi, A.R., Roeswahjuni, N. & Firani, N.K., 2022, ‘Hubungan Ekspresi Osteocalcin dan Interleukin-1 β dengan Status Inflamasi Periodontal’, *STOMATOGNATIC-Jurnal Kedokteran Gigi*, 19(2), 99–103.
- Puchacz E, Lian JB, Stein GS, Wozney J, Huebner K, Croce C. Chromosomal localization of the human osteocalcin gene. *Endocrinology*. 1989;124:2648–2650.
- Pudyani, P.S., Asmara, W., Ana, I.D. & Utari, T.R., 2014, ‘Alkaline phosphatase expression during relapse after orthodontic tooth movement’, *Dent J (Majalah Kedokt Gigi)*, 47(1), 25–30.

- Qulub, F., Widiyanti, P. & Ady, J., 2018, 'Variasi Komposisi Nano Hidroksiapatit Pada Poly (1, 8-octanediol-cocitrate)(Poc) Sebagai Biodegradable Bone Screw', *Jurnal Sains Materi Indonesia*, 16(4), 188–192.
- Radunovic VV.1999. neural Modulation of inflamatory reactions in dental tissues incident to orthodontic movement. A review of the literature. *European journal of Orthodontics* ;21 (231-47)
- Rana, S. V., & Bhardwaj, S. B. (2011). Alkaline phosphatase: an overview. *Indian journal of clinical biochemistry*, 26(3), 269-278.
- Rasaei N, Ghadiri A, Peighan M, Rekabi A, Atashkar N. Evaluation of alkaline phosphatase in gingival crevicular fluid and saliva of patients with periodontitis and healthy individuals. *J Family Med Prim Care* 2022;11:6983-7
- Redlich M, Reichenberg E, Harari D, Zaks B, Shshan S, Palmin A.2001. The effect of mechanical force on mRNA levels of collagenase, collagen type I, and tissue inhibitors of metalloprteinases in gingivae of dogs. *J dent Rest* 2001;80
- Ribagin, L. Rashkova M. 2012. Matrix Metalloproteinase-8 and Interleukin-1 β in gingival fluid of Children in the first three month of orthodontic treatment with fixed appliances. *Folia medica*; Jul- Sep 2012; 54, 3; ProQuest Medical Library.p 50-56
- Saputri, R.N., Herniyati, H. & Prijatmoko, D., 2021, 'Efek Induksi Gaya Mekanis Ortodonti Terhadap Perubahan Jumlah Sel Osteoblas Tulang Alveolar Gigi Tikus Pada Daerah Tarikan', *Pustaka Kesehatan*, 9(2), 66–70.
- Sari, R.D.P. & Bakrie, S., 2019, 'Pemanfaatan Isoflavon Dengan Bahan Dasar Kulit Kopi Robusta Dengan Penanda BMD (Bone Marrow Density) Pada Wanita Peri/Post Menopause', *Biomedical Journal of Indonesia*, 5(3), 100–105.
- Sanikop, S., Patil, R., & Patil, S. (2012). Alkaline phosphatase activity in gingival crevicular fluid as a marker of periodontal disease: A pilot study. *Journal of Indian Society of Periodontology*, 16(4), 557-561. doi: 10.4103/0972-124X.106912 Singh *et al.* *Progress in Orthodontics* (2018) 19:18 <https://doi.org/10.1186/s40510-018-0216-2>
- Sasano Y, Jing-Xu Z, Tsubota M. 2002. Gene expression of MMP-8 and MMP-13 during embryonic development of bone and cartilago in the rat mandibula and hind limb. *J Histochem Cytochem* 2002; 50
- Shazam, H., Shaikh, F., Hussain, Z., Majeed, M.M., Khan, S. & Khurshid, Z., 2020, 'Evaluation of osteocalcin levels in saliva of periodontitis patients and their correlation with the disease severity: a cross-sectional study', *European Journal of Dentistry*, 14(03), 352–359.

- Siregar, M.A.G., Lathifah, D.S. & Anvi, N.M., 2023, 'Pemanfaatan Alkaline Phosphatase sebagai Novel Biomarker Deteksi dalam Diagnosis Osteoporosis selama Pandemi COVID-19', *SCRIPTA SCORE Scientific Medical Journal*, 4(2), 52–56.
- Singh VP, Nayak DG, Uppoor AS, Shah D. Clinical and radiographic evaluation of Nano-crystalline hydroxyapatite bone graft (Sybograf®) in combination with bioresorbable collagen membrane (Periocol®) in periodontal intrabony defects. *Dent Res J* 2012;9:60-7
- Sodek, McKee. 2000. Molecular and Cellular biology of Alveolar Bone. *Periodontology* 2000.24. p 99-126
- Sodek, J., Ganss, B., & McKee, M. D. (2000). Osteopontin. *Critical Reviews in Oral Biology & Medicine*, 11(3), 279-303.
- Stafford DW. The vitamin K cycle. *J Thromb Haemost.* 2005;3:1873–1878. [PubMed] [Google Scholar]
- Staines KA, MacRae VE, Farquharson C. 2012. The importance of the SIBLING family of proteins on skeletal mineralisation and bone remodelling. *J Endocrinol.* 2012;214:241–55.
- Standal, T., Borset, M. & Sundan, A., 2004, 'Role of osteopontin in adhesion, migration, cell survival and bone remodeling', *Exp Oncol*, 26(3), 179–184.
- Stucki U, Schmid J, Hämmerle CF, Lang NP. 2001 Temporal and local appearance of alkaline phosphatase activity in early stage of guided bone regeneration. *Clin Oral Implants Res.*; 12(2): 121-7.
- Subbarao, K.C., Nattuthurai, G.S., Sundararajan, S.K., Sujith, I., Joseph, J. & Syedshah, Y.P., 2019, 'Gingival crevicular fluid: an overview', *Journal of pharmacy & bioallied sciences*, 11(Suppl 2), S135.
- Sugimoto, H., Fukuda, S., Yokawa, S., Hori, M., Ninomiya, H., Sato, T., Miyazawa, K., Kawai, T., Furuno, T. & Inouye, S., 2022, 'Visualization of osteocalcin and bone morphogenetic protein 2 (BMP2) secretion from osteoblastic cells by bioluminescence imaging', *Biochemical and Biophysical Research Communications*, 635, 203–209.
- Suzuki, K., Zhu, B., Rittling, S.R., Denhardt, D.T., Goldberg, H.A., McCulloch, C.A.G. & Sodek, J., 2002, 'Colocalization of intracellular osteopontin with CD44 is associated with migration, cell fusion, and resorption in osteoclasts', *Journal of Bone and Mineral Research*, 17(8), 1486–1497.
- Teitelbaum, S.L., 2000, 'Bone resorption by osteoclasts', *Science*, 289(5484), 1504–1508.
- Tsuge A, Noda K, Nakamura Y. 2015. Early tissue reaction in the tension zone of PDL during orthodontic tooth movement. *Archives of Oral Biology*

- Waddington RJ, Emberry G. 2001. Proteoglycans and orthodontics tooth movement. *J orthod.* 28;281-90
- Warastuti, Y. & Abbas, B., 2018, 'Sintesis dan karakterisasi pasta injectable bone substitute iradiasi berbasis hidroksiapatit', *Jurnal ilmiah aplikasi isotop dan radiasi*, 7(2).
- Wongkhantee S, Yongchaitrakul T, Pavasant P. 2007. Mechanical stress induces osteopontin expression in human periodontal ligament cells through rho kinase. *J Periodontol.* 2007;78:1113-9.
- Wongkhantee S, Yongchaitrakul T, Pavasant P. 2008. Mechanical stress induces osteopontin via ATP/P2Y1 in periodontal cells. *J Dent Res.* 2008;87:564-8.
- Yamaguchi M, Kasai K. 2005. Inflammation in Periodontal tissues in response to mechanical forces. *Arch immunol Ther Exp.* 2005, 53, 388-398
- Yang, X., Zhang, Y., Shi, Z., & Wu, S. (2015). Changes in osteocalcin levels during orthodontic tooth movement in female adolescents. *The Angle Orthodontist*, 85(2), 221-226.
- Zoch, M.L., Clemens, T.L. & Riddle, R.C., 2016, 'New insights into the biology of osteocalcin', *Bone*, 82, 42-49.

