

## DAFTAR PUSTAKA

- Allah, A. A. A., Ibrahim, M. I., & Al-Atrouny, A. M. (2011). Effect of Black Tea on Some Cariogenic Bacteria. *World Applied Sciences Journal*, 12(4), 552–558.
- Arifa, M. K., Ephraim, R., & Rajamani, T. (2019). *Recent Advances in Dental Hard Tissue Remineralization : A Review of Literature*.
- Aydın, B., Pamir, T., Baltacı, A., Orman, M. N., & Turk, T. (2015). Effect of storage solutions on microhardness of crown enamel and dentin. *European Journal of Dentistry*, 9(2), 262–266. <https://doi.org/10.4103/1305-7456.156848>
- Babu, A., Amal, S., Nair, M., JL, J., Thaha, K., & George, J. (2017). Effect of Green Tea and Black Tea on Mineralization of Artificially Demineralized Human Enamel in Comparison with 0.05% Sodium Fluoride. *International Journal of Oral Care and Research*, 5, 1–5. <https://doi.org/10.5005/jp-journals-10051-0134>
- Bae, S., Jung, I., Hong, M., Kwon, E., Kim, J., Lee, J., Lim, H., & Lim, D. (2022). *Effect of Application over Time for Each Type of Blending Tea on Bovine Tooth Coloration*. 22(1), 57–66.
- Benjakul, P., & Chuenarrom, C. (2011). Association of dental enamel loss with the pH and titratable acidity of beverages. *Journal of Dental Sciences*, 6(3), 129–133. <https://doi.org/https://doi.org/10.1016/j.jds.2011.05.001>
- Boushell, L. W., & Sturdevant, J. R. (2018). Clinical significance of dental anatomy, histology, physiology, and occlusion. *Sturdevant's Art and Science of Operative Dentistry*, 1–39. <https://doi.org/10.1016/B978-0-323-47833-5.00001-0>
- Cai, H., Zhu, X., Peng, C., Xu, W., Li, D., Wang, Y., Fang, S., Li, Y., Hu, S., & Wan, X. (2016). *Ecotoxicology and Environmental Safety Critical factors determining fl uoride concentration in tea leaves produced from Anhui province , China*. 131, 14–21. <https://doi.org/10.1016/j.ecoenv.2016.04.023>
- Campanella, L., Bonanni, A., & Tomassetti, M. (2003). Determination of the antioxidant capacity of samples of different types of tea, or of beverages based on tea or other herbal products, using a superoxide dismutase biosensor. *Journal of Pharmaceutical and Biomedical Analysis*, 32(4–5), 725–736. [https://doi.org/10.1016/s0731-7085\(03\)00180-8](https://doi.org/10.1016/s0731-7085(03)00180-8)
- Carmen C, Reyes A, G. (2006). Beneficial Effects of Green Tea: Journal of the American College of Nutrition. *Journal of the American College of Nutrition*.
- Chan, L., Mehra, A., Saikat, S., & Lynch, P. (2013). Human exposure assessment of fl uoride from tea ( *Camellia sinensis* L .): A UK based issue ? *FRIN*, 51(2), 564–570. <https://doi.org/10.1016/j.foodres.2013.01.025>

- Chen, Q., Shi, J., Mu, B., Chen, Z., Dai, W., & Lin, Z. (2020). Metabolomics combined with proteomics provides a novel interpretation of the changes in nonvolatile compounds during white tea processing. *Food Chemistry*, 127412. <https://doi.org/10.1016/j.foodchem.2020.127412>
- Chen, Y. L., Duan, J., Jiang, Y. M., & Shi, J. (2010). *Production , Quality , and Biological Effects of Oolong Tea ( Camellia sinensis )*. June 2013, 37–41. <https://doi.org/10.1080/87559129.2010.518294>
- Combe, E. C. (1992). *Notes on Dental Materials* (6th ed.). churchill livingstone.
- Dai, L. L., Mei, M. L., Chu, C. H., & Lo, E. C. M. (2021). Remineralizing effect of a new strontium-doped bioactive glass and fluoride on demineralized enamel and dentine. *Journal of Dentistry*, 108, 103633. <https://doi.org/10.1016/j.jdent.2021.103633>
- Daniel, wayne w. (2005). *Biostatistic A Foundation For Analysis The Health Science* (8th ed.).
- Das, S., Samanta, T., & Datta, A. K. (2019). *Analysis and modeling of major polyphenols during oxidation in production of black tea*. March, 1–10. <https://doi.org/10.1111/jfpp.14283>
- Dawes, C. (2021). *Caries Process and Prevention Strategies : Demineralization / Remineralization*. 1–9.
- Deb, S., & Pou, K. R. J. (2016). *A Review of Withering in the Processing of Black Tea*. 41(4), 365–372.
- Dias, T. R., Tomás, G., Teixeira, N. F., Alves, M. G., Oliveira, P. F., Silva, B. M., & Silva, B. M. (2013). *International Journal of Food Science , Nutrition and Dietetics ( IJFS ) ISSN 2326-3350*. 2, 19–26.
- Duymus, Z. Y., Ozdogan, A., Ulu, H., & Ozbayram, O. (2016). Evaluation the Vickers Hardness of Denture Base Materials. *Open Journal of Stomatology*, 06(04), 114–119. <https://doi.org/10.4236/ojst.2016.64014>
- Dwiandhono, irfan, Imam, D. N. A., & Mukaromah, aflatul. (2019). *Applications of Whey Extract and Cpp-Acp in Email Surface Towards Enamel Surface Hardness After Extracoronary Bleaching*. 2, 93–98.
- Erviana, O. N., Fatmasari., D., & Benyamin, B. (2015). Dalam Perendaman Minuman Berkarbonasi Rasa Buah. *Perbedaan Kelarutan Kalsium Pada Gigi Desidui Dan Permanen Dalam Perendaman Minuman Berkarbonasi Rasa Buah*, 2(2), 68–72.
- Farouk, H., Mosallam, R., & Aidaros, N. (2021). Effect of Green Tea, Black Tea and Moringa Oleifera on Remineralization of Artificially Demineralized Enamel and Dentin: An In-vitro Microhardness Analysis. *Advanced Dental Journal*, 3(1), 24–34. <https://doi.org/10.21608/adjc.2020.34873.1072>
- Featherstone, J. D., & Lussi, A. (2006). Understanding the chemistry of dental erosion. In *Monographs in oral science*. (Vol. 20, Issue February).

<https://doi.org/10.1159/000093351>

- Fraser, K., Harrison, S., Lane, G., Otter, D., Quek, S. Y., & Rasmussen, S. (2014). Analysis of Low Molecular Weight Metabolites in Tea Using Mass Spectrometry-Based Analytical Methods. *Critical Reviews in Food Science and Nutrition*, 54, 924–937. <https://doi.org/10.1080/10408398.2011.619670>
- Gordon. (2022). *Hardness Testing*. <https://www.gordonengland.co.uk/hardness/>
- Goswami, P., Kalita, C., & Bhuyan, A. C. (2020). *Antibacterial Activity of Black Tea Extract against S . mutans , S . aureus ,* (Vol. 9, Issue 01). <https://doi.org/10.14260/jemds/2020/5>
- Gramza-Michałowska, A., & Bajerska-Jarzębowska, J. (2007). *Leaves of Camellia sinensis : Ordinary Brewing Plant or Super Antioxidant Source ?*
- Gutiérrez-Salazar, M., & Reyes-Gasga, J. (2001). Enamel hardness and caries susceptibility in human teeth. *Revista Latinoamericana de Metalurgia y Materiales*, 21, 36–40.
- Hara, A. T., & Zero, D. T. (2008). Analysis of the erosive potential of calcium-containing acidic beverages. *European Journal of Oral Sciences*, 116(1), 60–65. <https://doi.org/https://doi.org/10.1111/j.1600-0722.2007.00513.x>
- Hartmann, I. K., & Jarvis, J. (2015). *Effective Contamination Control with CO<sub>2</sub> Incubators*. 30, 1–7.
- Hemagaran, G., & Neelakantan, P. (2014). Remineralization of the tooth structure—the future of dentistry. *International Journal of PharmTech Research*.
- Hidayah, A. (2018). *The Influence of Temperature to Change Email Color after Application of Black Tea ( Camellia sinensis L.)* Aimatul Hidayah 1 , Sri Redjeki 1\* , Harun Asyiq Gunawan 1 1.
- Hilal, Y. (2019). *Open Access Review Article Morphology , Manufacturing , Types , Composition Journal of Basic and Applied Plant Sciences Morphology , Manufacturing , Types , Composition and Medicinal Properties of Tea ( Camellia sinensis )*. June 2017.
- Hilal, Y., & Engelhardt, U. (2009). *Correction / Erratum Characterisation of white tea – Comparison to green and black tea Public GMO Location Register in Germany 2008 – a continuously improved Information Platform . 4*(February 2005), 218–220. <https://doi.org/10.1007/s00003-009-0485-2>
- Ho, K. K. H. Y., Haufe, T. C., Ferruzzi, M. G., & Neilson, A. P. (2018). *Production and Polyphenolic Composition of Tea*. 53(6). <https://doi.org/10.1097/NT.0000000000000304>
- Junfeng, A., Ulrich, T., Zhi, H. E., Nils, L., & Maiwald, K. B. (2016). Flavonoids , phenolic acids , alkaloids and theanine in different types. *Journal of Food Composition and Analysis*. <https://doi.org/10.1016/j.jfca.2016.12.011>



- Koch, W., Kukula-Koch, W., & Komsta, Ł. (2018). *Black Tea Samples Origin Discrimination Using Antiradical Scavenging Activity and*. <https://doi.org/10.3390/molecules23030513>
- Kowalska, J., Marzec, A., Domian, E., Galus, S., Ciurzyńska, A., Brzezińska, R., & Kowalska, H. (2021). Influence of tea brewing parameters on the antioxidant potential of infusions and extracts depending on the degree of processing of the leaves of *Camellia sinensis*. *Molecules*, 26(16). <https://doi.org/10.3390/molecules26164773>
- Kumayasari, M. F. (2017). *Studi Uji Kekerasan Rockwell Superficial VS Micro Vickers*. 2(2).
- Lata, S., Varghese, N. O., & Varughese, J. M. (2010). Remineralization potential of fluoride and amorphous calcium phosphate-casein phospho peptide on enamel lesions: An in vitro comparative evaluation. *Journal of Conservative Dentistry : JCD*, 13(1), 42–46. <https://doi.org/10.4103/0972-0707.62634>
- Lee, R. J., & Bayne, A. (2014). *Prevention of tea-induced extrinsic tooth stain*. 267–272. <https://doi.org/10.1111/idh.12096>
- Lin, S., Lo, L., Chen, I., & Chen, P. (2016). ScienceDirect Effect of shaking process on correlations between catechins and volatiles in oolong tea. *Journal of Food and Drug Analysis*, 4–11. <https://doi.org/10.1016/j.jfda.2016.01.011>
- Łuczaj, W., & Skrzydlewska, E. (2005). Antioxidative properties of black tea. *Preventive Medicine*, 40(6), 910–918. <https://doi.org/10.1016/j.ypmed.2004.10.014>
- Malinowska, E., Inkielewicz, I., Czarnowski, W., Szefer, P., Grey, E., & Grey, E. (2008). *Assessment of fluoride concentration and daily intake by human from tea and herbal infusions*. 46, 1055–1061. <https://doi.org/10.1016/j.fct.2007.10.039>
- Marzuki, A. (2012). *Pengaruh pemberian sari Kurma (Phoenix Dactilifera L) terhadap Perubahan Jumlah Trombosit pada Tikus (Ratus Norvegicus)*.
- McDonald. (2011). *De tistry for the child and adolescent*.
- Min-Ki, L., Heon-Woong, K., Seon-Hye, L., Young Jin, K., Gelila, A., Jeong, C., Jin-Woo, L., & Hyun-Ah, J. (2019). Characterization of catechins, theaflavins, and flavonols by leaf processing step in green and black teas (*Camellia sinensis*) using UPLC- DAD-QToF / MS. *European Food Research and Technology*, 245(5), 997–1010. <https://doi.org/10.1007/s00217-018-3201-6>
- Miri, M., Bhatnagar, A., Mahdavi, Y., Basiri, L., Nakhaei, A., Khosravi, R., Eslami, H., Ghasemi, S. M., Balarak, D., Alizadeh, A., Mohammadi, A., Derakhshan, Z., Fallahzadeh, R. A., & Taghavi, M. (2018). *AC SC*. <https://doi.org/10.1016/j.fct.2018.03.023>
- Mittal, R., Relhan, N., & Tangri, T. (2017). *Remineralizing Agents : A Comprehensive Review Casein Phosphopeptide-Amorphous Casein Phosphopeptide-Amorphous*. 13(1), 1–4.

- Mount, G. J., Wolff, W. R. H., Ngo, H. C., & S., M. (2006). Preservation and restoration of tooth structure. In *British Dental Journal* (Third Edit, Vol. 200, Issue 1). <https://doi.org/10.1038/sj.bdj.4813126>
- Naderi, N. J., Niakan, M., Fard, M. J. K., & Zardi, S. (2011). *Antibacterial Activity of Iranian Green and Black Tea on Streptococcus Mutans : An In Vitro Study*. 8(2), 55–59.
- Nazaruddin. (1993). *Komoditi ekspor pertanian : petunjuk ekspor* (1st ed.). Penebar Swadaya.
- Notoatmodjo, S. (2012). Metodologi Penelitian Kesehatan. In *Jakarta: PT. Rineka Cipta* (pp. 139–142).
- Paiva, L., Rego, C., Lima, E., Marcone, M., & Baptista, J. (2021). Comparative analysis of the polyphenols, caffeine, and antioxidant activities of green tea, white tea, and flowers from azorean camellia sinensis varieties affected by different harvested and processing conditions. *Antioxidants*, 10(2), 1–16. <https://doi.org/10.3390/antiox10020183>
- Pattaravisitsate, N., Phetrak, A., & Denpetkul, T. (2021). Effects of brewing conditions on infusible fluoride levels in tea and herbal products and probabilistic health risk assessment. *Scientific Reports*, 1–9. <https://doi.org/10.1038/s41598-021-93548-3>
- Prastowo, S., & Sugeng, M. (2015). *TERHADAP SIFAT MEKANIS MATERIAL PADA LAPISAN MATERIAL COOPER AW 14 GA + 13 Cr STAINLESS HASIL*.
- Purnamasari, F. L., Sari, W. P., & Elianora, D. (2019). *Laporan penelitian Uji kekerasan fiber reinforced composite dengan e-glass fiber dental dan non-dental*. 60–64. <https://doi.org/10.24198/jkg.v31i1.18048>
- R and Vijay, K. J. N. P. M. (2012). Camellia sinensis (Green Tea): A Review. *Global Journal of Pharmacology*.
- Rahayu, Y. C. (2013). Peran Agen Remineralisasi Pada Lesi Karies Dini. *Stomatogantic (J.K.G. Unej)*, 10(1), 25–30.
- Rasheed, Z. (2019). *Molecular evidences of health benefits of drinking black tea*. 13(3), 21–23.
- Rezky, L. K., & Handajani, J. (2016). Efek Pengunyahan Permen Karet Gula dan Xylitol terhadap Status Saliva. In *Majalah Kedokteran Gigi Indonesia* (Vol. 18, Issue 1, p. 21). <https://doi.org/10.22146/majkedgiind.16450>
- Ryu, H. K., Kim, Y. Do, Heo, S. S., & Kim, S. C. (2018). Effect of carbonated water manufactured by a soda carbonator on etched or sealed enamel. *Korean Journal of Orthodontics*, 48(1), 48–56. <https://doi.org/10.4041/kjod.2018.48.1.48>
- Şakar-Deliormanli, A., & Güden, M. (2006). Microhardness and fracture toughness of dental materials by indentation method. *Journal of Biomedical Materials*

- Research Part B: Applied Biomaterials*, 76B(2), 257–264.  
<https://doi.org/https://doi.org/10.1002/jbm.b.30371>
- Scheid, R. C. (2012). *Woelfel's dental anatomy* (8th ed.). Philadelphia Wolters Kluwer Lippincott Williams & Wilkins , 2012.
- Sen, G., & Bera, B. (2013). *Black tea as a part of daily diet : A boon for healthy living*. 9(October), 51–59.
- Sheibani, E., Duncan, S. E., Kuhn, D. D., Dietrich, A. M., Newkirk, J. J., & Keefe, S. F. O. (2015). *Changes in flavor volatile composition of oolong tea after panning during tea processing*. <https://doi.org/10.1002/fsn3.307>
- Strange, A., Ibrahim, S., Coathup, M., Young, A. M., & Bozec, L. (2016). *Demineralization – remineralization dynamics in teeth and bone*. 4743–4763.
- Tarigan, R. (2013). *Karies Gigi*. EGC.
- Tuminah, sumiyati. (2004). Teh [*Camellia sinensis* O.K. var. *Assamica* (Mast)] sebagai Salah Satu Sumber Antioksidan. *Cermin Dunia Kedokteran*.
- Wangidjaja, I. (2014). *Anatomi Gigi* (2nd ed.). EGC.
- Xiang, K., Chen, L., Chen, W., & Yang, D. (2021). Remineralization of dentin induced by a compound of polyamide-amine and chlorhexidine in a resin dentin bonding microenvironment. *Annals of Translational Medicine*, 9(6), 472–472. <https://doi.org/10.21037/atm-21-472>
- Xu, Y., Liu, P., Shi, J., Gao, Y., Wang, Q., & Yin, J. (2018). Quality Development and Main Chemical Components of Tieguanyin Oolong Tea Research Institute Chinese Academy of Agricultural Sciences , Key Laboratory of Guelph Food Research Center , Agriculture and Agri-Food Canada , Guelph , Ontario Tea Research Instit. *Food Chemistry*. <https://doi.org/10.1016/j.foodchem.2018.01.019>
- Ye, Y., Yan, J., Cui, J., Mao, S., Li, M., Liao, X., & Tong, H. (2017). SC. *Journal of Food Composition and Analysis*. <https://doi.org/10.1016/j.jfca.2017.12.008>
- Yi, X., Qiao, S., Ma, L., Wang, J., & Ruan, J. (2016). Soil fluoride fractions and their bioavailability to tea plants ( *Camellia sinensis* L .). *Environmental Geochemistry and Health*. <https://doi.org/10.1007/s10653-016-9868-3>
- Yogyakarta, D. I. (2021). *Luas Areal Teh Menurut Provinsi di Indonesia , 2017-2021 Tea Area by Province in Indonesia , 2017-2021*. 2021, 2021.
- Zhang, L., Cao, Q., Granato, D., Xu, Y., & Ho, C. (2020). Association between chemistry and taste of tea: A review. *Trends in Food Science & Technology*.

<https://doi.org/10.1016/j.tifs.2020.05.015>

Zhou, Z., Ge, X., Bian, M., Xu, T., Li, N., Lu, J., & Yu, J. (2020). Remineralization of dentin slices using casein phosphopeptide-amorphous calcium phosphate combined with sodium tripolyphosphate. *Biomedical Engineering Online*, 19(1), 18. <https://doi.org/10.1186/s12938-020-0756-9>

