

DAFTAR PUSTAKA

- Abdullah, S. 2012. Pengaruh Waktu Reaksi Terhadap Bilangan Hidroksil Pada Pembentukan Polyol dari Epoksidasi CPO dan Curcas Oil. *Jurnal Konversi Universitas Muhammadiyah Jakarta*, 1(1), 15–24.
- Alagi, P., Choi, Y. J., & Hong, S. C. 2016. Preparation of vegetable oil-based polyols with controlled hydroxyl functionalities for thermoplastic polyurethane. *European Polymer Journal*, 78, 46–60. <https://doi.org/10.1016/j.eurpolymj.2016.03.003>.
- Allauddin, S., Somisetti, V., Ravinder, T., Rao, B. V. S. K., Narayan, R., & Raju, K. V. S. N. 2016. One-pot synthesis and physicochemical properties of high functionality soy polyols and their polyurethane-Urea coatings. *Industrial Crops and Products*, 85, 361–371. <https://doi.org/10.1016/j.indcrop.2015.12.087>.
- Antwi, L. A. A., Nimoh, F., Agyemang, P., & Apike, I. A. 2023. Perception and adoption of free fatty acid reduction techniques by small scale palm oil processors: Evidence from Ghana. *Journal of Agriculture and Food Research*, 11(August 2022), 100462. <https://doi.org/10.1016/j.jafr.2022.100462>.
- [AOCS] American Oil Chemists' Society. 1994. Official Method and Recommended Practices of the American Oil Chemists' Society (AOCS) Cd 1-25 Iodine Value of Fats and Oils Wijs Method. Official Methods and Recommended Practices of the American Oil Chemists' Society, Sampling and analysis of commercial fats and oils AOCS, 1–4.
- [AOAC] Association of Official Agricultural Chemists. 2002. Oils and fats. In David Firestone and Mattn Peter Yuraw (Ed.), *Nutrition & Food Science* (pp. 1–69). AOAC International. <https://doi.org/10.1108/nfs.2011.01741eaa.022>.
- [ASTM] American Society for Testing and Material. 1997. *Standard Test Methods for Polyurethane Raw Materials: Determination of Gardner and ASTM D4878 – 15: Standard Test Methods for Polyurethane Raw Materials: Determination of Viscosity of Polyols1*, 1–4. <https://doi.org/10.1520/D4878-15.2>.
- [ASTM] American Society for Testing and Material. 2002. Hotavvezetekek hoszigeteles alatti korrozioja elleni vedelem. In *D 3039/D 3039M: Standard Test Method for Tensile Properties of Polymer Matrix Composite Materials* (pp. 1–13). ASTM Internasional.
- Avar, G., Meier-Westhues, U., Casselmann, H., & Achten, D. 2012. Polyurethanes. In *Polymer Science: A Comprehensive Reference, 10 Volume Set* (Vol. 10). <https://doi.org/10.1016/B978-0-444-53349-4.00275-2>.
- Badri, K. H., & Ngah, M. S. 2015. A mini scale batch reactor for the production of palm-based polyol. *Sains Malaysiana*, 44(6), 861–867. <https://doi.org/10.17576/jsm-2015-4406-12>.

- Basyuni, M., Amri, N., Putri, L. A. P., Syahputra, I. dan Arifiyanto, D. 2017. Characteristics of fresh fruit bunch yield and the physicochemical qualities of palm oil during storage in North Sumatra, Indonesia. *Indones. J. Chem.*, 17(2):182-190.
- Baysal, G., & Kasapbası, E. 2017. Polyurethanes and Usage Areas. *International Research Journal*, 17(1).
- Bernardini, J., Cinelli, P., Anguillesi, I., Coltelli, M. B., & Lazzeri, A. 2015. Flexible polyurethane foams green production employing lignin or oxypropylated lignin. *European Polymer Journal*, 64, 147–156. <https://doi.org/10.1016/j.eurpolymj.2014.11.039>.
- Bayat, P., & Khorasani, M. 2021. Synthesis and characterization of transparent 1-package PUD based on castor oil and polyethylene glycol. *Progress in Organic Coatings*, 153, 106148. <https://doi.org/10.1016/j.porgcoat.2021.106148>.
- Borowicz, M., Paciorek-Sadowska, J., & Isbrandt, M. 2020. Synthesis and application of new bio-polyols based on mustard oil for the production of selected polyurethane materials. *Industrial Crops and Products*, 155, 112831. <https://doi.org/10.1016/j.indcrop.2020.112831>.
- Boustead, I. 2005. Eco-profiles Boustead, I. 2005. Eco-profiles of the European Plastics Industry- POLYOLS. March, 1–19.
- Bryśkiewicz, A., Zieleniewska, M., Przyjemaska, K., Chojnacki, P., & Ryszkowska, J. 2016. Modification of flexible polyurethane foams by the addition of natural origin fillers. *Polymer Degradation and Stability*, 132, 32–40. <https://doi.org/10.1016/j.polymdegradstab.2016.05.002>.
- [BSN] Badan Standardisasi Nasional. 2013. Minyak Goreng. SNI 3741 : 2013, 27. Retrieved from https://www.academia.edu/4506592/21744_SNI_3741_2013_minyak_goreng_web.
- Campanella, A., & Baltanás, M. A. 2005. Degradation of the oxirane ring of epoxidized vegetable oils with hydrogen peroxide using an ion exchange resin. *Catalysis Today*, 107–108, 208–214. <https://doi.org/10.1016/j.cattod.2005.07.092>.
- Chalasani, S. R. K., Dewasthale, S., Hablot, E., Shi, X., Graiver, D., & Narayan, R. 2013. A Spectroscopic Method for Hydroxyl Value Determination of Polyols. *JAACS, Journal of the American Oil Chemists' Society*, 90(12), 1787–1793. <https://doi.org/10.1007/s11746-013-2334-9>.
- Chan, Y. Y., Ma, C., Zhou, F., Hu, Y., & Scharrel, B. 2021. Flame retardant flexible polyurethane foams based on phosphorous soybean-oil polyol and expandable graphite. *Polymer Degradation and Stability*, 191, 109656. <https://doi.org/10.1016/j.polymdegradstab.2021.109656>.
- Chemicals, U., & Flexible, F. O. R. 2020. Caradol Sa34-05 Urethane Chemicals For Flexible Applications. July.

- Choe, H., Sung, G., & Kim, J. H. 2018. Chemical treatment of wood fibers to enhance the sound absorption coefficient of flexible polyurethane composite foams. *Composites Science and Technology*, 156, 19–27. <https://doi.org/10.1016/j.compscitech.2017.12.024>.
- Choi, H. J., & Kim, J. H. 2020. Static and dynamic comfort properties of polyurethane foams including a flexible amine crosslinker. *Journal of Industrial and Engineering Chemistry*, 90, 260–265. <https://doi.org/10.1016/j.jiec.2020.07.021>.
- Cinelli, P., Anguillesi, I., & Lazzeri, A. 2013. Green synthesis of flexible polyurethane foams from liquefied lignin. *European Polymer Journal*, 49(6), 1174–1184. <https://doi.org/10.1016/j.eurpolymj.2013.04.005>.
- Coman, A. E., Peyrton, J., Hubca, G., Sarbu, A., Gabor, A. R., Nicolae, C. A., Iordache, T. V., & Averous, L. 2021. Synthesis and characterization of renewable polyurethane foams using different biobased polyols from olive oil. *European Polymer Journal*, 149, 110363. <https://doi.org/10.1016/j.eurpolymj.2021.110363>.
- Contreras, J., Valdés, O., Mirabal-Gallardo, Y., de la Torre, A. F., Navarrete, J., Lisperguer, J., Durán-Lara, E. F., Santos, L. S., Nachtigall, F. M., Cabrera-Barjas, G., & Abril, D. 2020. Development of eco-friendly polyurethane foams based on *Lesquerella fendleri* (A. Grey) oil-based polyol. *European Polymer Journal*, 128, 109606. <https://doi.org/10.1016/j.eurpolymj.2020.109606>.
- Cui, S., Luo, X., & Li, Y. 2017. Synthesis and properties of polyurethane wood adhesives derived from crude glycerol-based polyols. *International Journal of Adhesion and Adhesives*, 79, 67–72. <https://doi.org/10.1016/j.ijadhadh.2017.04.008>.
- Das, A. & Mahanwar, P. 2020. A brief discussion on advances in polyurethane applications. *Advanced Industrial and Engineering Polymer Research*, 3(3), 93-101, <https://doi.org/10.1016/j.aiepr.2020.07.002>.
- De Souza, F. M., Kahol, P. K., & Gupta, R. K. 2021. Introduction to Polyurethane Chemistry [Chapter]. ACS Symposium Series, 1380, 1–24. <https://doi.org/10.1021/bk-2021-1380.ch001>.
- Derawi, D., Salimon, J., & Ahmed, W. A. 2014. Preparation of epoxidized palm olein as renewable material by using peroxy acids. *Malaysian Journal of Analytical Sciences*, 18(3), 584–591.
- Dian, N. L. H. M., Ying, L. Y., Ibrahim, N. M. A. N., Hassim, N. A. M., Huey, S. M., Ping, T. C., & Ming, L. O. 2019. Low-temperature directed transesterification increases triunsaturated and trisaturated triacylglycerols of palm oil and affects its thermal, polymorphic and microstructural properties. *Journal of Oil Palm Research*, 31(1), 95–109. <https://doi.org/10.21894/jopr.2018.0046>.
- [Ditjenbun] Direktorat Jenderal Perkebunan. 2022. Statistik Perkebunan Indonesia, 2020. Kementerian Pertanian Republik Indonesia. Jakarta.

- Dodangeh, F., Seyed Dorraji, M. S., Rasoulifard, M. H., & Ashjari, H. R. 2020. Synthesis and characterization of alkoxy silane modified polyurethane wood adhesive based on epoxidized soybean oil polyester polyol. *Composites Part B: Engineering*, 187, 107857. <https://doi.org/10.1016/j.compositesb.2020.107857>.
- Dutta, A. S. 2018. Polyurethane Foam Chemistry. In *Recycling of Polyurethane Foams*. Elsevier Inc. <https://doi.org/10.1016/b978-0-323-51133-9.00002-4>.
- Febrianto, E. B., Gunawan, H., & Valentine, N. 2019. Karakteristik Morfologi Kelapa Sawit (*Elaeis guineensis* Jacq.) Varietas DyxP Dumpy Dengan Pemberian Asam Humat Pada Media Tanah Salin Di Main Nursery. *Agricultural Research Journal*, 15(2), 103–120.
- Fenner, B. R., Zimmermann, M. V. G., da Silva, M. P., & Zattera, A. J. 2018. Comparative analysis among coating methods of flexible polyurethane foams with graphene oxide. *Journal of Molecular Liquids*, 271, 74–79. <https://doi.org/10.1016/j.molliq.2018.08.113>.
- Firdaus, F. E. 2014. Synthesis and Characterization of Soy-Based Polyurethane Foam with Utilization of Ethylene Glycol in Polyol. *Makara Journal of Technology*, 18(1), 11–16. <https://doi.org/10.7454/mst.v18i1.338>.
- Gala, S. 2011. Sintesa Polioli dari Minyak Sawit dengan Reaksi Epoksidasi dan Hidroksilasi The Polioli Sithesis from Sawit Oil with Epoksidasion and Hidroksilasion Reaction. *Jurnal Chemica*, 12(2), 36–43.
- Gan, H. L., Man, Y. B. C., Tan, C. P., NorAini, I., & Nazimah, S. A. H. 2005. Characterisation of vegetable oils by surface acoustic wave sensing electronic nose. *Food Chemistry*, 89(4), 507–518. <https://doi.org/10.1016/j.foodchem.2004.03.005>.
- Ghasemlou, M., Daver, F., Ivanova, E. P., & Adhikari, B. 2019. Polyurethanes from seed oil-based polyols: A review of synthesis, mechanical and thermal properties. *Industrial Crops and Products*, 142, 111841. <https://doi.org/10.1016/j.indcrop.2019.111841>.
- Gómez-Fernández, S., Ugarte, L., Calvo-Correas, T., Peña-Rodríguez, C., Corcuera, M. A., & Eceiza, A. 2017. Properties of flexible polyurethane foams containing isocyanate functionalized kraft lignin. *Industrial Crops and Products*, 100, 51–64. <https://doi.org/10.1016/j.indcrop.2017.02.005>.
- Gómez-Fernández, S., Ugarte, L., Peña-Rodríguez, C., Zubitur, M., Corcuera, M. Á., & Eceiza, A. 2016. Flexible polyurethane foam nanocomposites with modified layered double hydroxides. *Applied Clay Science*, 123, 109–120. <https://doi.org/10.1016/j.clay.2016.01.015>.
- Gómez, E. F., Luo, X., Li, C., Michel, F. C., & Li, Y. 2014. Biodegradability of crude glycerol-based polyurethane foams during composting, anaerobic digestion and soil incubation. *Polymer Degradation and Stability*, 102(1), 195–203. <https://doi.org/10.1016/j.polymdegradstab.2014.01.008>.

- Gurgel, D., Bresolin, D., Sayer, C., Cardozo Filho, L., & Hermes de Araújo, P. H. 2021. Flexible polyurethane foams produced from industrial residues and castor oil. *Industrial Crops and Products*, 164, 113377. <https://doi.org/10.1016/j.indcrop.2021.113377>.
- Hao, Y. J., Huey, S. M., Beng, Y. C., Kanagaratnam, S., Abdullah, L. C., & Yaw, T. C. S. 2019. The effects of polyglycerol esters on palm olein fractionation. *Journal of Oil Palm Research*, 31(2), 294–303. <https://doi.org/10.21894/jopr.2019.0015>.
- Harikrishnan, G., Patro, T. U., & Khakhar, D. V. 2006. Polyurethane foam - Clay nanocomposites: Nanoclays as cell openers. *Industrial and Engineering Chemistry Research*, 45(21), 7126–7134. <https://doi.org/10.1021/ie0600994>.
- Harris, J. C., Rumack, B. H., & Aldrich, F. D. 1981. Toxicology of Urea Formaldehyde and Polyurethane Foam Insulation. *JAMA: The Journal of the American Medical Association*, 245(3), 243–246. <https://doi.org/10.1001/jama.1981.03310280019020>.
- Hasan, N. A. A., & Ismail, R. 2016. Applications of Epoxidised Palm-based Unsaturated Fatty Acids. *Palm Oil Developments* 63, September, 4–11.
- Hasibuan, H. A. 2012. Kajian Mutu Dan Karakteristik Minyak Sawit Indonesia Serta Produk Fraksinasi. *Jurnal Standardisasi*, 14(1), 13. <https://doi.org/10.31153/js.v14i1.51>.
- Hebda, E., Bukowezan, A., Michałowski, S., Wroński, S., Urbaniak, P., Kaczmarek, M., Hutnik, E., Romaniuk, A., Wolun-Cholewa, M., & Pielichowski, K. 2020. Examining the influence of functionalized POSS on the structure and bioactivity of flexible polyurethane foams. *Materials Science and Engineering C*, 108. <https://doi.org/10.1016/j.msec.2019.110370>.
- Hiroe, A., Sakurai, T., Mizuno, S., Miyahara, Y., Goto, S., Yamada, M., Tsuge, T., & Taguchi, S. 2021. Microbial oversecretion of (R)-3-hydroxybutyrate oligomer with diethylene glycol terminal as a macromonomer for polyurethane synthesis. *International Journal of Biological Macromolecules*, 167, 1290–1296. <https://doi.org/10.1016/j.ijbiomac.2020.11.083>.
- Hoong, S. S., Mohd Norhisham, S., Tuan Noor Maznee, T. I., Kosheela, D., Nurul'Ain, H., Hazimah, A. H., Ooi, T. L., & Salmiah, A. 2008. Preparation of a low viscosity and light coloured fatty acid-based polyol. *Journal of Oil Palm Research, SPEC. ISS. OCTOBE*, 44–52.
- Huang, X., De Hoop, C. F., Xie, J., Wu, Q., Boldor, D., & Qi, J. 2018. High bio-content polyurethane (PU) foam made from bio-polyol and cellulose nanocrystals (CNCs) via microwave liquefaction. *Materials and Design*, 138, 11–20. <https://doi.org/10.1016/j.matdes.2017.10.058>.
- Huo, S., Jin, C., Liu, G., Chen, J., Wu, G., & Kong, Z. 2019. Preparation and properties of biobased autocatalytic polyols and their polyurethane foams. *Polymer Degradation and Stability*, 159, 62–69. <https://doi.org/10.1016/j.polymdegradstab.2018.11.019>.

- Ifa, L., Sumarno, S., Susianto, S., & Mahfud, M. 2012. Model Kinetika Reaksi Pembentukan Polyol Berbasis Minyak Sawit. *Reaktor*, 14(1), 1–8. <https://doi.org/10.14710/reaktor.14.1.1-8>.
- Ifa, L., Nurdjannah, Sabara, Z., & Jaya, F. 2018. *Pembuatan Bahan Polimer dari Minyak Sawit (Pertama)*. Penerbit Nas Media Pustaka.
- Ifa, L., Syarif, T., Sabara, Z., Nurjannah, N., Munira, M., & Aryani, F. 2018. Study on the Kinetics of Epoxidation Reaction of RBD Palm Olein. *IOP Conference Series: Earth and Environmental Science*, 175(1). <https://doi.org/10.1088/1755-1315/175/1/012035>.
- Imran, M., Bandyopdhyay, A. K., Gandhi, T. K. S., Rahaman, A., & Chandan, M. R. 2021. Mechanical property enhancement of flexible polyurethane foam using alumina particles Mohammed. *Materials Today: Proceedings*, 45, 4040–4044. <https://doi.org/10.1016/j.matpr.2020.10.754>.
- Ionescu, M. 2005. Chemistry and technology of polyols for polyurethanes. In Rapra Technology Limited (First Publ). Rapra Technology Limited. <https://doi.org/10.1002/pi.2159>.
- Ionescu, M. 2016. Chemistry and Technology of Polyols for Polyurethanes, 2nd Edition (2nd ed., Vol. 1). Smithers Rapra. <http://www.polymer-books.com>.
- Isharyadi, F., B. Sitanggang, A., Nur Faridah, D., & Andarwulan, N. 2019. Verifikasi Metode Pengujian Densitas Crude Palm Oil Menggunakan Standar Iso 6883:2017. *Jurnal Standardisasi*, 21(2), 161. <https://doi.org/10.31153/js.v21i2.760>.
- Izarra, I., Borreguero, A. M., Garrido, I., Rodríguez, J. F., & Carmona, M. 2021. Comparison of flexible polyurethane foams properties from different polymer polyether polyols. *Polymer Testing*, 100, 107268. <https://doi.org/10.1016/j.polymertesting.2021.107268>.
- Jalil, M. J., Md Zaini, M. S., Mohd Yamin, A. F., Azmi, I. S., Chang, S. H., Morad, N., & Hadi, A. 2019. Synthesis and physicochemical properties of epoxidized oleic acid-based palm oil. *IOP Conference Series: Earth and Environmental Science*, 291(1). <https://doi.org/10.1088/1755-1315/291/1/012046>.
- Jalil, M. J., Mohamed, N., Jamaludin, S. K., Som, A. M., & Mohamad Daud, A. R. 2014. Epoxidation of palm kernel oil-based crude oleic acid. *Advanced Materials Research*, 906, 125–130. <https://doi.org/10.4028/www.scientific.net/amr.906.125>.
- Javni, I., Song, K., Lin, J., & Petrovic, Z. S. 2011. Structure and properties of flexible polyurethane foams with nano- and micro-fillers. *Journal of Cellular Plastics*, 47(4), 357–372. <https://doi.org/10.1177/0021955X11398115>.
- Jia, P., Ma, C., Lu, J., Yang, W., Jiang, X., Jiang, G., Yin, Z., Qiu, Y., Qian, L., Yu, X., Hu, Y., Hu, W., & Wang, B. 2022. Design of copper salt@graphene nanohybrids to accomplish excellent resilience and superior fire safety for flexible polyurethane foam. *Journal of Colloid and Interface Science*, 606, 1205–1218. <https://doi.org/10.1016/j.jcis.2021.08.139>.

- Jiang, W., Hosseinpourpia, R., Biziks, V., Ahmed, S. A., Militz, H., & Adamopoulos, S. 2021. Preparation of polyurethane adhesives from crude and purified liquefied wood sawdust. *Polymers*, 13(19), 1–18. <https://doi.org/10.3390/polym13193267>.
- Kaikade, D. S., & Sabnis, A. S. 2023. Polyurethane foams from vegetable oil-based polyols: a review. *Polymer Bulletin*, 80(3), 2239–2261. <https://doi.org/10.1007/s00289-022-04155-9>.
- Kattiyaboot, T., & Thongpin, C. 2016. Effect of Natural Oil Based Polyols on the Properties of Flexible Polyurethane Foams Blown by Distilled Water. *Energy Procedia*, 89, 177–185. <https://doi.org/10.1016/j.egypro.2016.05.024>.
- Kementerian Pertanian. 2022. Peraturan Menteri Pertanian Republik Indonesia tentang Pengembangan Sumber Daya Manusia, Penelitian Dan Pengembangan, Peremajaan, Serta Sarana Dan Prasarana Perkebunan Kelapa Sawit. 185.
- Kementrian Perindustrian RI. 2022. Tantangan dan Prospek Hilirisasi Sawit Nasional Analisis: Pembangunan Industri. Kementerian Perindustrian Republik Indonesia, 1–63.
- Kim, Y. J., Kang, H. J., Moerk, C. T., Lee, B. T., Choi, J. S., & Yim, J. H. 2021. Flexible, biocompatible, and electroconductive Polyurethane foam composites coated with graphene oxide for ammonia detection. *Sensors and Actuators B: Chemical*, 344, 130269. <https://doi.org/10.1016/j.snb.2021.130269>.
- Kinasih, N. A., & Cifriadi, A. 2013. Perkembangan Riset Dan Penggunaan Minyak Nabati Terepoksidasi Sebagai Bahan Pemplastis Karet Dan Plastik. *Warta Per karetan*, 32(1), 46. <https://doi.org/10.22302/ppk.wp.v32i1.35>.
- Kraitape, N., & Thongpin, C. 2016. Influence of Recycled Polyurethane Polyol on the Properties of Flexible Polyurethane Foams. *Energy Procedia*, 89, 186–197. <https://doi.org/10.1016/j.egypro.2016.05.025>.
- Kumar, S., Prakash, R., & Maiti, P. 2022. Redox mediation through integrating chain extenders in active ionomer polyurethane hard segments in CdS quantum dot sensitized solar cell. *Solar Energy*, 231, 985–1001. <https://doi.org/10.1016/j.solener.2021.12.043>.
- Kurańska, M., Pinto, J. A., Salach, K., Barreiro, M. F., & Prociak, A. 2020. Synthesis of thermal insulating polyurethane foams from lignin and rapeseed based polyols: A comparative study. *Industrial Crops and Products*, 143. <https://doi.org/10.1016/j.indcrop.2019.111882>.
- Kurańska, M., Benes, H., Polaczek, K., Trhlikova, O., Walterova, Z., & Prociak, A. 2019. Effect of homogeneous catalysts on ring opening reactions of epoxidized cooking oils. *Journal of Cleaner Production*, 230, 162–169. <https://doi.org/10.1016/j.jclepro.2019.05.096>.
- Kurańska, M., & Malewska, E. 2021. Waste cooking oil as starting resource to produce bio-polyol - analysis of transesterification process using gel

- permeation chromatography. *Industrial Crops and Products*, 162, 1–8. <https://doi.org/10.1016/j.indcrop.2021.113294>.
- Lan, Z., Daga, R., Whitehouse, R., McCarthy, S., & Schmidt, D. 2014. Structure-properties relations in flexible polyurethane foams containing a novel bio-based crosslinker. *Polymer*, 55(11), 2635–2644. <https://doi.org/10.1016/j.polymer.2014.03.061>.
- Lee, S. T., & Ramesh, N. S. 2004. Polymeric foams mechanisms and materials. CRC Press LLC.
- Lee, S. K., Ha, E. S., Park, H., Jeong, J. S., Ryu, H. J., Pyo, Y. J., Choi, D. H., & Kim, M. S. 2021. Measurement and correlation of solubility of lifitegrast in four mixtures of (diethylene glycol monoethyl ether, glycerol, PEG 400, and propylene glycol + water) from 288.15 K to 308.15 K. *Journal of Molecular Liquids*, 340, 117181. <https://doi.org/10.1016/j.molliq.2021.117181>.
- Li, C., Luo, X., Li, T., Tong, X., & Li, Y. 2014. Polyurethane foams based on crude glycerol-derived biopolyols: One-pot preparation of biopolyols with branched fatty acid ester chains and its effects on foam formation and properties. *Polymer*, 55(25), 6529–6538. <https://doi.org/10.1016/j.polymer.2014.10.043>.
- Li, T. T., Liu, P., Wang, H., Dai, W., Wang, J., Wang, Z., Shiu, B. C., Lou, C. W., & Lin, J. H. 2021. Preparation and characteristics of flexible polyurethane foam filled with expanded vermiculite powder and concave-convex structural panel. *Journal of Materials Research and Technology*, 12, 1288–1302. <https://doi.org/10.1016/j.jmrt.2021.03.045>.
- Li, W., Ryan, A. J., & Meier, I. K. 2002. Effect of chain extenders on the morphology development in flexible polyurethane foam. *Macromolecules*, 35(16), 6306–6312. <https://doi.org/10.1021/ma0202311>.
- Li, X., Wang, H., Yuan, S., Lin, S., Deng, S., Du, Z., Cheng, X., & Du, X. 2022. NIR-induced self-healing and recyclable polyurethane composites based on thermally reversible cross-linking for efficient solar-to-thermal energy storage. *Polymer*, 250, 124885. <https://doi.org/10.1016/j.polymer.2022.124885>.
- Liang, Y., Cui, T., & Liu, L. 2021. Effect of multi-armed chain extender on microphase morphology, stress-strain behavior and electromechanical properties of polyurethane elastomers. *Polymer*, 235, 124279. <https://doi.org/10.1016/j.polymer.2021.124279>.
- Lim, H., Kim, S. H., & Kim, B. K. 2008. Effects of the hydroxyl value of polyol in rigid polyurethane foams. *Polymers for advanced technologies*, 19, 1729–1734. <https://doi.org/DOI: 10.1002/pat.1188>.
- Lin, C. S. K., Kirpluks, M., Priya, A., & Kaur, G. 2021. Conversion of food waste-derived lipid to bio-based polyurethane foam. *Case Studies in Chemical and Environmental Engineering*, 4, 100131. <https://doi.org/10.1016/j.cscee.2021.100131>.

- Liu, Z., He, H., Zhang, J., Zheng, J., & Zhuang, H. 2020. Experimental investigation and numerical simulation of the combustion of flexible polyurethane foam with larger geometries. *Polymer Testing*, 81, 106270. <https://doi.org/10.1016/j.polymertesting.2019.106270>.
- Lu, J., Cheng, W., Shi, Y., Jia, P., Liao, C., Zhang, K., Song, L., Wang, B., & Hu, Y. 2021. A facile strategy for lightweight, anti-dripping, flexible polyurethane foam with low smoke emission tendency and superior electromagnetic wave blocking. *Journal of Colloid and Interface Science*, 603, 25–36. <https://doi.org/10.1016/j.jcis.2021.06.103>.
- Lyu, B., Zhang, H., Gao, D., & Ma, J. 2022. Improving the property of castor oil-based waterborne polyurethane by polyhydroxy sapium sebiferum oil as crosslinking agent. *Progress in Organic Coatings*, 168, 106893. <https://doi.org/10.1016/j.porgcoat.2022.106893>.
- Ma, C., Zhang, K., Zhou, F., Zheng, Y., Zeng, W., Wang, B., Xing, W., Hu, W., & Hu, Y. 2021. Fabrication of flexible polyurethane/phosphorus interpenetrating polymer network (IPN) foam for enhanced thermal stability, flame retardancy and mechanical properties. *Polymer Degradation and Stability*, 189, 109602. <https://doi.org/10.1016/j.polymdegradstab.2021.109602>.
- Maisaroh, M., & Susetyo, I. B. 2018. Optimasi pada Epoksidasi Asam Oleat sebagai Bahan Baku dalam Sintesis Asam 9,10 - Dihidroksi Stearat (DHSA). *Warta Industri Hasil Pertanian*, 34(2), 96. <https://doi.org/10.32765/wartaih.p.v34i2.3663>
- Manrique-Juárez, M. D., Martínez-Hernández, A. L., Olea-Mejía, O. F., Flores-Estrada, J., Rivera-Armenta, J. L., & Velasco-Santos, C. 2013. Polyurethane-keratin membranes: Structural changes by isocyanate and ph, and the repercussion on Cr(VI) removal. *International Journal of Polymer Science*, 2013. <https://doi.org/10.1155/2013/892547>.
- Mansour, M. Y. M. A., Dambul, K. D., & YeeP, C. K. 2022. A review of non-destructive ripeness classification techniques for oil palm fresh fruit bunches. *Journal of Oil Palm Research*. DOI: <https://doi.org/10.21894/jopr.2022.0063>.
- Marcos-Fernández, Á. A., Navarro, R., Benito, E., Guzmán, J., & Garrido, L. 2021. Properties of polyurethanes derived from poly (diethylene glycol terephthalate). *European Polymer Journal*, 155. <https://doi.org/10.1016/j.eurpolymj.2021.110576>.
- Marcovich, N. E., Kurańska, M., Prociak, A., Malewska, E., & Kulpa, K. 2017. Open cell semi-rigid polyurethane foams synthesized using palm oil-based bio-polyol. *Industrial Crops and Products*, 102, 88–96. <https://doi.org/10.1016/j.indcrop.2017.03.025>.
- Mohammadi, A., Wang, D.-Y., Hosseini, A. S., & De La Vega, J. 2019. Effect of intercalation of layered double hydroxides with sulfonate-containing calix[4]arenes on the flame retardancy of castor oil-based flexible polyurethane foams. *Polymer Testing*, 79, 106055.

- Mohanty, S. R., Mohanty, S., & Nayak, S. K. 2021. Synthesis and evaluation of novel acrylic and ester-based polyols for transparent polyurethane coating applications. *Materials Today Communications*, 27, 102228. <https://doi.org/10.1016/j.mtcomm.2021.102228>.
- Monzon, J. P., Lim, Y. L., Tenorio, F. A., Farrasati, R., Pradiko, I., Sugianto, H., Donough, C. R., Rattalino Edreira, J. I., Rahutomo, S., Agus, F., Slingerland, M. A., Zijlstra, M., Saleh, S., Nashr, F., Nurdwiansyah, D., Ulfaria, N., Winarni, N. L., Zulhakim, N., & Grassini, P. 2023. Agronomy explains large yield gaps in smallholder oil palm fields. *Agricultural Systems*, 210(May), 103689. <https://doi.org/10.1016/j.agsy.2023.103689>.
- Nabipour, H., Wang, X., Song, L., & Hu, Y. 2020. A fully bio-based coating made from alginate, chitosan and hydroxyapatite for protecting flexible polyurethane foam from fire. *Carbohydrate Polymers*, 246, 116641. <https://doi.org/10.1016/j.carbpol.2020.116641>.
- Nilawar, S., & Chatterjee, K. 2022. Olive oil-derived degradable polyurethanes for bone tissue regeneration. *Industrial Crops and Products*, 185, 115136. <https://doi.org/10.1016/j.indcrop.2022.115136>.
- Ng, W. S., Lee, C. S., Chuah, C. H., & Cheng, S. F. 2017. Preparation and modification of water-blown porous biodegradable polyurethane foams with palm oil-based polyester polyol. *Industrial Crops and Products*, 97, 65–78. <https://doi.org/10.1016/j.indcrop.2016.11.066>.
- Nofiyanti, E., & Mariam, N. 2018. CHEESA: Chemical Engineering Research Articles. *Chemical Engineering Research Articles*, 1(1), 21–25.
- Nor, N. M., Derawi, D., & Salimon, J. 2018. The optimization of RBD palm oil epoxidation process using D-optimal design. *Sains Malaysiana*, 47(7), 1359–1367. <https://doi.org/10.17576/jsm-2018-4707-02>.
- Obi, B. E. 2018. Foaming Processes. In *Polymeric Foams Structure-Property-Performance*. <https://doi.org/10.1016/b978-1-4557-7755-6.00006-9>.
- Ogunleye, O., Oyawale, F., & Suru, E. 2008. Effects of castor oil on the physical properties of polyether based flexible polyurethane foam. *Advances in Natural and Applied Sciences*, 2(1), 10–15.
- Ogwu, M. C. 2019. Towards sustainable development in Africa: The challenge of urbanization and climate change adaptation. *The Geography of Climate Change Adaptation in Urban Africa* (Cobbinah, P B and Addaney, M eds.). Springer Nature, Switzerland. p. 29-55. DOI: 10.1007/978-3-030-04873-0_2.
- Pahan, I. 2012. Panduan Lengkap Kelapa Sawit, Manajemen Agribisnis dari Hulu ke Hilir. Penebar Swadaya. Jakarta.
- Pandin, D.S. & Matana Y.R. 2015. Karakteristik Tanaman Muda Plasma Nutfah Kelapa Sawit Asal Kamerun. *Buletin Palma*, 16(1), 8-22.
- Patel, N. K., & Shah, S. N. 2015. Biodiesel from Plant Oils. In *Food, Energy, and Water: The Chemistry Connection*. Elsevier Inc. <https://doi.org/10.1016/>

B978-0-12-800211-7.00011-9.

- Pawlik, H., & Prociak, A. 2012. Influence of Palm Oil-Based Polyol on the Properties of Flexible Polyurethane Foams. *Journal of Polymers and the Environment*, 20(2), 438–445. <https://doi.org/10.1007/s10924-011-0393-2>.
- Petrović, Z. S., Zlatanić, A., Lava, C. C., & Sinadinović-Fišer, S. 2002. Epoxidation of soybean oil in toluene with peroxyacetic and peroxyformic acids - Kinetics and side reactions. *European Journal of Lipid Science and Technology*, 104(5), 293–299. [https://doi.org/10.1002/1438-9312\(200205\)104:5<293::AID-EJLT293>3.0.CO;2-W](https://doi.org/10.1002/1438-9312(200205)104:5<293::AID-EJLT293>3.0.CO;2-W).
- Petrovic, Z., Guo, A., & Javni. 2003. Process for the preparation of vegetable oil-based polyols and electrosulating casting compounds created from vegetable oil-based polyols. (12) United States Patent. In *US 6,573,354 B1*.
- Peyrton, J., & Avérous, L. 2021. Structure-properties relationships of cellular materials from biobased polyurethane foams. *Materials Science and Engineering R: Reports*, 145. <https://doi.org/10.1016/j.mser.2021.100608>.
- Pillai, P. K. S., Li, S., Bouzidi, L., & Narine, S. S. 2016. Metathesized palm oil: Fractionation strategies for improving functional properties of lipid-based polyols and derived polyurethane foams. *Industrial Crops and Products*, 84, 273–283. <https://doi.org/10.1016/j.indcrop.2016.02.021>.
- Polaczek, K., Kurańska, M., Auguścik-Królikowska, M., Prociak, A., & Ryszkowska, J. 2021. Open-cell polyurethane foams of very low density modified with various palm oil-based bio-polyols in accordance with cleaner production. *Journal of Cleaner Production*, 290. <https://doi.org/10.1016/j.jclepro.2021.125875>.
- Polaczek, K., Kurańska, M., & Prociak, A. 2022. Open-cell bio-polyurethane foams based on bio-polyols from used cooking oil. *Journal of Cleaner Production*, 359. <https://doi.org/10.1016/j.jclepro.2022.132107>.
- Prociak, A., Kurańska, M., Cabulis, U., Ryszkowska, J., Leszczyńska, M., Uram, K., & Kirpluks, M. 2018. Effect of bio-polyols with different chemical structures on foaming of polyurethane systems and foam properties. *Industrial Crops and Products*, 120, 262–270. <https://doi.org/10.1016/j.indcrop.2018.04.046>.
- Prociak, A., Malewska, E., Kurańska, M., Bąk, S., & Budny, P. 2018. Flexible polyurethane foams synthesized with palm oil-based bio-polyols obtained with the use of different oxirane ring opener. *Industrial Crops and Products*, 115, 69–77. <https://doi.org/10.1016/j.indcrop.2018.02.008>.
- Rahmawati, A. 2023. Keragaman Genetik Varietas Kelapa Sawit (*Elaeis guineensis* Jacq.). *Jurnal Kridatama Sains dan Teknologi*, 5(01), 35–40. <https://doi.org/10.53863/kst.v5i01.677>.
- Rao, W. H., Liao, W., Wang, H., Zhao, H. B., & Wang, Y. Z. 2018. Flame-retardant and smoke-suppressant flexible polyurethane foams based on reactive

- phosphorus-containing polyol and expandable graphite. *Journal of Hazardous Materials*, 360, 651–660. <https://doi.org/10.1016/j.jhazmat.2018.08.053>.
- Rao, W. H., Zhu, Z. M., Wang, S. X., Wang, T., Tan, Y., Liao, W., Zhao, H. B., & Wang, Y. Z. 2018. A reactive phosphorus-containing polyol incorporated into flexible polyurethane foam: Self-extinguishing behavior and mechanism. *Polymer Degradation and Stability*, 153, 192–200. <https://doi.org/10.1016/j.polymdegradstab.2018.04.029>.
- Rao, W. H., Xu, H. X., Xu, Y. J., Qi, M., Liao, W., Xu, S., & Wang, Y. Z. 2018. Persistently flame-retardant flexible polyurethane foams by a novel phosphorus-containing polyol. *Chemical Engineering Journal*, 343, 198–206. <https://doi.org/10.1016/j.cej.2018.03.013>.
- Rashmi, B. J., Rusu, D., Prashantha, K., Lacrampe, M. F., & Krawczak, P. 2013. Development of water-blown bio-based thermoplastic polyurethane foams using bio-derived chain extender. *Journal of Applied Polymer Science*, 128(1), 292–303. <https://doi.org/10.1002/app.38183>.
- Rowe, R.C., Sheskey, P.J. and Quinn, M.E. 2009. Handbook of Pharmaceutical Excipients. 6th Edition. Pharmaceutical Press.
- Sambanthamurthi, R., Sundram, K., & Tan, Y. A. 2000. Chemistry and biochemistry of palm oil. In Progress in *Lipid Research*, 39(6). [https://doi.org/10.1016/S0163-7827\(00\)00015-1](https://doi.org/10.1016/S0163-7827(00)00015-1).
- Sari, W.E., Muslimin, Franz, A. & Sugiartawan, P. 2022. Deteksi Tingkat Kematangan Tandan Buah Segar Kelapa Sawit Dengan Algoritme K-Means. *Science and Information Technology Journal*, 5(2), 154-164.
- Sarver, J. A., & Kiran, E. 2021. Foaming of polymers with carbon dioxide – The year-in-review – 2019. *Journal of Supercritical Fluids*, 173, 105166. <https://doi.org/10.1016/j.supflu.2021.105166>
- Seo, W. J., Jung, H. C., Hyun, J. C., Kim, W. N., Lee, Y. B., Choe, K. H., & Kim, S. B. 2003. Mechanical, morphological, and thermal properties of rigid polyurethane foams blown by distilled water. *Journal of Applied Polymer Science*, 90(1), 12–21. <https://doi.org/10.1002/app.12238>.
- Shi, J., Zheng, T., Zhang, Y., Guo, B., & Xu, J. 2021. Polymer Chemistry phenol-carbamate bonds: properties affected by. 2421–2432. <https://doi.org/10.1039/d1py00157d>.
- Shi, Z., Li, A., Zhang, C., & Zhang, Y. F. 2021. Reduced graphene oxide coated polyurethane composite foams as flexible strain sensors for large deformation. *Materials Science and Engineering B: Solid-State Materials for Advanced Technology*, 272. <https://doi.org/10.1016/j.mseb.2021.115360>.
- Simón, D., Borreguero, A. M., De Lucas, A., & Rodríguez, J. F. 2014. Glycolysis of flexible polyurethane wastes containing polymeric polyols. *Polymer Degradation and Stability*, 109, 115–121. <https://doi.org/10.1016/j.polymdegradstab.2014.07.009>.

- Simón, D., Borreguero, A. M., De Lucas, A., & Rodríguez, J. F. 2015. Valorization of crude glycerol as a novel transesterification agent in the glycolysis of polyurethane foam waste. *Polymer Degradation and Stability*, 121, 126–136. <https://doi.org/10.1016/j.polymdegradstab.2015.09.001>.
- Simón, D., de Lucas, A., Rodríguez, J. F., & Borreguero, A. M. 2016. Glycolysis of high resilience flexible polyurethane foams containing polyurethane dispersion polyol. *Polymer Degradation and Stability*, 133, 119–130. <https://doi.org/10.1016/j.polymdegradstab.2016.08.007>.
- Singh, R., Low, E. T. L., Ooi, L. C. L., Ong-Abdullah, M., Ting, N. C., Nagappan, J., Nookiah, R., Amiruddin, M. D., Rosli, R., Manaf, M. A. A. dan Chan, K. L. 2013. The oil palm shell gene controls oil yield and encodes a homologue of seedstick. *Nature*, 500(7462): 340-344.
- Singh, R., Lee, K. T., Ooi, L. C. L., Low, E. T. L., Abdullah, M. O., Sambanthamurthi, R., & Azman, I. 2022. An Overview of the Development of the Oil Palm Industry and Impact of the Shell Gene Innovation As a Quality Control Tool To Improve Productivity. *Journal of Oil Palm Research*, 34(2), 219–233. <https://doi.org/10.21894/jopr.2021.0001>.
- Sivakumar, N., Kanchanadevi, J., Govindarajan, M., Jayavel, R., & Anbalagan, G. 2020. Theoretical investigation on the crystal structure, spectral and optical properties of a novel organic optical material: (Acetoxy) (2-methylphenyl) methylacetate. *Journal of Molecular Structure*, 1219, 128579. <https://doi.org/10.1016/j.molstruc.2020.128579>.
- Soloi, S., Abdul, R., & Razak, A. 2018. Novel Palm Oil Based Polyols with Amide functionality. *International Journal of Sciences: Basic and Applied Research*, 37, 74–86.
- Sudradjat, R., Yulita, R. I., & Setiawan, D. 2010. Pembuatan Polioli dari Minyak Jarak Pagar sebagai Bahan Baku Poliuretana (Polyol Manufacturing from Jatropa curcas L . Oil as Raw Material for Polyurethane). *Jurnal Penelitian Hasil Hutan*, 28(3), 231–240.
- Thi, T., Hoang, K., & Kim, I. 2015. Australian Journal of Basic and Applied Sciences Epoxidation and Ring-Opening of Palm Oil to Produce High-Functionality Polyols. *Australian Journal of Basic and Applied Sciences*, 9(8), 89–93.
- Ugarte, L., Saralegi, A., Fernández, R., Martín, L., Corcuera, M. A., & Eceiza, A. 2015. Flexible polyurethane foams based on 100% renewably sourced polyols. *Industrial Crops and Products*, 62, 545–551. <https://doi.org/10.1016/j.indcrop.2014.09.028>.
- Uram, K., Prociak, A., Vevere, L., Pomilovskis, R., Cabulis, U., & Kirpluks, M. 2021. Natural oil-based rigid polyurethane foam thermal insulation applicable at cryogenic temperatures. *Polymers*, 13(24). <https://doi.org/10.3390/polym13244276>.

- Wang, C. S., Zhang, J., Wang, H., He, M., Ding, L., & Zhao, W. W. 2021. Simultaneously improving the fracture toughness and flame retardancy of soybean oil-based waterborne polyurethane coatings by phosphorus-nitrogen chain extender. *Industrial Crops and Products*, 163, 113328. <https://doi.org/10.1016/j.indcrop.2021.113328>.
- Wang, X., Wang, G., He, G., Liao, X., Song, P., Zou, F., Liu, S., Luo, Y., & Li, G. 2022. Fabrication of lightweight flexible thermoplastic polyurethane/multiwalled carbon nanotubes composite foams for adjustable frequency-selective electromagnetic interference shielding by supercritical carbon dioxide. *Journal of Supercritical Fluids*, 188, 105675. <https://doi.org/10.1016/j.supflu.2022.105675>.
- Wang, X., Zhang, P., Huang, Z., Xing, W., Song, L., & Hu, Y. 2019. Effect of aluminum diethylphosphinate on the thermal stability and flame retardancy of flexible polyurethane foams. *Fire Safety Journal*, 106, 72–79. <https://doi.org/10.1016/j.firesaf.2019.04.001>.
- Wang, Y., Kang, W., Chen, C., Zhang, X., Yang, L., Chen, X., Cui, G., Zhang, Y., Zhang, F., & Li, S. 2019. Combustion behaviour and dominant shrinkage mechanism of flexible polyurethane foam in the cone calorimeter test. *Journal of Hazardous Materials*, 365, 395–404. <https://doi.org/10.1016/j.jhazmat.2018.11.027>.
- Wang, Q., Xia, T., Wu, W., Zhao, J., Xue, X., Ao, C., Zhang, J., Deng, X., Zhang, X., Zhang, W., & Lu, C. 2022. Flexible, all-solid-state supercapacitors derived from waste polyurethane foams. *Chemical Engineering Journal*, 431(P3), 133228. <https://doi.org/10.1016/j.cej.2021.133228>.
- Wang, W., Wang, D., Xia, B., Li, T., Wang, Y., Zhang, X., Bai, H., Chen, M., & Dong, W. 2022. Rigid polyurethane foams based on dextrin and glycerol. *Industrial Crops and Products*, 177, 114479. <https://doi.org/10.1016/j.indcrop.2021.114479>.
- Wibowo, T. Y., & Rusmandana, B. 2013. Degradasi cincin oksiran dari epoksi asam oleat dalam suatu sistem reaksi katalis cair. *Jurnal Teknologi Pertanian*, 14(1), 29–34.
- Xiao, M., Yao, Y., Fan, C., Xu, Z., Liu, Y., Liu, B., Li, J., Zhang, X., Jin, X., Yang, J., Yang, J., & Liu, W. 2022. Multiple H-bonding chain extender-based polyurethane: Ultrastiffness, hot-melt adhesion, and 3D printing finger orthosis. *Chemical Engineering Journal*, 433(P2), 133260. <https://doi.org/10.1016/j.cej.2021.133260>.
- Xu, C., Qu, Z., Tan, Z., Nan, B., Meng, H., & Wu, K. 2020. High-temperature resistance and hydrophobic polysiloxane-based polyurethane films with cross-linked structure prepared by the sol-gel process. *Polymer Testing*, 86, 106485. <https://doi.org/10.1016/j.polymertesting.2020.106485>.
- Xu, W., Chen, R., Du, Y., & Wang, G. 2020. Design water-soluble phenolic/zeolitic imidazolate framework-67 flame retardant coating via layer-by-layer assembly technology: Enhanced flame retardancy and smoke suppression of

- flexible polyurethane foam. *Polymer Degradation and Stability*, 176, 109152. <https://doi.org/10.1016/j.polyimdegstab.2020.109152>.
- Xu, Wei, Wang, W., Hao, L., Liu, H., Hai, F., & Wang, X. 2021. Synthesis and properties of novel triazine-based fluorinated chain extender modified waterborne polyurethane hydrophobic films. *Progress in Organic Coatings*, 157, 106282. <https://doi.org/10.1016/j.porgcoat.2021.106282>.
- Xu, Wenzong, Chen, R., Du, Y., & Wang, G. 2020. Design water-soluble phenolic/zeolitic imidazolate framework-67 flame retardant coating via layer-by-layer assembly technology: Enhanced flame retardancy and smoke suppression of flexible polyurethane foam. *Polymer Degradation and Stability*, 176, 109152. <https://doi.org/10.1016/j.polyimdegstab.2020.109152>.
- Yeoh, F. H., Lee, C. S., Kang, Y. B., Wong, S. F., & Cheng, S. F. 2018. One-pot synthesis of palm oil-based polyester polyol for production of biodegradable and biocompatible polyurethane. *Journal of Applied Polymer Science*, 135(44), 1–16. <https://doi.org/10.1002/app.46861>.
- Yin, Z., Lu, J., Hong, N., Cheng, W., Jia, P., Wang, H., Hu, W., Wang, B., Song, L., & Hu, Y. 2022. Functionalizing Ti3C2Tx for enhancing fire resistance and reducing toxic gases of flexible polyurethane foam composites with reinforced mechanical properties. *Journal of Colloid and Interface Science*, 607, 1300–1312. <https://doi.org/10.1016/j.jcis.2021.09.027>.
- Yusof, M. A. B. M., Chan, Y. J., Chong, C. H., dan Chew, C. L. 2023. Effects of operational processes and equipment in palm oil mills on characteristics of raw Palm Oil Mill Effluent (POME): A comparative study of four mills. *Cleaner Waste Systems* 5 (100101). <https://doi.org/10.1016/j.clwas.2023.100101>.
- Zeng, S. L., Xing, C. Y., Chen, L., Xu, L., Li, B. J., & Zhang, S. 2020. Green flame-retardant flexible polyurethane foam based on cyclodextrin. *Polymer Degradation and Stability*, 178, 109171. <https://doi.org/10.1016/j.polyimdegstab.2020.109171>.
- Zevenhoven, R. 2004. Treatment and disposal of polyurethane wastes : options for recovery and recycling. In *Environmental Protection*.
- Zhang, S., Chu, F., Xu, Z., Zhou, Y., Qiu, Y., Qian, L., Hu, Y., Wang, B., & Hu, W. 2022. The improvement of fire safety performance of flexible polyurethane foam by Highly-efficient P-N-S elemental hybrid synergistic flame retardant. *Journal of Colloid and Interface Science*, 606, 768–783. <https://doi.org/10.1016/j.jcis.2021.08.069>.
- Zhang, T., Deng, Y., Zhang, W., Wang, G., Zhong, Y., Su, C., & Li, H. 2022. A self-colored waterborne polyurethane film with natural curcumin as a chain extender and excellent UV-Absorbing properties. *Polymer*, 239, 124465. <https://doi.org/10.1016/j.polymer.2021.124465>.

- Zhang, X., Kim, Y., Elsayed, I., Taylor, M., Eberhardt, T. L., Hassan, E. B., & Shmulsky, R. 2019. Rigid polyurethane foams containing lignin oxyalkylated with ethylene carbonate and polyethylene glycol. *Industrial Crops and Products*, 141. <https://doi.org/10.1016/j.indcrop.2019.111797>.
- Zhang, X. D., Macosko, C. W., Davis, H. T., Nikolov, A. D., & Wasan, D. T. 1999. Role of silicone surfactant in flexible polyurethane foam. *Journal of Colloid and Interface Science*, 215(2), 270–279. <https://doi.org/10.1006/jcis.1999.6233>.
- Zhou, X., Fang, C., Yu, Q., Yang, R., Xie, L., Cheng, Y., & Li, Y. 2017. Synthesis and characterization of waterborne polyurethane dispersion from glycolized products of waste polyethylene terephthalate used as soft and hard segment. *International Journal of Adhesion and Adhesives*, 74, 49–56. <https://doi.org/10.1016/j.ijadhadh.2016.12.010>.
- Zhao, S., Yin, L., Zhou, Q., Liu, C., & Zhou, K. 2020. In situ self-assembly of zeolitic imidazolate frameworks on the surface of flexible polyurethane foam: Towards for highly efficient oil spill cleanup and fire safety. *Applied Surface Science*, 506, 144700. <https://doi.org/10.1016/j.apsusc.2019.144700>.
- Zhou, F., Ma, C., Zhang, K., Chan, Y. yam, Xiao, Y., Schartel, B., Doring, M., Wang, B., Hu, W., & Hu, Y. 2021. Synthesis of Ethyl (Diethoxymethyl) phosphinate Derivatives and Their Flame Retardancy in Flexible Polyurethane Foam: Structure-flame Retardancy Relationships. *Polymer Degradation and Stability*, 188, 109557. <https://doi.org/10.1016/j.polymdegradstab.2021.109557>.
- Zhou, H., Tan, S., Wang, C., & Wu, Y. 2022. Enhanced flame retardancy of flexible polyurethane foam with low loading of liquid halogen-free phosphonium thiocyanate. *Polymer Degradation and Stability*, 195, 109789. <https://doi.org/10.1016/j.polymdegradstab.2021.109789>.
- Zhou, X., Fang, C., Yu, Q., Yang, R., Xie, L., Cheng, Y., & Li, Y. 2017. Synthesis and characterization of waterborne polyurethane dispersion from glycolized products of waste polyethylene terephthalate used as soft and hard segment. *International Journal of Adhesion and Adhesives*, 74, 49–56. <https://doi.org/10.1016/j.ijadhadh.2016.12.010>.

