

## DAFTAR PUSTAKA

- Abdi, H., Williams, L. J. 2010. Principal component analysis. Wiley Interdisciplinary Reviews: Computational Statistics, 2(4), 433-459.
- Ali, N., I. Hussain, S. Ali, N.U. Khan, and I. Hussain. 2021. Multivariate analysis for various quantitative traits in wheat advanced lines. Saudi Journal of Biological Sciences, 28(1): 347–352. <https://doi.org/10.1016/j.sjbs.2020.10.011>
- Asy'ari, M. & Noer, A.S. (2005). Optimasi konsentrasi MgCl<sub>2</sub> dan suhu annealing pada proses amplifikasi multi fragmen mtDNA dengan metoda PCR. Jurnal Kimia dan Sains Aplikasi, 8 (1), 23-27.
- Ashish B. Wadekar , Minakshee G. Nimbawar , Wrushali A. Panchale 1, Bhushan R. Gudalwar, Jagdish V. Manwar and Ravindra L. 2021. Morphology, phytochemistry and pharmacological aspects of *Carica papaya*, and review Baka GSC Biological and Pharmaceutical Sciences, Biological and Pharmaceutical Science , 14(03), 234–248 .
- Awada M .1958. Relationships of minimum temperature and growth rate with Seks expression of papaya plants (*Carica papaya* L.). Hawaii Agric Exp Station Tech Bull 38:1–16
- Awada M, Ikeda WS .1957. Effects of water and nitrogen application on composition, growth, sugars in fruits, yield, and Seks expression of the papaya plants (*Carica papaya* L.). Hawaii Agric Exp Station Tech Bull 33:3–16.
- Axelius Barbro . 1996. The Phylogenetic Relationships of the Physaloid Genera (Solanaceae) Based on Morphological Data. American Journal of Botany. [Vol. 83, No. 1 \(Jan., 1996\)](#), pp. 118-124 (7 pages) Published By: Wiley
- Azrai M. 2006. Sinergi Teknologi Marka Molekuler dalam Pemuliaan Tanaman
- Azrai, Muhammad.2008. *Ulasan*. Pemanfaatan Markah Molekuler dalam Proses Seleksi Pemuliaan Tanaman. Jurnal *AgroBiogen* 1(1):26-37.
- Borah, P. 2011. Primer Designing for PCR. Science Vision 11(3): P. 134 -136.
- Budiyanti Tri, 2016. Mengenal Morfologi Bunga untuk Meningkatkan Kualitas Benih Pepaya. Jurnal Iptek Hortikultura No. 12 hal 70-74.
- Calderón Mariela V, León M Jesús Zavala, L.F. S. Cortés Teyer, J.M M, M.M.O. García, G. Fuentes Ortiz , J M. Santamaría. Validation of the use of

molecular markers of sex and color in hybrids derived from crosses of Maradol creole papaya. 2016. *Rev. Mex. Cienc. Agríc* vol.7 no.4 Texcoco

- Chan YK. 1994. Seed production. p.32-34. In Yon RMd. (ed.). *Papaya Fruit Development, Postharvest Physiology, Handling and Marketing in ASEAN*. ASEAN Food Handling Bureau. Kuala Lumpur. Malaysia.
- Chan YK. 1994. Taksonomi pepaya. hal. 2-4. In Chan YK, Raveendranathan P, Raziah ML, Choo ST (eds.). *Penanaman Betik*. MARDI. Malaysia, Kuala Lumpur. Malaysia.
- Chaturvedi Kanupriya, P. Bommisetty<sup>1</sup>, A. Pattanaik, V. Chinnaiyan, Dinesh M. Ramachandra, A. Chennareddy. 2014 . PCR Detection Assay for Seks Determination in Papaya Using SCAR Marker. *Acta Bot. Croat.* 73(2):291–298.
- Chaves G -Bedoya, Mauricio Pulido , Erika Sánchez-Betancourt, Víctor Núñez 2009. RAPD markers for Seks identification in papaya (*Carica papaya* L.) in Colombia. 27(2), 145-149, 2009.
- Craene Louis Ronse D, Christophe Tre ´hin, Patrice Morel and Ioan Negrutiu. 2011. Carpeloidy in flower evolution and diversification: a comparative study in *Carica papaya* and *Arabidopsis thaliana*. *Annals of Botany* 1-11 p. doi:10.1093/aob/mcr087.
- Dharmayanti I. 2011. Filogenetik Molekuler: Metode Taksonomi organisme Berdasarkan Sejarah Evolusi. *Wartazoa*. 21(1). 1-10.
- Deputy, J. C, Ming, R., Ma, H., Liu, Z, Fitch, M. M. M., Wang, M. Manshardt, R., Stiles, J. I, 2002. Molecular markers for Seks determination in papaya (*Carica papaya* L.). *Theoretical and Applied Genetics*. 106:107–111
- Dewi RW, Dewi VR, Yowani SC, Yustiantara PS. (2018). Desain Primer untuk Amplifikasi Regio Promoter Gen inh A Isolat P016 Multidrug Resistance *Mycobacterium tuberculosis* dengan Metode Polymerase Chain Reaction. *J Farm Udayana*. 7(1):34-39.
- Dias A. Maristela , Denise C.F.S Dias, Francisco G.G Junior, S.M Cícer. 2014. Morphological changes and quality of papaya seeds as correlated to their location within the fruit and ripening stages. *IDESIA (Chile) Volumen 32, No;1, Enero-Febrero*.
- Diss, T. 2003. The Polymerase Chain Reaction. In Crocker, J. dan Paul, G.M. editors. *Molecular Biology in Cellular Pathology*. United Kingdom: John Willey and Sons, Ltd. P. 193-210
- Doyle JJ, Doyle JL. 1987. A rapid DNA isolation procedure for small quantities of fresh leaf tissue. *Phytochem Bull* 19:11-15.

- Niroshini J.M.D.T. Everard, E.H. Karunanayake and T.L.S. Tirimanne .2008. Seks-specific Random Amplified Polymorphic DNA (RAPD) Markers in *Carica papaya* *Tropical Agricultural Research*
- Ediwirman, Suliansyah Irfan, Gustian and Jamsari.2015 Specific Rapd Fragments Related With Seks Type In Salacca (*Salacca edulis* L.). *International Journal Of Agricultural Science*. Vol. 1 No. 1 .
- Ejaz Mahwish, Iqbal,M, Naeemullah.M, Ahmed Iftikhar, A. Shahzad, M. Shahid Masood dan Ghulam M. A. 2015. Validation and Use of DNA Markers for Seks Determination in Papaya (*Carica Papaya*). *Pak. J. Bot.*, 47(3):1051-1059
- Fahn, A. 1995. *Anatomi Tumbuhan Edisi Ketiga*.Gadjah Mada University Press. Yogyakarta
- Febjislami Shalati, Ketty Suketi, Rahmi Yunianti. 2018. Karakterisasi Morfologi Bunga, Buah, dan Kualitas Buah Tiga Genotipe Pepaya Hibrida. *Bul. Agrohorti* 6(1): 112 – 119.
- Fisher JB .1980. The vegetative and reproductive structure of papaya ( *Carica papaya* ). Lyonia.
- Fitch MMM. 2005. *Carica papaya*L. Papaya. p.174-207 In Litz RE. *Biotechnology of Fruit and Nut Crops*. *Biotechnology in Agriculture*. No. 29. Cambridge, MA, USA.
- FPMIPA. *Struktur morfologi Organ Reproduksi pada Tumbuhan* [diunduh tanggal februari 2018]
- Gupta, P.K., R.K. Varshney and M. Prasad, 2002. Molecular Markers: Principles and Methodology. *In: Jain, S.M., D.S.Brar, and B.S. Ahloowalia* (Eds.). *Molecular Techniques in Crop Improvement*. p.9-54
- Handoyo, D. dan Rudiretna, A. 2000. Prinsip Umum dan Pelaksanaan Polymerase Chain Reaction (PCR) [General Principles and Implementation of Polymerase Chain Reaction]. *Unitas*, 9(1): P. 17-29.
- Hasibuan, E. (2015). *Peranan Teknik Polymerase Chain Reaction (PCR) Terhadap Perkembangan Ilmu Pengetahuan*. Fakultas Kedokteran. Universitas Sumatera Utara, Medan.
- Hatzig, S. V., Frisch, M., Breuer, F., Nesi, N., Ducournau, S., Wagner, M. H., & Snowdon, R. J. (2015). Genome-wide association mapping unravels the genetic control of seed germination and vigor in *Brassica napus*. *Frontiers in plant science*, 6: 221.

- Heikrujam, M., Sharma, K., Prasad, M. & Agrawal, V. 2015. Review on different mechanisms of Seks determination and Seks-linked molecular markers in dioecious crops: a current update. *Euphytica* 201, 161–94
- Hofmeyr JDJ .1939 Seks-linked inheritance in *Carica Papaya* L. *S Afr J Sci* 36:283–285
- Ilahude Zulzain.2015. Pertumbuhan Awal Tanaman Pepaya (*Carica Papaya* L.) Pada Media Bokashi Jerami Padi Dengan Pemberian Air Kelapa. Laporan Akhir Kolaboratif Dosen dan Mahasiswa Fakultas Pertanian Dana PNPB. Universitas Negeri Gorontalo. 32 hal.
- Liao Zhenyang , Dong Fei , Liu Juan , Lele Xu1 , Amy Marshall-Colon dan Ray Ming. 2022. Gene regulation network analyses of pistil development in papaya . *BMC Genomics* (23:8)<https://doi.org/10.1186/s12864-021-08197-7>
- Isabella Sabella Santiago A,C. 2014. Early Seks Discrimination in *Carica Papaya* L . By Molecular Cytogenetics, Vicosa Minas Gerais – Brasil. Jagung. *Jurnal Litbang Pertanian*, 25(3).
- Jain S, Patel P. 2016. Genetic diversity and principal component analysis for fodder yield and their component traits in genotypes of forage sorghum (*Sorghum bicolor* L. Moench). *Annals of Arid Zone* 55: 17–23
- Jamsari, 2007. Bioteknologi Pemula, Prinsip Dasar dan Aplikasi Analisis Molekuler. UNRI Press Pekanbaru. 166 hal
- Jimenez Víctor M , Eric Mora- Newcomer dan Marco V. Gutiérrez-Soto. 2014. Biology of the Papaya Plant.Chapter 2. Food Security Center, University of Hohenheim, Stuttgart, Germany.
- Jolliffe, I. T. (2002). *Principal Component Analysis Second Edition*, Springer-Verlag, New York.
- Judelson, H. (2006). Guidelines For Designing Primers. *Primer Guidelines*, 10 (6): 1-5
- Kafkas S, M. Khodaeiaminjan, M Güney and Ebru Kafkas. 2015. Identification of Seks-linked SNP markers using RAD sequencing suggests ZW/ZZ Seks determination in *Pistacia vera* L. *BMC Genomics* ;16:98) :1-11
- Khoirunnisa, Fitriana. 2019. Penerapan Analisis Komponen Utama dan Analisis Biplot pada Data Bauran Pemasaran Produk Lipstick. [Skripsi] Malang: Universitas Brawijaya.
- Leleury Zeth A, Antonia E. Wokanubun, 2015. Analisis Biplot Pada Pemetaan Karakteristik Kemiskinan Di Provinsi Maluku. *Jurnal Ilmu Matematika dan Terapan*. Vol; 9 No; 1; hal. 21 – 31

- Lemos, G. E. G, Silva, P. C. L. S, Zaidan, A. H, 2002: Identification of Seks in *Carica papaya* L. using RAPD markers. *Euphytica*. 127:179–184.
- Manik, Marjohan., Restuhadi, Fajar., & Rossi, E. 2016. Analisis Pemetaan Kesukaan Konsumen Terhadap Lempuk Dikalangan Mahasiswa Universitas Riau. *Jurnal Faperta*. 3(2): 1-15.
- Magdalita Pablito M and. Mercado Charles P.2003. Determining the Seks of Papaya for Improved Production. *Vegetables and Fruit / Breeding and Seed Production . Food and Fertilizer Technology Center . pp 1-14.*
- Matjik, A.A. dan Sumertajaya,I.M.— (2011). *Sidik Peubah Ganda: dengan Menggunakan SAS*, IPB Press, Bogor
- Matsumura H, Yoshida K, Luo S, Kimura E, Fujibe T.*et al.* 2010. High-Throughput Super SAGE for digital gene expression analysis of multiple samples using next generation sequencing. *PLoS ONE* 5.
- Mayapada, R., Tinungki, G.M., Sunusi, N. 2019. Penerapan Sparse Principal Component Analysis dalam Menghasilkan Matriks Loading yang Sparse. *Jurnal Matematika, Statistika dan Komputasi*. Vol. 15, No. 2, 44-54.
- Ming, R., Wang, J., Moore, P.H., Paterson, A.H., & Bindler, G. (2002). Seks determination in papaya. *Seminars in Cell & Developmental Biology*, 13(3), 221-226.
- Ming Ray, Yu Qingyi, Moore Paul H. 2007. Seks determination in papaya,*Review Seminars in Cell & Developmental Biology* ( 18); 401–408.
- Ming, R., Bendahmane, A., Renner, S.S., & Veilleux, R.E. (2011). Seks chromosomes in land plants. *Annual Review of Plant Biology*, 62, 485-514.
- Mubarak Shaden MH; Al-KoofeeDhafer AF ; RadhiOhood A ;Ismael Jawad Mohammed ;Al-ZubaidiZubaidaFalih . 2020.Pengoptimalan dan Pemecahan Masalah Umum dalam Teknik Reaksi Rantai Polimerase.Sys Rev Pharm; 11(2): 427 436
- Nieto-Soriano M.1, Galindo-Tovar ME1, Pastelin-Solano MC2, Solano-Rodríguez LA3, Leyva-Ovalle ATAU1 Cruz-Cruz Carlos Alberto1dan Castaneda-Castro. 2021. Seks Identification of in vitro Plants of *Carica papaya* L. MSXJ Hybrid through Molecular Markers. *Agroproductividad*: Vol. 14, Núm. 3, marzo. 2021. pp: 17-21
- Noflindawati, A Anwar , A Sutanto, Yusniwati. 2020. Seleksi Marka SCAR untuk Identifikasi Dini Jenis Kelamin Tanaman Pepaya. *J. Hort*. Vol. 30 No. 1,hal 1-8.

- Noflindawati, A Anwar , A Sutanto , Yusniwati.2021. Optimization of Annealing Cycle and Temperature SNAP T12 Primer Distinguishing Markers for Male, Female and Hermaphrodite Plants in Papaya (*Carica papaya* L). The 2nd International Conference on Agriculture and Rural Development IOP Conf. Series: Earth and Environmental Science.
- Pabendon, B.M. 2004. Pemanfaatan marka molekuler untuk identifikasi varietas tanaman dalam bidang pemuliaan tanaman. Makalah pribadi Sekolah Pasca Sarjana S3 Institut Pertanian Bogor.11 hal
- Paterson A, Felker P, Hubbell S, Ming R.2008. The fruits of tropical plant genomics. *Trop Plant Biol* 1(1):3–19
- Paull RE, Gross K, Qiu Y. 1999. Changes in papaya cell walls during fruit ripening. *Postharv. Biol. Tech.* 16:78-89.
- Pesik Anneke. 2016. Keragaman Genetik Plasma Nutfah Kelapa Indonesia Dan Penentuan Identitas Kelapa Hibrida Berdasarkan Marka Molekuler [Disertasi]. Bogor. Sekolah Pascasarjana Institut Pertanian Bogor.173 hal.
- Pinto FO, Pereira MG, Luz In, Cardozo dl, Ramos HCC, Macedo Cmp.2013. Use of microsatellite markers in molecular analysis of segregating populations of papaya (*Carica papaya* L.) derived from backcrossing. *Genetics and Molecular Research*, 12: 2248-59.
- Prayudha, H.N., A.M. Noerrizki, H. Maulana, D. Ustari, N. Rostini, dan A. Karuniawan. 2019. Keragaman Genetik Klon Ubi Jalar Ungu Berdasarkan Karakter Morfologi dan Agronomi. *Buletin Palawija*, 17(2): 94–101.
- Roberdi, Ramadhan OgiAjitiyo. 2019. Optimasi Primer Single Nucleotide Amplified Polymorphysm(snap) pada Gen brassinosteroid (bri) Kelapa Sawit *Jurnal. Sains Natural Universitas Nusa Bangsa*.Vol. 9, No.2, 80 – 89.
- Ronse Decraene LP, Smets EF. 1999. The floral development and anatomy of *Carica papaya* (Caricaceae). *Can. J. Bot.*77:582-598.
- Roslim. 2015. Teknik Analisis Data Genetik. Riau: Universitas Riau Press
- Ruangchai J, Prakrit S, Sompong C, Takehiko, Sugunya W, Akito K, Peerasak S. 2011. A SNP in GmBADH2 gene associates with fragrance in vegetables.
- Rugarli, E. I., Papi, L., & Slonim, D. K. (2013). The Pseudoautosomal Regions of Human Sex Chromosomes. *Human Molecular Genetics*, 22(R1), R1-R7. doi:10.1093/hmg/ddt328
- Rybicky, E.P. 1996. PCR Primer Design and Reaction Optimisation. In *Molecular Biology Techniques Manual*.Dept.of Microbiology. Univ. Cape Town.

- Sedgley M, Griffin AR. 1989. Seksual Reproduction of Tree Crops. CA: Acad. Press. Inc. 378p.
- Sint D, Raso L, Traugott M. 2012. Advances in multiplex PCR: balancing primer efficiencies and improving detection success. *Methods Ecol Evol.* 2012(3):898– 905 doi: 10.1111/j.2041-210X.2012.00215.
- Sobir, S.S. and E.C. Pandia. 2008. Development of SCAR marker for detection of Seks expression in papaya (*Carica papaya* L.) from several genetic backgrounds. *Bul. Agron.*,36: 236-240.
- Soriano J. Miguel, Pasqualina Colasuonno P, Marcotuli I. & AgataGadaleta 2021. Meta QTL analysis and identification of candidate genes for quality, abiotic and biotic stress in durum wheat. *Scientific Reports.* 11:11877.Nature
- Samson JA. 1980. Tropical Fruits. 2nd Ed. UK: Longman Inc. 336 p.
- Safitri TA, Nurul D, Patty J, Saraswati H. (2018). Gen L1 HPV 16 dan 18 Sebagai Dasar Dalam Desain Primer untuk Deteksi Kanker Leher Rahim dengan in-House Multiplex PCR. *Indonesia J Biotechnol Biodivers.* 2(2):67-71.
- Saraswati H, Seprianto, Febriana Dwi Wahyuni.2019. Desain Primer Secara In Silico untuk Amplifikasi *Gen cryIII* dari *Bacillus thuringiensis* Isolat Lokal. *Indonesian Journal of Biotechnology and Biodiversity:* 3, (1) : page 33-38
- Setiawati. K. M., Hutapea, J. H., & Subamia, W. (2013). Pewarisan Pola Warna Ikan Klon Biak, Amphiprion percula. *Jurnal Ilmu dan Teknologi Kelautan Tropis* 5(2): 343-351.
- Setiawan. M.Arif. 2021. Respon Pertumbuhan Bibit Pepaya California (*Carica Papaya* L.) Terhadap Aplikasi Kompos Kotoran Ayam Dan Pupuk NPK Mutiara.SKRIPSI, Fakultas Pertanian Universitas Muhammadiyah Sumatera Utara Medan.62 hal.
- Sondur, S. N, Manshardt, R. M., Stiles, J. I., 1996: A Genetic Linkage Map of Papaya Based on Randomly Amplified Polymorphic DNA Markers. *Theoretical and Applied Genetics.* 93:547–553.
- Sheeba, M., Ravindran, C. E., Shivashankar, S., & Rajesh, M. K. (2016). Sex expression and molecular marker identification for gender determination in papaya. *Physiology and Molecular Biology of Plants*, 22(4), 503-511.
- Skaletsky, H., Kuroda-Kawaguchi, T., Minx, P. J., Cordum, H. S., Hillier, L., Brown, L. G., Page, D. C. (2003). The male-specific region of the human Y chromosome is a mosaic of discrete sequence classes. *Nature*, 423(6942), 825-837. doi:10.1038/nature01722

- Sujipuli Kawee, Sittichai Urtgam, Narisa Kunpratun, and Touchkanin Jongjitvimol. 2016. Development of Specific-Molecular Marker for Sex Determination among Papaya Cultivars Grown in Phitsanulok Province, Thailand. *NU. International Journal of Science* 2016; 13(2):1 – 10
- Sunyoto, Budiyanti.T, Noflindawati dan Fatria D. 2013. Uji Stabilitas Lima Genotipe Pepaya di Tiga Lokasi. *Jurnal Hortikultura*. 23(2):129-136.
- Supranto, J. 2004. Analisis Multivariat: Arti dan Interpretasi. Jakarta (ID): Rineka Cipta.
- Sutanto, A, Hermanto .C, Sukma, D dan Sudarsono. 2013. Pengembangan Marka SNAP Berbasis Resistance Gene Analogue pada tanaman pisang (*Musa spp*). *Jurnal Hortikultura*. 23(4); 300-309.
- Suanto. Agus. 2014. Karakterisasi Molekuler Ketahanan Beberapa Kultivar Piasang (*Musa spp.*) Terhadap Penyakit Layu Panaman (*Fusarium oxysporum f.sp.cubense*). Bogor. [Disertasi]. Sekolah Pascasarjana Institut Pertanian Bogor. 169 hal.
- Sutanto Agus. 2019. Laporan Akhir Teknologi Perbanyak Tanaman Nenas *True-To-Type* Dan Pepaya Hermaphrodite Secara Kultur Jaringan. Balai Penelitian Tanaman Buah Tropika. Kementerian Pertanian. 24 hal (tidak dipublikasi).
- Storey WB (1938) Segregations of Seks types in Solo papaya and their application to the selection of seed. *Proc Am Soc Hortic Sci* 35:83–85.
- Storey WB. 1986. *Carica papaya*. In Halevy AH (ed). *Handbook of Flowering*. CRC Press, Inc. Boca Raton, Florida. p. 147-157
- Suketi K, Poerwanto R, Sujiprihati S, Sobir, Widodo WD. 2010. Analisis kedekatan hubungan antara genotipe pepaya berdasarkan karakter morfologi dan buah. *J. Agron. Indonesia*. 38(2):130-137.
- Suketi, Ketty. 2011. Studi morfologi bunga, penyerbukan dan perkembangan buah sebagai dasar pengendalian mutu buah pepaya IPB. [Disertasi]. Bogor. Sekolah Pascasarjana Institut Pertanian Bogor. 153 hal
- Sulistyaningsih, E. 2007. Polymerase Chain Reaction (PCR): Era Baru Diagnosis Dan Manajemen Penyakit Infeksi. *Biomedis*. 1(1): P. 17-25.
- Syukur Muhammad . 2010. Pengaruh Tanaman Hermaprodit dan Tanaman Betina PBBogorAgriculturalUniversityIPB) <http://repository.ipb.ac.id/handle/123456789/5572>

- Tamaki Moritoshi, N. Urasaki, Y. Sunakawa, K. Motomura and Shinichi Adaniya. 2011. Seasonal Variations in Pollen Germination Ability, Reproductive Function of Pistils, and Seeds and Fruit Yield in Papaya (*Carica papaya* L.) in Okinawa. *J. Japan. Soc. Hort. Sci.* 80 (2): 156–163.
- Thongbai, B., Sarawat, S., Chan, D. P., Cha-um, S., & Supaibulwatana, K. (2018). Early sexual differentiation of *Carica papaya* L. cv. 'Kaek Dum' using a morphological marker. *Acta Physiologiae Plantarum*, 40(10), 183.
- Tjitrosoepomo, G, 1987. Morfologi Tumbuhan. Gadjah Mada University Press. Yogyakarta.
- Tripathi, P., Rabara, R. C., & Tripathi, P. N. (2016). Genetic and morphological characterization for gender determination in *Carica papaya* L. *Journal of Applied Horticulture*, 18(2), 130-136.
- Utami, R.D , W.D. Widodo, K. Suketi. 2013. Respon Pertumbuhan Bibit Pepaya pada Delapan Jenis Komposisi Media Tanam. Prosiding Seminar Ilmiah PERHORTI. hal 80-88.
- Verheij EWM. 1986. Towards a classification of tropical fruit trees. *Physiology of Tree Fruits. Acta Horticulturae* 175:137-150.
- Villegas VN. 1997. *Carica papaya* L. In Verheij EWM, Coronel RE (eds.). *Edible Fruit and Nuts. Plant Resources of South-East Asia*. (PROSEA) Foundation. Bogor. Indonesia.p. 108-112
- Wadekar Ashish B, Minakshee G. Nimbawar, Wrushali A. Panchale , Bhushan R. Gudalwar , Jagdish V. Manwar and Ravindra L. Bakal 2021. Morphology, phytochemistry and pharmacological aspects of *Carica papaya*, an review. *GSC Biological and Pharmaceutical Sciences*, 14(03), 234–248
- Wang Jianping, Jong-Kuk Naa, Qingyi Yu, Andrea R. Gschwend, Jennifer Hana, Fanchang Zeng, Rishi Aryal, Robert VanBuren, Jan E. Murray, Wenli Zhang, Rafael Navajas-Pérez, F. Alex Feltus, Cornelia Lemke, Eric J. Tong, Cuixia Chen, Ching Man Wai, Ratnesh Singh, Ming-Li Wang, Xiang Jia Ming, Maqseudul Alam, Deborah Charlesworth, Paul H. Moore, Jiming Jiang, Andrew H. Paterson, and Ray Ming. 2012. Sequencing papaya X and Y chromosomes reveals molecular basis of incipient sex chromosome evolution. *PNAS*.( 109) : 34: p 13710–13715
- Weishing, K., H. Nybon, K. Wolf. And W. Meyer. 1995. *DNA Fingerprinting in Plants and Fungi*. CRC Press. London.p.175-201
- Wicaksono, A.A. · D. Ustari · S. Pratiwi · S. Mubarak · A. Karuniawan 2022. Pengujian karakter hasil dan komponen hasil klon ubi jalar berdaging putih berdasarkan analisis multivariat. *Jurnal Kultivasi* Vol. 21 (1)

- Yanfang Zhang, Yueming Xiong, Youjie Liu dan Xiongfeng Huang 2021. Pollen morphological analysis of papaya (*Carica papaya* L.) *Crop Breeding and Applied Biotechnology* 21(3): e37122138.
- Yang, M., et al. (2017). The complete chloroplast genome sequence of the medicinal plant *Salvia miltiorrhiza*. *PloS One*, 12(5), e0176566. doi:10.1371/journal.pone.0176566
- Yusuf, Z.K. (2010). Polymerase Chain Reaction (PCR). *Saintek*. 5(6): 1-6.
- Yustinadewi Putu Desy, Yustiantara Putu Sanna , Narayani Inna . 2018. Teknik Desain Primer Dr-1 Gene 1199 Varian Pada Sampel Buffy Coat Pasien Anak Dengan LLA. *Jurnal Metamorfosa Journal of Biological Sciences.V* (1): 105-111
- Yuwono, T. (2006). *Bioteknologi Pertanian*. Yogyakarta: universitas Gajah Mada Press.
- Zerpa-Catanho D, Wai J, Wang ML, Yu L, Nguyen J, Ming R. Ekspresi gen diferensial di antara tiga jenis kelamin menunjukkan Male Sterility 1 (CpMS1) untuk diferensiasi jenis kelamin pada pepaya. *Biologi tumbuhan BMC* 2019;19(1):545. <https://doi.org/10.1186/s12870-019-2169-0>
- Zhang, W., Ming, R., Yu, Q., & Jiang, J. (2011). Next-generation sequencing and de novo assembly of the genome of the papaya tree. *Nature Protocols*, 6(2), 289-298.

