

DAFTAR PUSTAKA

- [1] C. Sugiyanto, "Permintaan Gula Di Indonesia*," *J. Ekon. Pembang. Kaji. Masal. Ekon. dan Pembang.*, vol. 8, no. 2, p. 113, 2007, doi: 10.23917/jep.v8i2.1036.
- [2] S. Jain, "Early Detection of Salt and Sugar by Microstrip Moisture Sensor Based on Direct Transmission Method," *Wirel. Pers. Commun.*, vol. 122, no. 1, pp. 593–601, 2022, doi: 10.1007/s11277-021-08914-1.
- [3] B. Hermawan, "Monitoring Kadar Air Tanah Melalui Pengukuran Sifat Dielektrik Pada Lahan Jagung Monitoring Soil Water Content Using Dielectrical Properties At Corn Field," *J. Ilmu-Ilmu Pertan. Indones.*, vol. 7, no. 1, pp. 15–22, 2005.
- [4] L. A. Didik, "Pengaruh Pemberian Medan Magnet Terhadap Konstanta Dielektrik Material AgCrO₂," *Konstan*, vol. 2, no. 1, pp. 2–5, 2016.
- [5] A. V. F. Mustain, *Pengaruh Konsentrasi Larutan Sukrosa Terhadap Nilai Konstanta Dielektrik Menggunakan Sensor Kapasitor*. 2017. [Online]. Available: [https://repository.unej.ac.id/bitstream/handle/123456789/82201/Arif Puguh Kurniawan - 121910201107_.pdf?sequence=1](https://repository.unej.ac.id/bitstream/handle/123456789/82201/Arif%20Puguh%20Kurniawan%20-%20121910201107_.pdf?sequence=1)
- [6] S. K. Sugiarto, I. Mujahidin, and A. B. Setiawan, "2,5 GHz Antena Mikrostrip Polarisasi Circular Model Patch Yin Yang untuk Wireless Sensor," *JEECAE (Journal Electr. Electron. Control. Automot. Eng.)*, vol. 4, no. 2, pp. 297–300, 2019, doi: 10.32486/jeecae.v4i2.388.
- [7] M. El Gharbi, M. Martinez-Estrada, R. Fernández-García, and I. Gil, "Determination of salinity and sugar concentration by means of a circular-ring monopole textile antenna-based sensor," *IEEE Sens. J.*, vol. 21, no. 21, pp. 23751–23760, 2021, doi: 10.1109/JSEN.2021.3112777.
- [8] A. H. Rambe, "Antena Mikrostrip : Konsep dan Aplikasinya," *Staf Pengajar Dep. Tek. Elektro, Fak. T USU*, vol. 01, no. April, pp. 5–24, 2016.
- [9] R. S. Tiara Dewi, Muhammad Amir Masruhim, "Teori Dasar Antena Mikrostrip," *Lab. Penelit. dan Pengemb. FARMAKA Trop. Fak. Farm. Univ. Mulawarman, Samarinda, Kalimantan Timur*, no. April, pp. 5–24, 2016.
- [10] S. U. Nafisah *et al.*, "Perancangan dan Analisis Antena Mikrostrip untuk Mendeteksi Glukosa Dalam Sebuah Produk," vol. 8, no. 6, pp. 3433–3438, 2022.
- [11] D. Pebrimarta, "Perancangan Antena Mikrostrip Circular Patch 2,4 Ghz Untuk Mendeteksi Larutan Gula Berdasarkan Konstanta Dielektriknya," pp. 1–23, 2022.
- [12] S. Harnsoongnoen and A. Wanthong, "A non-contact planar microwave sensor for detection of high-salinity water containing NaCl, KCl, CaCl₂, MgCl₂ and Na₂CO₃," *Sensors Actuators, B Chem.*, vol. 331, no. November 2020, p. 129355, 2021, doi: 10.1016/j.snb.2020.129355.

- [13] L. M. A. Putri, T. Prihandono, and B. Supriadi, "Pengaruh Konsentrasi Larutan Terhadap Laju Kenaikan Suhu Larutan," *J. Pembelajaran Fis.*, vol. 6, no. 2, pp. 147–153, 2015.
- [14] R. Budiwati, *Kimia Dasar*. Bandung, 2019.
- [15] R. Vinsiah, *Fenomena Sifat Koligatif Larutan Kimia Kelas XII*. Jakarta, 2020.
- [16] C. F. Partana and A. Wiyarsi, *Mari Belajar Kimia untuk SMA-MA Kelas XII IPA*. Jakarta: Pusat Perbukuan Departemen Pendidikan Nasional, 2009.
- [17] W. M. Haynes, *Hand Book of Chemistry and Physics*. 1942.
- [18] L. A. Didik, "Pengukuran Konstanta Dielektrik Untuk Mengetahui Konsentrasi Larutan Gula Dengan Menggunakan Metode Plat Sejajar," *J. Pendidik. Fis.*, vol. 8, no. 2, pp. 127–132, 2020, [Online]. Available: <http://journal.uin-alauddin.ac.id/index.php/PendidikanFisika/article/view/11416/9509>
- [19] M. Yusro and A. Diamah, *Sensor dan Transduser Teori dan Aplikasi*. 2019.
- [20] K. Syaiful, *Sensor & Aktuator*, vol. 2, no. 6. Jakarta: Kementerian Pendidikan & Kebudayaan, 2013.
- [21] Sumayyah, "Pengaruh Kualitas Produk, Harga Dan Promosi Terhadap Keputusan Pembelian Pada Shopee (Studi Kasus Pada Shopee Kelurahan Sunter Jaya Jakarta Utara)," *Repos. STEI. Sekol. Tinggi Ilmu Ekon. Indones. Jakarta*, no. 9, p. 39, 2020.
- [22] H. Suntaya, "Aplikasi Multimode Fiber Coupler Sebagai Sensor Permukaan Bensin dan Oil Berbasis Sensor Pergeseran," pp. 1–14, 2012, [Online]. Available: <https://repository.unair.ac.id/25585/>
- [23] Constantine A. Balanis, *"Antenna theory; Analysis And Design" New Jersey: Jhon Wiley & Sons*, vol. 72, no. 7. 2008.
- [24] R. Garg, "Microstrip Antenna Design Handbook." 2000.
- [25] Y. Rahayu, M. Kurniati, And I. L. Qodriyah, "Antena Mikrostrip Biosensor untuk Deteksi Virus pada Darah," *ELKOMIKA J. Tek. Energi Elektr. Tek. Telekomun. Tek. Elektron.*, vol. 9, no. 3, p. 604, 2021, doi: 10.26760/elkomika.v9i3.604.
- [26] R. Sinaga, A. H. Rambe, K. K. Bandwith, T. Pencatuan, and T. Pustaka, "Analisis Perbandingan Antara Saluran Pencatu Feed Line Dan Proximity Coupled Untuk Antena Mikrostrip Pacht Segiempat," *Singuda ENSIKOM*, vol. 6, no. 3, pp. 135–140, 2014.
- [27] O. Purbo, P. Tanuhandaru, P. Noertam, and M. Djajadikara, "Jaringan Wireless Di Dunia Berkembang," *Andi Yogyakarta*, p. 425, 2007, [Online]. Available: <http://scholar.google.com/scholar?hl=en&btnG=Search&q=intitle:Jaringan+Wireless+Di+Dunia+Berkembang#0>
- [28] N. Khasanah, T. B. Santoso, and H. Mahmudah, "Visualisasi Propagasi Gelombang Indoor," pp. 1–6, 2010.

- [29] Ansoft Corporation, “User’s guide – High Frequency Structure Simulator,” p. 801, 2005, [Online]. Available: <http://anlage.umd.edu/HFSSv10UserGuide.pdf>
- [30] Y. Liang *et al.*, “An LC wireless microfluidic sensor based on low temperature co-fired ceramic (LTCC) technology,” *Sensors (Switzerland)*, vol. 19, no. 5, 2019, doi: 10.3390/s19051189.

