

DAFTAR PUSTAKA

- Aditi, S. & Anupama, T. (2015). Symbiotic Organisms: Key for Plant Growth Promotion. *International Journal of Science, Engineering and Technology Research*, 4(4), 1108-1113.
- Aeny, T.N., Prasetyo, J., Suharjo, R., Dirmawati, S.R., Efri., & Niswati, A. (2018). Short Communication: Isolation and Identification of Actinomycetes Potensial as the Antagonist of *Dickeya zae* Pineapple Soft Rot in Lampung In donesia. *Biodiversitas*. 19(6): 2052-2058
- Akilandeswari, P., & Pradeep, B.V. (2017). Microbial Pigments: Potential Functions and Prospects. In O.V.Singh (Ed.), *Bio-pigmentation and Biotechnological Implementations*. John Wiley & Sons
- Ambarwati, A., Soegihardjo, C.J., & Sembiring, L. (2019). Isolasi dan Identifikasi Streptomycetes dari Rizosfer Jagung (*Zea mays* L.) yang Berpotensi sebagai Penghasil Antibiotika. *Biota*, 15(1), 1–7.
- Amelia, R., & Aditiawati, P. (2016). Keanekaragaman bakteri rizosfer pemacu pertumbuhan tanaman (*Plant Growth Promoting Rhizobacteria/PGPR*) selama pertumbuhan Ubi Jalar Cilembu (*Ipomoea batatas* L var. Rancing). *Prosiding Snips*, 1(1), 899–906.
- Anandan, R., Dharumadurai, D., & Manogaran, G.P. (2016). An Introduction to Actinobacteria. In *Basics and Biotechnological Applications*. pp. 3–38.
- Badan Pusat Statistik. (2022). Analisis Produktivitas Jagung dan Kedelai di Indonesia 2021 (Hasil Survei Ubinan). Direktorat Statistik Tanaman Pangan, Hortikultura (ed.1st).
- Barka, E.A., Vatsa, P., Sanchez, L., Gaveau, V.N., Jacquard, C., Klenk, H.P., Clément, C., Ouhdouch, Y., & Van, W.G.P. (2016). Taxonomy, Physiology, and Natural Products of Actinobacteria. *Microbiol.*80(1).1-43
- Bergeijk, D.A., Terlouw, B.R., Medema, M.H., & Wezel, G.P. (2020). Ecology and Genomics of Actinobacteria: New Concepts For Natural Product Discovery. *Nature Reviews Microbiology*. 18(1). 546-558.
- Beule, L., Vaupel, A., & Moran-Rodas, V. E. (2022). Abundance, Diversity, and Function of Soil Microorganisms in Temperate Alley Cropping Agroforestry Systems: A Review. *Microorganisms*, 10(3), 1–14
- Bhattacharyya, P.N., & Jha, D.K. (2012). *Plant Growth-Promoting Rhizobacteria* (PGPR): Emergence in Agriculture. *World J Microbiol Biotechnol*, 28(1). 1327-1350.
- Bhatti, A.A., Haq, S., & Bhat, R.A. (2017). *Actinomycetes* Benefaction Role in Soil and Plant Health. *Microb Pathog*. 111(1), 458-467.

- Beule, L., Vaupel, A., & Moran-Rodas, V.E. (2022). Abundance, Diversity, and Function of Soil Microorganisms in Temperate Alley Cropping Agroforestry Systems: A Review. *Microorganisms*, 10(3), 1–14.
- Bunada, I.W., Kesumadewi, A.A.I., & Atmaja, I.W.D. (2016). Beberapa Sifat Biologi Tanah Kebun Jeruk Siam (*Citrus nobilis* Tan) pada Sistem Monokultur dan Tumpangsari dengan Beberapa. *Agrotrop*, 6(2), 180–190.
- Cabanas, C.G.L., Legarda, G., Rosa, D.R., Tobiaz, P.P., Corredor, A.V., Niqui, J.L., Trivino, J.C., Roca, A., & Blncó, J.M. (2018). Indigenous *Pseudomonas* spp. Strains from the Olive Rhizosphere as Effective Biocontrol Agents against *Verticillium dahliae*: From the Host Roots to the Bacterial Genomes. *Front. Microbiol*, 9(277), 1-19.
- Cappuccino, J.G & N, Sherman. (2002). *Microbiology A Laboratory Manual* (7th Edition, Perason Education Inc.Publishing As Benjamin Cummings. San Fransisco
- Challis, G.L., & J, Ravel. (2000). Coelichelin, a New Peptide Siderophore Encoded by the *Streptomyces Coelicolor* Genome: Structure Prediction from the Sequence of Its Non-Ribosomal Peptide Synthetase. *Fems Microbiology Letters*, 187(2), 111-114.
- Charoensopharat, K., Thummabenjapone, P., Sirithor, P., & Thammasirirak, S. (2007). Antibacterial Substance Produced by *Streptomyces* spp. *African Journal Biotechnology*, 7(9), 1362-1368.
- Chen, X.H., J. Vater, J., Piel, P., Franke, R., Scholz., & K, Schneider. (2006). Structural and Functional Characterization of Three Polyketide Synthase Gene Clusters in *Bacillus amyloliquefaciens* FZB 42. *J. Bacteriol*, 188(1), 4024-4036.
- Claflin, L.E. (2000). Stewart's bacterial wilt. In: *Compendium of Corn Diseases* (White, D.G., ed.). St. Paul, MN: The American Phytopathological Society
- Coombs, J.T., Michelsen, P.P., & Franco, C.M.M. (2004). Evaluation of endophytic actinobacteria as antagonists of *Gaeumannomyces graminis* in wheat. *Biol Control*, 29(1), 359–366.
- Conn, V.M., Walker, A.R., & Franco, C.M.M. (2008). Endophytic Actinobacteria Induce Defense Pathways in *Arabidopsis thaliana*. *Molecular Plant-Microbe Interactions*, 21(2), 208-218.
- Coplin, D.L., Majerczak, D.R., Zhang, Y., Kim, W.S., Jock, S., & Geider, K. (2002). Identification of *Pantoea stewartii* subsp. *stewartii* by PCR and strain differentiation by PFGE. *Plant Dis*. 86:304-311
- Cooke, B.M., Jones, D.G., & Ksyle, B. (2006). *The Epidemiology Of Plant Disease*, Second Edition. Springer, pp. 43-80.Netherland.
- Crawford, D.L., Lynch, J., M. Whipps, J., M. Ousley., & M. A. (1993). Isolation and Characterization of Actinomycetes Antagonists of A Fungal Root Pathogen. *Appl. Environ. Microbiol*, 59(1), 3899-3905.

- Delia, N., Djatmiko, H. A., & Prihatiningsih, N. (2018). EkspIorasi, Identifikasi dan Uji Bakteri Antagonis *Bacillus* sp. dari Rizosfer Jagung Terhadap Bakteri Layu Stewart. *Optimalisasi Sumberdaya Lokal Untuk Mewujudkan Kedaulatan Pangan*, 191–201.
- Desi, Y., & Novia, P. (2017). Upaya Pengendalian Penyakit Layu Stewart Pada Tanaman Jagung Menggunakan Rizobakteria. *Jurnal Bibiet*, 2(1), 8-19.
- Desi, Y., Habazar, T., Agustian, A., Syamsuwirman, S., & Novia, P. (2014). Karakteristik Morfologi dan Fisiologi Isolat *Pantoea stewartii* subsp. *stewartii* pada Jagung. *Jurnal Fitopatologi Indonesia*, 10(2), 45–52.
- Djaenuddin, N., & Muis, A. (2018). Epidemiologi dan Pengelolaan Penyakit Layu Bakteri Pada Tanaman Jagung. *Jurnal Litbang Pertanian*, 37(2), 41.
- Doolotkeldieva, T., Bobusheva, S., & Konurbaeva, M. (2015). Effects of *Streptomyces* Biofertilizer to Soil Fertility and Rhizosphere's Functional Biodiversity of Agricultural Plants. *Advances in Microbiology*, 5(7), 555–571.
- Dongoran, D. (2009). Respons Pertumbuhan dan Produksi Jagung Manis (*Zea mays saccharata* Sturt.) terhadap Pemberian Pupuk Cair TNF dan Pupuk Kandang Ayam. USU : Medan.
- Doumbou, C.L., Salove, M.K.H., Crawford, D.L., & Beaulieu, C. (2001). Actinomycetes , Promising Tools to Control Plant Diseases and to Promote Plant Growth. *Phytoprotection*, 82(3), 85–102.
- Elbendary, A., Hessain, A.M., El-hariri, M.D., Seida, A.A., Moussa, I.M., Mubarak, A.S., Kabli, S.A., Hemeg, H.A., & Jakee, J.K.E. (2018). Original of Antimicrobial Producing Actinobacteria from Soil Samples. *Saudi Journal of Biological Sciences*. 25(1), 44-46.
- Elshafi, H. S., & Camele, I. (2022). Rhizospheric Actinomycetes Revealed Antifungal and Plant Growth Promoting Activities under Controlled Environment. *Plants*, 11(1872), 1–11.
- EPPO Quarantine Pests. (2007). Data Sheets On Quarantine Pests. *Pantoea stewartii* subsp. *stewartii*. Prepare By CABI And EPPO For The EU Under Contract 90/399 003
- Fardiyanti, R., Kasrina, & Bustaman, H. (2021). Ragam Jenis *Streptomyces* sp. pada Rizosfer Tanaman Suku Liliacea di Kawasan Desa Sumber Bening, Rejang Lebong, Bengkulu. *Konservasi Hayati*, 17(1), 29–34.
- Fatmawa, U., Lestari, Y., Meryandini, A., Nawangsih, A. A., & Wahyudi, A. T. (2018). Isolation of Acnomyces from Maize Rhizosphere from Kupang, East Nusa Tenggara Province, and Evaluation of Their Antibiotic, and Extracellular Enzyme Acvity. *Indonesian Journal of Biotechnology*, 23(1), 40-47.
- Ferdinan R. S., Sudarma, I. M., dan Wijana, D. G. (2016). Dinamika Populasi Hama dan Penyakit Utama Tanaman Jagung Manis (pada Lahan Basah dengan Sistem Budidaya Konvensional serta Pengaruhnya terhadap Hasil di Denpasar-Bali. *Agrotrop*, 6(2), 128–136.

- Fiqriansyah, M., Putri, S.A., Syam, R., Rahmadani, A.S., Frianie, T.N., Adhayani, A.N., Fauzan, N., Bachok, N.A., & Manggabarani, A.M. (2021). Teknologi Budidaya Tanaman Jagung dan Sorgum. Penerbit Jurusan Biologi FMIPA UNM. Malang
- Freeman, N.D. & J.K. Pataky. (2001). Levels of Stewart's wilt resistance necessary to prevent reductions in yield of sweet corn hybrids. *Plant Dis.* 85(12), 1278-1284
- Goodfellow, M. & Williams, S.T. (1983). Ecology of Actinomycetes. *Annual Review of Microbiology*, 37(1), 189-216.
- Glare, T., Caradus, J., Gelernter, W., Jackson, T., Keyhani, N., Kohl, J., & Stewart, A. (2012). Have Biopesticides Come of Age. *Trends in Biotechnology*, 30(5), 250-258.
- Harikrishnan, H., Shanmugai, A.V., & Balasubramanian, N. (2014). Optimization for Production Of Indole Acetic Acid (IAA) by Plant Growth Promoting *Streptomyces* spp Isolated from Rice Rhizosphere. *International Journal of Current Microbiology and Applied Sciences*, 3(8), 158-171.
- Heng, J.L.S., Shah, U.K., & Hamzah, H. (2011). Isolation, Characterization and Identification of Potential Actinobacteria With Antifungal Activities to Wards Chilli Anthracnose. *African Journal of Biotechnology*, 10(32), 5979-5987
- Holt, J.G., Krieg, N.R., Sneath, P.H.A., Staley, J.T., & Williams, S.T. (1994). *Bergey's Manual of Determinative Bacteriology* (9th). Lippincott Williams & Wilkins. USA.
- Inayah, M.N. (2020). Komunitas Aktinobakteria Di Tanah Perkebunan Kelapa Sawit PTPN VI Jambi Berdasarkan Sekuens Amplikon Gen 16s rRNA. [Thesis] Institut Pertanian Bogor. Bogor.
- Intra, B., Mungsuntisuk, I., Nihira, T., Igarashi, Y., & Panbangred, W. (2011). Identification of Actinomycetes From Plant Rhizospheric Soils With Inhibitory Activity Against *Colletotrichum* sp. the Causative Agent of Anthracnose Disease. *BMC Research Notes*, 4(1), 1-9.
- Jeffrey, L.S.H. (2008). Isolation, Characterization and Identification of Actinomycetes from Agriculture Soils at Semongok, Sarawak. *Afr J Biotechnol*, 7 (20), 3697-3702.
- Kanse, O.S., Whitelaw, W.M., Kadam, T.A., & Bhosale, H.J. (2015). Phosphate Solubilization by Stress tolerant Soil Fungus *Talaromyces funiculosus* SLS8 Isolated From the Neem Rhizosphere. *Annals of Microbiology*, 65(1), 85-93.
- Kawuri, R. (2012). Pemanfaatan *Streptomyces* sp. untuk Mengendalikan Penyebab Penyakit Busuk Daun pada Lidah Buaya. Disertasi Doktor. Program Pasca Sarjana Universitas Udayana Denpasar.
- Klement, Z., Rudolph, K., & Sand, D.C. (1990). *Methods Phytobacteriology*. Akademiai Kiado, Budapest. pp 199–204.

- Liu, D., Anderson, N.A., & Kinke L.L. (1996). Selection and Characterization of Strains of Streptomyces Suppressive to the Potato Scab Pathogen. *Can J Microbio.*, 42(1), 487–502.
- Macagnan, D., R.S. Romeiro., A.W.V. Pomella & J.T. Souza. (2008). Production of Lytic Enzymes and Siderophores, and Inhibition of Germination of Basidiospores of Moniliophthora (Ex Crinipellis) Perniciosa by Phylloplane Actinomycetes. *Biological Control*, 47(1), 309-314.
- Mayfield, C.I., Williams, S.T., Ruddick, S.M., & Hatfield, H.L. (1972). Studies on the Ecology of Actinomycetes in Soil. IV. Observations on the form and Growth of Streptomyces in Soil. *Soil Biol Biochem*, 4(1), 79–91.
- Muis, A., Suriani, Kalqutny, S.H., & Nonci, N. (2018). *Penyakit Bulai pada Tanaman Jagung dan Upaya Pengendaliannya*. Yogyakarta: Deepublish.
- Nafis, A., Anas, R., Noura, B., Fatima, E.K., Abdelkhalek, E.A., Bernard, R.G., Mohamed, H., Lamfeddal, K., Yedir, O., & Lahcen, H. (2019). Actinobacteria from Extreme Niches in Morocco and Their Plant Growth-Promoting Potentials. *Diversity*, 11(8), 139-154.
- Newman, M.M., Lorenz, N., Hoilett, N., Lee, N.R., Dick, R.P., Liles, M.R., & Kloepper, J.W. (2016). Changes in Rhizosphere Bacterial Gene Expression Following Glyphosate Treatment. *Science of the Total Environment*. 15(553), 32-41.
- Nurjasmii, R., Suryani., & Carta. (2019). Penghambatan Actinomycetes Asal Limbah Kulit Bawang Merah terhadap *Sclerotium rolfsii* Secara in Vitro. *Jurnal Ilmiah Respati*, 10(1). 1–12.
- Nurkanto, A., & Agusta, A. (2015). Molecular Identification and Morpho-Physiological Characterization of Actinomycetes with Antimicrobial Properties. *Jurnal Biologi Indonesia*, 11(2), 195–203.
- Paeru, R. H., & Dewi, Trias Qurnia. (2017). *Panduan Praktis Budidaya Jagung*. Penebar Swadaya Grup
- Panikkai, S., Nurmalina, R., Mulatsih, S., & Purwati, H. (2017). Analisis Ketersediaan Jagung Nasional Menuju Pencapaian Swasembada dengan Pendekatan Model Dinamik. *Informatika Pertanian*, 26(1), 41–48.
- Pandey, B., P. Ghimire & V.P. Agrawal. (2004). In: International Conference on the Great Himalayas: Climate, Health, Ecology, Management and Conservation, Kathmandu. Kathmandu University
- Pataky, J.K. (2003). Stewart's Wilt of Corn. Department of Crop Sciences. University of Illinois. Urbana. Doi:10.1094/APSnetFeature-2003-0703 [diakses 9 Maret 2022].
- Pataky, J.K. (2004). Stewart's wilt of corn. The Plant Health Instructor. DOI:10.1094/PHI-I-2004-0113-01. Available at: <http://www.apsnet.org/edcenter/intropp/lessons/prokaryotes/Pages/StewartWilt.aspx> [diakses 9 Maret 2022].

- Pataky, J.K., & P.M. Michener. (2004). Ability of an ELISA-Based Seed Health Test to Detect *Erwinia stewartii* in Maize Seed Treated with Fungicides dan Insecticides. *The American Phytopathology Society*, 88(6), 633-640.
- Rahma, H., Nurbailis., Liswarni, Y., & Puspita, D. (2010). Uji Virulensi Beberapa Isolat *Pantoea stewartii* Penyebab Penyakit Layu Stewart Pada Bibit Jagung (*Zea mays* L). *Manggaro*, 11(1), 12-17.
- Rahma, H., Zainal, A., Surahman, M., Sinaga, M.S., & Giyanto. (2014). Potensi Bakteri Endofit Dalam Menekan Penyakit Layu Stewart (*Pantoea stewartii* subsp. *stewartii*) pada Tanaman Jagung. *J. HPT Tropika*, 14(2), 121-137
- Rahma, H., Sinaga, M.S., Surahman, M., & Giyanto. (2013). Tingkat Keterjadian Penyakit Layu Stewart pada Benih dan Respon Beberapa Varietas Jagung Terhadap Infeksi *Pantoea stewartii* subsp. *stewartii*. *Jurnal Hama Dan Penyakit Tumbuhan Tropika*, 13(1), 1-9.
- Rani, K., A. Dahiy., J.C. Masih., & L. Wati. (2018). Actinobacterial Biofertilizers an Alternative Strategy for Plant Growth Promotion. *International Current Journal of Microbiology and Applied Sciences*, 7(9), 607-614.
- Retnowati, D., Anja, M., Deddy, D., Munif, G., & Yulin, L. (2019). Biological Activities of Paddy Rhizosphere Actinobacteria. *EurAsian Journal of BioSciences*, 13(1), 2125-2132.
- Rinanti, T., Herlina, N., & Rifianto, A. (2021). Efek Populasi terhadap Pertumbuhan dan Hasil serta Fase Perkembangan Tiga Varietas Jagung Manis di Dataran Menengah. *Journal of Agricultural Science*, 6(1), 1-10.
- Riwandi., Merakati, Handajaningsih., & Hasanudin. (2014). Teknik Budidaya Jagung dengan Sistem Organik di Lahan Marjinal. Bengkulu: UNIB Press.
- Roopa, K.P., & Gadag, A.S. (2019). Management of Soil-Borne Diseases of Plants Through Some Cultural Practices and Actinobacteria. *Plant Health Under Biotic Stress*, pp. 129-145.
- Roper, M. C. (2011). *Pantoea stewartii* subsp. *stewartii*: Lessons learned from a xylem-dwelling pathogen of sweet corn. *Molecular Plant Pathology*, 12(7), 628-637.
- Salasia, S.I.O., Khusnan, Z., Lammler, C., & Zschock, M. (2004). Comparative Studies on Phenol and Genotypic Properties of *Staphylococcus aureus* Isolated from Bovine Subclinical Mastitis in Central Java in Indonesia and Hesse in Germany. *Journal Vet Sci*, 5(2),103- 109.
- Sathya, A., Vijayabharathi, R., & Gopalakrishnan, S. (2017). Plant Growth-Promoting Actinobacteria: A New Strategy for Enhancing Sustainable Production and Protection of Grain Legumes. *3 Biotech*, 7(2), 1-10.
- Schaad, N.W., Jones, J.B., & Chun, W. (2001). *Laboratory Guide for Identification of Plant Pathogenic Bacteria*. (St. Paul, MN: APS Press)
- Sharma, V., & Salwan, R. (2018). Biocontrol Potential and Applications of Actinobacteria in Agriculture. In *New and Future Developments in Microbial Biotechnology and Bioengineering*. pp. 93-108.

- Sivan, A., and Chet, I. (1986). Biological Control of *Fusarium* spp. in Cotton, Wheat and Muskmelon by *Trichoderma harzianum*. *Journal of Phytopathology*.116(1), 39-47.
- Sudarma, I. M. (2010). Seleksi dan Pemanfaatan Actinomycetes Sebagai Mikroba Antagonis yang Ramah Lingkungan terhadap *Fusarium oxysporum* f.sp. *cubense* Secara In Vitro. *Ecotrophic*, 5(2), 104–107
- Sunaryanto, R., Marwanto, B., & Matsuo, Y. (2010). Isolasi Actinomycetes Laut Penghasil Metabolit Sekunder yang Aktif terhadap Sel Kanker A459. *Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan*. 5(2), 111-116.
- Supriyatno, B. (2017). Perhitungan Ekonomik Budidaya Tanaman Jagung Sistem Pertanian Organik. *MPRA*, 1(1), 1-21.
- Suryani, L., L.Q. Aini, A.N. Sugiharto, & A.L. Abadi. (2012). Characterization of Bacterial Pathogen Causing Wilt and Leaf Blight on Corn (*Zea mays*) by Physiological, Biochemical and Molecular Methods. *Agrivita*. 34(3), 286-295.
- Talanca, Haris A., & A. Tandiwe. (2015). Respon Beberapa Varietas Terhadap Penyakit Utama Jagung di Kabupaten Kediri Jawa Timur. *Jurnal Agrotan*, 1(1), 67-78.
- Temaja, I G.R.M., Wirya G.N.A.S., Puspawati N.M., & Syahdu, K.N. (2017). Penyakit Layu Bakteri Stewart pada Jagung di Bali. *Jurnal Fitopatologi Indonesia* 13(5),184–190.
- Temaja, I.G.R. M. (2018). Pengendalian Penyakit Layu Stewart Pada Tanaman Jagung yang Ramah Lingkungan dengan Rizobakteri. *Jurnal Ilmu Lingkungan*, 16(1), 44-56.
- Torres-Rodriguez, J.A., Reyes-Pérez, J J., Quiñones, A.E., & Hernandez, M.L.G. (2022). Actinomycetes Potential as Biocontrol Agent of Phytopathogenic Fungi : Mechanisms, Source, and Applications. *Plants*, 11(3201), 1–15.
- Vurukonda, S.S.K.P., D, Giovanardi & E, Stefani. (2018). PGPB Activity of *Streptomyces* spp. as Endophytes. *Int.J. of Molecular Sciences* 19(1), 1-26.
- Wulandari, B.A., & Jaelani, L.M. (2019). Identifikasi Fase Pertumbuhan Tanaman Jagung Menggunakan Citra SAR Sentinel-1A (Studi Kasus: Kecamatan Gerung, Lombok Barat, NTB). *Jurnal Penginderaan Jauh Indonesia*. 1(2), 52-59.
- Yanti, Y., Warnita., Reflin., & Busniah, M. (2018). Indigenous endophyte bacteria ability to control Ralstonia and Fusarium wilt disease on chili pepper. *J. Biodiversitas*, 19(4), 1532–1538.
- Yanti, Y., Hamid, H., & Nurbailis. (2021). Potensi Asam Salisilat *Bacillus* Sp. Untuk Menekan Perkembangan Penyakit Hawar Daun Bakteri Tanaman Bawang Merah. Dalam: Seminar Nasional Sains Dan Teknologi Terapan. Prosiding seminar nasional; Padang. September 2021

- Yanti, Y., Hamid, H., Suriani, N.L., Reddy, M.S., & Syahputri, M. (2023a). Screening of Indigenous Actinobacteria as Biological Control Agents of *C. capsici* and Increasing Chili Production. *Egyptian Journal of Biological Pest Control*, 33(34), 2–9.
- Yanti, Y., Khairul, U., & Fadil, M. (2023b). Seleksi Aktinobakteria Indigenous untuk Pengendalian Penyakit Hawar Daun Bakteri (*Xanthomonas oryzae* pv. *oryzae*) Serta Peningkatan Pertumbuhan Padi. *Agrohita*, 8(1), 93–105.
- Zhang, X., Zhang, Y.J., Zhao, C., Liu, S., Wang, L., Yang, H., He, W., Xiang., & Wang. (2014). An *Actinomycetes* Isolated from the Rhizosphere Soil of *Rehmannia* (*Rehmannia glutinosa* Libosch). *Int.Journal of Systematic and Evolutionary Microbiology*. 64(1), 1102-1107.

