

DAFTAR PUSTAKA

- Abdelhalim, M. A. K. and Jarrar, B. M. (2011). Gold nanoparticles induced cloudy swelling to hydropic degeneration, cytoplasmic hyaline vacuolation, polymorphism, binucleation, karyopyknosis, karyolysis, karyorrhexis and necrosis in the liver, *Lipids in Health and Disease*, 10, pp. 1–6. doi: 10.1186/1476-511X-10-166.
- Abeysekera, Arachchige, S. P. G., Ratnasooriya, W.D., and Medawatta, H.H.. (2019). Antioxidant and Glycemic Regulatory Properties Potential of Different Maturity Stages of Leaf of Ceylon Cinnamon (*Cinnamomum zeylanicum* Blume) in Vitro, *Evidence-based Complementary and Alternative Medicine*, 2019. doi: 10.1155/2019/2693795.
- Abouzeid U, Allam, El- Bahrawy, And Mohamed. (2018). Ameliorating Effects of Green Tea on Ethephon- Induced Immunotoxicity and Oxidative Stress in Mice. *International Journal of Pharma Sciences and Scientific Research*. Vol. 4 No.1.
- ADA. (2020). Introduction : Standards of medical care in diabetes. *Diabetes Care Journal*, 44, 1–2. <https://doi.org/10.2337/>.
- Ahmad, M. *et al.* (2013). Safety assessment of standardised methanol extract of *Cinnamomum burmannii*, *Phytomedicine*, 20(12), pp. 1124–1130. doi: 10.1016/j.phymed.2013.05.005.
- Al-Dhubiab, B. E. (2012). Pharmaceutical applications and phytochemical profile of *Cinnamomum burmannii*, *Pharmacognosy Reviews*, 6(12), pp. 125–131. doi: 10.4103/0973-7847.99946.
- Alicic, R. Z., Rooney, M. T. and Tuttle, K. R. (2017). Diabetic Kidney Disease : Challenges , Progress , and Possibilities, *Diabetic Kidney Disease Journal*, (18), pp. 1–14. doi: 10.2215/CJN.11491116.
- Amorim, R. G. *I et al.* (2019). Kidney disease in diabetes mellitus: Cross-linking between hyperglycemia, redox imbalance and inflammation, *Arquivos Brasileiros de Cardiologia*, 112(5), pp. 577–587. doi: 10.5935/abc.20190077.
- Arsov, S. *et al.* (2014). Advanced glycation end-products and skin autofluorescence in end-stage renal disease: A review, *Clinical Chemistry and Laboratory Medicine*, 52(1), pp. 11–20. doi: 10.1515/cclm-2012-0832.
- Astuti, M. D., Fauzi, L., & Mustikasari, K. (2022). Isolation and Characterization of Compounds from Cinnamon Oil (*Cinnamomum burmanii*) Distillation Residu. *Jurnal Sains Dan Terapan Kimia*, 16(1), 9.

<https://doi.org/10.20527/jstk.v16i1.12160>.

- Azad, R. *et al.* (2019). Development of a core collection for Sri Lankan cinnamon germplasm based on morphological characterization using an eco-geographic survey, *Australian Journal of Crop Science*, 13(9), pp. 1473–1485. doi: 10.21475/ajcs.19.13.09.p1561.
- Azat Aziz, M., Shehab Diab, A. and Abdulrazak Mohammed, A. (2019). Antioxidant Categories and Mode of Action, *Antioxidants*. doi: 10.5772/intechopen.83544.
- Ben-Skowronek, I., Pach, Emilia. and Wrobel, Wiktoria. (2022) . Potential therapeutic application of regulatory T cells in diabetes mellitus type 1, *International Journal of Molecular Sciences*, 23(1), pp. 1–17. doi: 10.3390/ijms23010390.
- Bahari, Z, Ranjbar, M. F., Namdar, Farida., Bayatpoor, M. E and Mohamadi. (2022). Anti-diabetic effects of fullerene C60 nanoparticle mediated by its antioxidant activity in the pancreas in type 1 diabetic rats, *Brazilian Journal of Pharmaceutical Sciences*, 58(1), pp. 1–11. doi: 10.1590/s2175-97902022e201077.
- Bernardo, Maria, E. (2015). Effect of cinnamon on postprandial glucose, *Journal of Diabetes Research*, 24(S1). doi: 10.1096/fasebj.24.1_supplement.564.21.
- Blacker, T. S. and Duchon, M. R. (2016). Investigating mitochondrial redox state using NADH and NADPH autofluorescence, *Free Radical Biology and Medicine*, 100, pp. 53–65. doi: 10.1016/j.freeradbiomed.2016.08.010.
- Błaszczak, N., Rosiak, A. and Kałużna-Czaplińska, J. (2021). The potential role of cinnamon in human health, *Forests*, 12(5), pp. 1–17. doi: 10.3390/f12050648.
- Brownlee, M. (2005). The pathobiology of diabetic complications: A unifying mechanism, *Diabetes*, 54(6), pp. 1615–1625. doi: 10.2337/diabetes.54.6.1615.
- Chadda, K. R., Cheng, T. S. and Ong, K. K. (2021). GLP-1 agonists for obesity and type 2 diabetes in children: Systematic review and meta-analysis, *Obesity Reviews*, 22(6), pp. 1–10. doi: 10.1111/obr.13177.
- Chaudhuri, J. *et al.* (2019). Metabolic Diseases : Bridging Association and Causality, *Cell Metabolism*, 28(3), pp. 337–352. doi: 10.1016/j.cmet.2018.08.014.The.
- Coates, D. R., Chin, J. M. and Chung, S. T. L. (2011). A Glimpse of Various Pathogenetic Mechanisms of Diabetic Nephropathy, *Bone*, 23(1), pp. 1–7.

doi: 10.1146/annurev.pathol.4.110807.092150.A.

- Campbell, Neil A, dkk. 2010. *Biologi Edisi 8 Jilid 3*. Jakarta : Erlangga.
- Cooke, D. W. and Plotnick, L. (2008). Type 1 diabetes mellitus in pediatrics, *Pediatrics in Review*, 29(11), pp. 374–385. doi: 10.1542/pir.29-11-374.
- Dabla, P. K. (2010). Renal function in diabetic nephropathy, *World Journal of Diabetes*, 1(2), p. 48. doi: 10.4239/wjd.v1.i2.48.
- DiMeglio, L. A., Evans-Molina, C. and Oram, R. A. (2019). Type 1 Diabetes, *Lancet (London, England)*, 176(3), pp. 139–148. doi: 10.1016/S0140-6736(18)31320-5.Type.
- Djadjat Tisnadjaja, H. I. (2020). Potency of *Cinnamomum burmannii* as Antioxidant and α -Glucosidase Inhibitor and Their Relation to Trans_Cinamaldehyde and Coumarin Contents. *Jurnal Fitofarmaka Indonesia*, 7(3), 20–25.
- Donate-correa, J. *et al.* (2020). Inflammatory Targets in Diabetic Nephropathy, *Journal of Clinical Medicine*, 9(4), pp. 1-23. doi:10.3390/jcm9020458.
- Djarot, P., Yulianita, Y., Utami, N. F., Putra, A. M., Putri, Y. I. M., Muhandianty, S. M., Suciyani, T. A., & Syaepulrohman, A. (2023). Bioactivities and Chemical Compositions of *Cinnamomum burmannii* Bark Extracts (Lauraceae). *Sustainability*, 15(2), 1696. <https://doi.org/10.3390/su15021696>.
- Elmarakby, A. A. and Sullivan, J. C. (2012). Relationship between oxidative stress and inflammatory cytokines in diabetic nephropathy, *Cardiovascular Therapeutics*, 30(1), pp. 49–59. doi: 10.1111/j.1755-5922.2010.00218.x.
- Emilda, E. (2018). Efek Senyawa Bioaktif Kayu Manis (*Cinnamomum burmanii*) Terhadap Diabetes Melitus, *Jurnal Fitofarmaka Indonesia*, 5(1), pp. 246–252. doi: 10.33096/jffi.v5i1.316.
- Erlidawati, E., Safrida, S. dan Mukhlis, M. (2018). Potensi Antioksidan Sebagai Antidiabetes, *JKM.*, 7(2). doi: 10.52574/syiahkualauniversitypress.350.
- Ervina, M., Nawu, Y. E. and Esar, S. Y. (2016). Comparison of in vitro antioxidant activity of infusion, extract and fractions of Indonesian Cinnamon (*Cinnamomum burmannii*) bark, *International Food Research Journal*, 23(3), pp. 1346–1350.
- Esposito, S. *et al.* (2019). Environmental factors associated with type 1 diabetes, *Frontiers in Endocrinology*, 10(AUG), pp. 1–12. doi: 10.3389/fendo.2019.00592.
- Flieger, J., Flieger, W. and Baj, J. (2021). Antioxidants : Classification , Natural

Sources , Activity / Capacity, *Materials*, 14(4135), p. 54.

- Fotland, T., Paulsen, J. E., Sanner, T., Alexander, J., & Husøy, T. (2012). Risk assessment of coumarin using the bench mark dose (BMD) approach: Children in Norway which regularly eat oatmeal porridge with cinnamon may exceed the TDI for coumarin with several folds. *Food and Chemical Toxicology*, 50(3–4), 903–912. <https://doi.org/10.1016/j.fct.2011.12.005>.
- Georgiou, A. C. *et al.* (2021). Reactive oxygen species can be traced locally and systemically in apical periodontitis: A systematic review, *Archives of Oral Biology*, 129(03), pp. 105167. doi: 10.1016/j.archoralbio.2021.105167.
- Geraldes, P. and King, G. L. (2010). Activation of Protein Kinase C Isoforms & Its Impact on Diabetic Complications, *Circulation Research*, 106(8), pp. 1319–1331. doi: 10.1161/CIRCRESAHA.110.217117.Activation.
- Higgins, G. C. and Coughlan, M. T. (2014). Mitochondrial dysfunction and mitophagy: The beginning and end to diabetic nephropathy, *British Journal of Pharmacology*, 171(8), pp. 1917–1942. doi: 10.1111/bph.12503.
- Hong, Y. A. and Park, C. W. (2021). Catalytic antioxidants in the kidney, *Antioxidants*, 10(1), pp. 1–22. doi: 10.3390/antiox10010130.
- Hendromartono. (2014). *Buku Ajar Ilmu Penyakit Dalam: Nefropati Diabetik*. Jakarta: Interna Publishing.
- Hoehn, A. N., & Stockert, A. L. (2012). The effects of Cinnamomum Cassia on blood glucose values are greater than those of dietary changes alone. *Nutrition and Metabolic Insights*, 5, 77–83. <https://doi.org/10.4137/NMIS10498>.
- [IDF] International Diabetes Federation. 2022. Diabetes Atlas 10th.
- [IDF] International Diabetes Federation. 2021. Diabetes Atlas 9th.
- [IDF] International Diabetes Federation. 2019. Diabetes Atlas 7th.
- Jayaprakasha, G. K. and Rao, L. J. M. (2011). Chemistry, biogenesis, and biological activities of cinnamomum zeylanicum, *Critical Reviews in Food Science and Nutrition*, 51(6), pp. 547–562. doi: 10.1080/10408391003699550.
- Ji, L. L. and Yeo, D. (2021). Oxidative stress: an evolving definition, *Faculty Reviews*, 10, pp. 1–6. doi: 10.12703/r/10-13.
- Katsarou, A. *et al.* (2017). Type 1 diabetes mellitus, *Nature Reviews Disease Primers*, 3, pp. 1–18. doi: 10.1038/nrdp.2017.16.
- Kitada, M., Xu, J., Ogura, Y., Monno, I., Koya, D., & Case, A. J. (2020). Manganese

Superoxide Dismutase Dysfunction and the Pathogenesis of Kidney Disease. *Frontiers in Physiology*, 11(July), 1–16. <https://doi.org/10.3389/fphys.2020.00755>.

- Kouame, K., Peter, A. I., Akang, E. N., Moodley, R., Naidu, E. C., & Azu, O. O. (2019). Histological and biochemical effects of Cinnamomum cassia nanoparticles in kidneys of diabetic Sprague-Dawley rats. *Bosnian Journal of Basic Medical Sciences*, 19(2), 138–145. <https://doi.org/10.17305/bjbms.2019.3481>.
- Kubota, N., Kubota, T., Kajiwara, E., Iwamura, T., Kumagai, H., Watanabe, T., Inoue, M., Takamoto, I., Sasako, T., Kumagai, K., Kohjima, M., Nakamuta, M., Moroi, M., Sugi, K., Noda, T. (2016). Differential hepatic distribution of insulin receptor substrates causes selective insulin resistance in diabetes and obesity. *Nature Communications*, 7, 1–16. <https://doi.org/10.1038/ncomms12977>.
- Kumar V, Abbas AK, Aster JC. (2015). *Robbins Pathologic Basis of Disease: 9th edition*. Philadelphia: Elsevier.
- Loyal, K. (2016). Peran Nrf2 Dalam Patogenesis Stres Oksidatif dan Inflamasi pada Penyakit Ginjal Kronik, *Jurnal Kedokteran dan Kesehatan*, 7(1), p. 16. doi: 10.32502/sm.v7i1.1390.
- Lenzen, S. (2008). The mechanisms of alloxan and streptozotocin induced diabetes , *Diabetologia*, 51(2), pp. 216–226. doi: 10.1007/s00125-007-0886-7.
- Li, W., Huang, E. and Gao, S. (2017). Type 1 Diabetes Mellitus and Cognitive Impairments: A Systematic Review, *Journal of Alzheimer's Disease*, 57(1), pp. 29–36. doi: 10.3233/JAD-161250.
- Li, A. L. *et al.* (2019). Lignan and flavonoid support the prevention of cinnamon against oxidative stress related diseases, *Phytomedicine*, 53, pp. 143–153. doi: 10.1016/j.phymed.2018.09.022.
- Liu, H. and Chen, Y. G. (2022). The Interplay Between TGF- β Signaling and Cell Metabolism, *Frontiers in Cell and Developmental Biology*, 10(3), pp. 1–14. doi: 10.3389/fcell.2022.846723.
- Lusiana, E., Theodorus, T., Parisa, N., Fatmawati, F., & Pratama, M. I. (2022). The Effectiveness of Cinnamon extract (*Cinnamomum burmannii*) to reducing ureum level in male *Rattus norvegicus* Unilateral Ureteral Obstruction (UO) model. *Sriwijaya Journal of Medicine*, 5(1), 75–81. <https://doi.org/10.32539/sjm.v5i1.112>.

- Luc, K. *et al.* (2019). Oxidative stress and inflammatory markers in prediabetes and diabetes, *Journal of Physiology and Pharmacology*, 70(6), pp. 809–824. doi: 10.26402/jpp.2019.6.01.
- Magaki, S., Hojat, S. A., Wei, B., So, A., & Yong, W. H. (2019). An introduction to the performance of immunohistochemistry. *Methods in Molecular Biology*, 1897, 289–298. https://doi.org/10.1007/978-1-4939-8935-5_25
- Mousa, N. *et al.* (2013). Thin layer chromatography, high performance liquid chromatography and melting point for extraction and purification of cinnamic acid from cinnamon bark (*Cinnamomum aromaticum*), *Journal of Environmental Studies*, 11(1), pp. 11–18. doi: 10.21608/jesj.2013.192102.
- Modlinska, K. and Pisula, W. (2020). The natural history of model organisms the norway rat, from an obnoxious pest to a laboratory pet, *eLife*, 9, pp. 1–13. doi: 10.7554/eLife.50651.
- Mohammed, A. *et al.*, (2020). The Effect of Cinnamon to The Expression of SOD-1 and TNF- α in Indomethacin Induced Gastric Ulcer Rat, *ICoLisT*, 01(1), pp. 9. <https://doi.org/10.1063/5.0007560>.
- Momtaz, S. *et al.*, (2018). Cinnamon, a promising prospect towards Alzheimer's disease, *Pharmacological Research*, 130, pp. 241–258. doi: 10.1016/j.phrs.2017.12.011.
- Mollazadeh, H., & Hosseinzadeh, H. (2016). Iranian Journal of Basic Medical Sciences Cinnamon effects on metabolic syndrome: a review based on its mechanisms. *Iran J Basic Med Sci*, 19(6), 1258–1270. <http://dx.doi.org/10.22038/ijbms.2016.7906>.
- Mohamed Sham Shihabudeen, H., Hansi Priscilla, D., & Thirumurugan, K. (2011). Cinnamon extract inhibits α -glucosidase activity and dampens postprandial glucose excursion in diabetic rats. *Nutrition and Metabolism*, 8(1), 46. <https://doi.org/10.1186/1743-7075-8-46>.
- Mohan, S., Sheena, A., Poulouse, N., & Anilkumar, G. (2010). Molecular dynamics simulation studies of GLUT4: Substrate-free and substrate-induced dynamics and ATP-mediated glucose transport inhibition. *PLoS ONE*, 5(12). <https://doi.org/10.1371/journal.pone.0014217>.
- Nimse, S. B. and Pal, D. (2015). Free radicals, natural antioxidants, and their reaction mechanisms, *RSC Advances*, 5(35), pp. 27986–28006. doi: 10.1039/c4ra13315c.
- Niazmand, S. *et al.*, (2022). The effect of *Cinnamomum cassia* extract on oxidative stress in the liver and kidney of STZ-induced diabetic rats, *Journal of*

Complementary and Integrative Medicine, Vol. 19 (Issue 2), pp. 311-321.
<https://doi.org/10.1515/jcim-2021-0142>.

- Ogura, Y. *et al.*, (2020). CD38 inhibition by apigenin ameliorates mitochondrial oxidative stress through restoration of the intracellular NAD⁺/NADH ratio and Sirt3 activity in renal tubular cells in diabetic rats, *Aging*, 12(12), pp. 11325–11336. doi: 10.18632/aging.103410.
- Ozbek, E. (2012). Induction of oxidative stress in kidney, *International Journal of Nephrology*, 2012. doi: 10.1155/2012/465897.
- P, Nor Basid A, N. (2011). Potensi sinamaldehyd hasil isolasi minyak kayu manis sebagai senyawa antidiabetes—Potency of cinnamaldehyde diabetic compound. *Majalah Farmasi Indonesia*, 22(1), 9–14.
- Padgett, L. E. *et al.*, (2013). The role of reactive oxygen species and proinflammatory cytokines in type 1 diabetes pathogenesis, *Annals of the New York Academy of Sciences*, 1281(1), pp. 16–35. doi: 10.1111/j.1749-6632.2012.06826.x.
- Paschou, S. A. *et al.*, (2018). On type 1 diabetes mellitus pathogenesis, *Endocrine Connections*, 7(1), pp. R38–R46. doi: 10.1530/EC-17-0347.
- Purbowatingrum, Ngadiwiyana, Fachriyah, E., Ismiyanto, Ariestiani, B., & Khikmah. (2018). Antidiabetic activity from cinnamaldyde encapsulated by nanochitosan. *IOP Conference Series: Materials Science and Engineering*, 349(1). <https://doi.org/10.1088/1757-899X/349/1/012048>.
- Pitaro, M., Croce, N., Gallo, V., Arienzo, A., Salvatore, G., & Antonini, G. (2022). Coumarin-Induced Hepatotoxicity: A Narrative Review. *Molecules*, 27(11), 1–19.
- Petersen, M. C. and Shulman, G.I. (2018). Mechanisms of insulin action and insulin resistance, *Physiological Reviews*, 98(4), pp. 2133–2223. doi: 10.1152/physrev.00063.2017.
- Pisoschi, A. M. *et al.*, (2021). Oxidative stress mitigation by antioxidants - An overview on their chemistry and influences on health status, *European Journal of Medicinal Chemistry*, 209, p. 112891. doi: 10.1016/j.ejmech.2020.112891.
- Prathibhani, M. R. *et al.*, (2021). Protogynous dichogamy, leaf morphology and leaf essential oil composition of selected *Cinnamomum* species in Sri Lanka, *Tropical Agricultural Research and Extension*, 24(3), p. 185. doi: 10.4038/tare.v24i3.5515.
- Qyamuddin, M. (2020). Journal of Drug Delivery and Therapeutics bark against

acetaminophen induced nephrotoxicity in albino rats. *Journal of Drug Delivery and Therapeutics*, 10(4), 80–86.

- Rowe, A. L., Degytrave, N., Doestch, P.W. (2008). DNA Damage- Induced Reactive Oxygen Species (ROS) Stress Response in *Saccharomyces cerevisiae*, *Free Radical Biol Med*, 45(8): 1167–1177. doi:10.1016/j.freeradbiomed.2008.07.018.
- Ranasingh, *et al.*, (2017). Cinnamomum zeylanicum (Ceylon cinnamon) as a potential pharmaceutical agent for type-2 diabetes mellitus study protocol for a randomized controlled trial, *BioMed Central*, 18(446), pp. 1–8.
- Rao, P. V. and Gan, S. H. (2014). Cinnamon: A multifaceted medicinal plant, *Evidence-based Complementary and Alternative Medicine*, 2014. doi: 10.1155/2014/642942.
- Roep, B. O. *et al.*, (2021). Type 1 diabetes mellitus as a disease of the β -cell (do not blame the immune system), *Nature Reviews Endocrinology*, 17(3), pp. 150–161. doi: 10.1038/s41574-020-00443-4.
- Sayuti, K, and Yenrina, R. (2015). *Antioksidan Alami dan Sintetik*. Padang: Andalas University Press
- Sampath Kumar, A. *et al.*, (2019). Exercise and insulin resistance in type 2 diabetes mellitus: A systematic review and meta-analysis, *Annals of Physical and Rehabilitation Medicine*, 62(2), pp. 98–103. doi: 10.1016/j.rehab.2018.11.001.
- Sherwood, Lauralee. (2019). *Fisiologi Manusia dari Sel Ke Sistem Edisi 9*. Jakarta: EGC.
- Shahid, M. Z. *et al.*, (2018). Antioxidant capacity of cinnamon extract for palm oil stability, *Lipids in Health and Disease*, 17(1), pp. 1–8. doi: 10.1186/s12944-018-0756-y.
- Sherif, O. L. (2018). A New Model for Alloxan Induced Diabetes Mellitus in Rats, *J Bangladesh Soc Physiol*, 13(2), pp. 41–46. <https://doi.org/10.3329/jbsp.v14i2.44785>.
- Shokoohi, M. *et al.*, (2021). Effects of Hydroalcoholic Extracts of Cloves (*Syzygium aromaticum*) on the Serum Biomarkers , Antioxidant Status , and Histopathological Changes of Kidneys in Diabetic Rats, *Journal of Medical and Biological Sciences*, 8(4), pp. 269–275. <http://www.cjmb.org>.
- Singh, R., Ashish, A., Shah, A., & Shekhar Pandey, S. (2020). Interaction between oxidative stress and diabetes: a mini-review. *Journal of Diabetes*,

Metabolic Disorders & Control, 7(2), 58–61.
<https://doi.org/10.15406/jdmdc.2020.07.00201>.

Sureshbabu, A., Muhsin, S. A. and Choi, M. E. (2016). TGF- β signaling in the kidney: Profibrotic and protective effects, *American Journal of Renal Physiology*, 310(7), pp. F596–F606. doi: 10.1152/ajprenal.00365.2015.

Scopes, R. K. (2002). Enzyme Activity and Assays. *ELS*, 2(1), 1–6.
<https://doi.org/10.1038/npg.els.0000712>.

Tyuryaeva, I., & Lyublinskaya, O. (2023). Expected and Unexpected Effects of Pharmacological Antioxidants. *International Journal of Molecular Sciences*, 24(11). <https://doi.org/10.3390/ijms24119303>

Tan, Y., Cheong, M. S. and Cheang, W. S. (2022). Roles of Reactive Oxygen Species in Vascular Complications of Diabetes: Therapeutic Properties of Medicinal Plants and Food, *Oxygen*, 2(3), pp. 246–268. doi: 10.3390/oxygen2030018.

Terayama, Y. *et al.*, (2017). Acute alloxan renal toxicity in the rat initially causes degeneration of thick ascending limbs of henle, *Journal of Toxicologic Pathology*, 30(1), pp. 7–13. doi: 10.1293/tox.2016-0035.

Thibault, Teissier, Valentine, Quersin, and Viviane, G. (2019). Knockout of receptor for advanced glycation end-products attenuates age-related renal lesions, *Aging Cell*, 18, p. 13. DOI: 10.1111/acel.12850.

Thomas, M. C. *et al.*, (2015). Diabetic kidney disease, *Nature Reviews Disease Primers*, 1(October), pp. 1–20. doi: 10.1038/nrdp.2015.18.

Todd, J. A. (2010). Etiology of Type 1 Diabetes, *Immunity*, 32(4), pp. 457–467. doi: 10.1016/j.immuni.2010.04.001.

Vieira, R. *et al.*, (2019). Sugar lowering drugs for type 2 diabetes mellitus and metabolic syndrome strategies for in vivo administration: Part-II, *Journal of Clinical Medicine*, 8(9), pp. 1–20. doi: 10.3390/jcm8091332.

Wahyuni, S. S., Fitmawati dan Sofiyanti, N. (2016). Analisis Keanekaragaman Kayu Manis (*Cinnamomum burmannii*) Di Kabupaten Agam, Sumatera Barat Berdasarkan Karakter Morfologi, *Jurnal Riau Biologia*, 1(2), pp. 160–164. at: <https://jrb.ejournal.unri.ac.id/index.php>.

Wang, J. *et al.*, (2020). Acute Hyperglycemia May Induce Renal Tubular Injury Through Mitophagy Inhibition, *Frontiers in Endocrinology*, 11(December), pp. 1–13. doi: 10.3389/fendo.2020.536213.

Wardani, G. *et al.*, (2022). Antioxidative Stress and Anti-Inflammatory Activity of

Fucoidan Nanoparticles against Nephropathy of Streptozotocin-Induced Diabetes in Rats, *Evidence-based Complementary and Alternative Medicine*, 2022. doi: 10.1155/2022/3405871.

- World Health Organization. (2022). *Diabetes*. Diakses dari <https://www.who.int/health-topics/diabetes/> pada tanggal 13 Januari 2023.
- World Health Organization. (2021). *Global Report on Diabetes*. France: WHO Library Cataloguing in Publication Date.
- Winarsi, Hery. (2007). *Antioksidan Alami dan Radikal Bebas*. Yogyakarta: Penerbit Kanisius.
- Witthawaskul, P. *et al.*, (2003). Acute and subacute toxicities of the saponin mixture isolated from *Schefflera leucantha* Viguier, *Journal of Ethnopharmacology*, 89(1), pp. 115–121. doi: 10.1016/S0378-8741(03)00273-3.
- Yan, Z. and Spaulding, H. R. (2020). Extracellular superoxide dismutase, a molecular transducer of health benefits of exercise, *Redox Biology*, 32(02), pp. 101508. doi: 10.1016/j.redox.2020.101508.
- Yang, A. *et al.*, (2007). Clinicopathological and Tissue Indicators of Para-Aminophenol Nephrotoxicity in Sprague-Dawley Rats, *Toxicologic Pathology*, 35(4), pp. 521–532. doi: 10.1080/01926230701338933.
- Yang, H. W. *et al.*, (2019). Differentiating between morphologically similar species in genus *Cinnamomum* (Lauraceae) using deep convolutional neural networks, *Computers and Electronics in Agriculture*, 162(04), pp. 739–748. doi: 10.1016/j.compag.2019.05.003.
- Ye, W. *et al.* (2022). Gestational diabetes mellitus and adverse pregnancy outcomes: systematic review and meta-analysis, *The BMJ*. 18(04). doi: 10.1136/bmj-2021-067946.
- Yola Alunsa and Titrawani (2021). Kidney Histology of Wistar Rats (*Rattus norvegicus* Berkenhout 1769) Due to White Coffee, *Jurnal Biologi Universitas Andalas*, 9(2), pp. 60–67. doi: 10.25077/jbioua.9.2.60-67.2021.
- Yosmar, R., Almasdy, D. dan Rahma, F. (2018). Survei risiko penyakit diabetes melitus terhadap kesehatan masyarakat kota padang, *Jurnal Sains Farmasi Dan Klinis*, 5(08), pp. 134–141. pp 134-141.
- Zajec, A. *et al.*, (2022). Pathogenesis of Type 1 Diabetes: Established Facts and New Insights, *Genes*, 13(4). doi: 10.3390/genes13040706.
- Yun, J. W., You, J. R., Kim, Y. S., Kim, S. H., Cho, E. Y., Yoon, J. H., Kwon, E.,

Jang, J. J., Park, J. S., Kim, H. C., Che, J. H., & Kang, B. C. (2018). In vitro and in vivo safety studies of cinnamon extract (*Cinnamomum cassia*) on general and genetic toxicology. In *Regulatory Toxicology and Pharmacology* (Vol. 95). Elsevier Inc. <https://doi.org/10.1016/j.yrtph.2018.02.017>

Zhang, J, *et al.*, (2008). Immunolocalization of Kim-1, RPA-1, and RPA-2 in Kidney of Gentamicin, Mercury, or Chromium-Treated Rats: Relationship to Renal Distributions of iNOS and Nitrotyrosine. *Toxicol Pathol.* 36, 397–409. <https://doi.org/10.1177/0192623308315832>. Immunolocalization

Zhang, X., Shao, H. and Zheng, X. (2019). Amino acids at the intersection of nutrition and insulin sensitivity, *Drug Discovery Today*, 24(4), pp. 1038–1043. doi: 10.1016/j.drudis.2019.02.008.

