

the Reduction of Blood Sugar Levels in Diabetes At Puskes. *Jurnal Cendikia Muda*, 1(3).

IDF. (2016). IDF Clinical Practice Recommendations for managing Type 2 Diabetes in Primary Care-2017 Chair: Core Contributors. In *IDF Clinical Practice Recommendations for managing Type 2 Diabetes in Primary Care*. www.idf.org/managing-type2-diabetes

Lasia, I Made et.al. (2020). Pengaruh Senam Kaki Diabetik Terhadap *Ankle brachial index* (Abi) Pada Pasien Diabetes Melitus Tipe Ii Di Puskesmas II Denpasar Selatan. *Jurnal Keperawatan Terapan (e-Journal)*, Vol. 06, No. 01, 2020: 2442-6873

Mangiwa, I., Katuuk, M., & Sumarauw, L. (2017). Pengaruh Senam Kaki Diabetes Terhadap Nilai Ankle Brachial Index Pada Pasien Diabetes Melitus Tipe II Di Rumah Sakit Pacaran Kasih Gmim Manado. *Jurnal Keperawatan UNSRAT*, 5(1), 105018.

Marissa, N & Nur R. (2017). Kejadian Ulkus Berulang Pada Pasien Diabetes Melitus. *SEL Jurnal Penelitian Kesehatan* Vol. 4 No.2, November 2017, 91-100 92

Megawati, S. W., Utami, R., & Jundiah, R. S. (2020). Senam Kaki Diabetes Pada Penderita Diabetes Melitus Tipe 2 Untuk Meningkatkan Nilai Ankle Brachial Index. *Jnc*, 3(2), 1–6. <http://jurnal.unpad.ac.id/jnc/article/view/24445>

Oktorina, R., Wahyuni, A., & Harahap, E. Y. (2019). Pencegahan Ulkus Diabetikum Pada Penderita Diabetes Melitus. *REAL in Nursing Journal*

(RNJ), 2(3), 108–117. <https://ojs.fdk.ac.id/index.php/Nursing/index>

PERKENI. (2019). Perkumpulan Endokrinologi Indonesia. Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Dewasa di Indonesia 2019

Rivandi, J & Ade, Y .(2015). *Relationship Between Diabetic Nephropathy And Incident With Chronic Kidney Disease*. Majority Volume 4 N 9

Sari, I. R. N., Basri, T. H., Yakubu, P. D., Khanna, N. N., Bakari, A. G., Garko, S.

B., & Abubakar, A. B. (2017). Ulkus Kaki Diabetik Kanan dengan Diabetes Melitus Tipe 2. *J AgromedUnila*, 4(1), 133–139. www.scireslit.com

Sari, N., & Hisyam, B. (2014). Hubungan Antara Diabetes Melitus Tipe Ii Dengan Kejadian Gagal Ginjal Kronik Di Rumah Sakit Pku Muhammadiyah Yogyakarta Periode Januari 2011-Okttober 2012. *Jurnal Kedokteran Dan Kesehatan Indonesia*, 6(1), 11–18. <https://doi.org/10.20885/jkki.vol6.iss1.art3>

Schaper, N. C et al. (2019). Lower extremity muscle strength is reduced in people with type 2 diabetes, with and without polyneuropathy, and is associated with impaired mobility and reduced quality of life. *Diabetes Research and Clinical Practice*, 95(3): 345-351.

Sugiyono. (2020). *Statistika untuk penelitian*. Alfa Beta.

Suza, D. E., Hijriana, I., Ariani, Y., & Hariati, H. (2020). Effects of lower extremity exercises on ankle-brachial index values among type 2 diabetes melitus patients. *Open Access Macedonian Journal of Medical Sciences*, 8(E), 1–6. <https://doi.org/10.3889/oamjms.2020.4261>

Utama, Y. A., & Nainggolan, S. S. (2021). Pengaruh Senam Kaki terhadap Nilai Ankle Brachial Index Pada Pasien Diabetes Melitus Tipe II: Sebuah Tinjauan Sistematis. *Jurnal Ilmiah Universitas Batanghari Jambi*, 21(2), 657. <https://doi.org/10.33087/jiubj.v21i2.1439>

Wang, A., Lv, G., Cheng, X., Ma, X., Wang, W., Gui, J., Hu, J., Lu, M., Chu, G., Jin'an, C., Zhang, H., Jiang, Y., Chen, Y., Yang, W., Jiang, L., Geng, H., Zheng, R., Li, Y., Feng, W., ... Hu, Y. (2020). Guidelines on multidisciplinary approaches for the prevention and management of diabetic foot disease (2020 edition). *Burns and Trauma*, 8. <https://doi.org/10.1093/BURNST/TKAA017>

