

## DAFTAR PUSTAKA

- [1] K. R. Newcomb and W. R. McCann, "Seismic History and Seismotectonics of the Sunda Arc," *J. Geophys. Res. Solid Earth*, vol. 92, no. B1, pp. 421–439, 1987.
- [2] K. Sieh and D. Natawidjaja, "Neotectonics of the Sumatran Fault, Indonesia," *J. Geophys. Res. Solid Earth*, vol. 105, no. B12, pp. 28295–28326, 2000.
- [3] J. L. Chen, C. R. Wilson, B. D. Tapley, and S. Grand, "Grace Detects Coseismic and Postseismic Deformation from the Sumatra Andaman Earthquake," *Geophys. Res. Lett.*, vol. 34, no. 13, 2007.
- [4] D. H. Natawidjaja, *Neotectonics of the Sumatran Fault and Paleogeodesy of the Sumatran Subduction Zone*. California Institute of Technology, 2003.
- [5] H. Andreas, D. A. Sarsito, I. Meilano, H. Z. Abidin, D. Darmawan, and M. Gamal, "Implikasi Co-Seismic dan Post-seismic Horizontal Displacement Gempa Aceh 2004 terhadap Status Geometrik Data Spasial Wilayah Aceh dan Sekitarnya," *Dep. Tek. Geod. ITB, Bandung Indones.*, 2006.
- [6] S. P. Putti and N. Satyam, "Evaluation of Site Effects Using HVSR Microtremor Measurements in Vishakhapatnam (India)," *Earth Syst. Environ.*, vol. 4, no. 2, pp. 439–454, 2020, doi: 10.1007/s41748-020-00158-6.
- [7] A. M. Arifudin, "Karakteristik Situs dan Kerentanan Seismik di Kabupaten Klaten dengan Metode Horizontal to Vertical Spectral Ratio (HVSR) dari Data Mikrotremor," p. 146, 2018.
- [8] K. BAYU, E. Erni, and P. Pradanto, "Analisis Peak Ground Acceleration di Wilayah Rejang Lebong dan Lubuk Linggau Menggunakan Metode Probabilistic Seismic Hazard Analysis." Sriwijaya University, 2020.
- [9] H. A. Setiawan, "Analisa Data Mikrotremor Menggunakan Metode HVSR (Horizontal To Vertical Spectral Ratio) untuk Membuat Peta PGA (Peak Ground Acceleration)." Universitas Brawijaya, 2018.
- [10] P. K. Gusti, M. Farid, E. Swistoro, and I. Koto, "Identifikasi Respon Tanah terhadap Gelombang Gempa Bumi di Curup dan Implementasi

- Pembelajaran Fisika,” *PENDIPA J. Sci. Educ.*, vol. 3, no. 1, pp. 45–53, 2019.
- [11] Y. Nakamura, “Seismic Vulnerability Indices for Ground and Structures Using Microtremor,” 1997.
- [12] K. E. Bullen, K. E. Bullen, K. A. Bullen, and B. A. Bolt, *An Introduction to the Theory of Seismology*. Cambridge university press, 1985.
- [13] I. Sonjaya, “Pengenalan Gempa Bumi.” Yogyakarta, 2008.
- [14] U. M. I. Habibah, “Karakteristik Mikrotremor Berdasarkan Analisis Spektrum , TFA( Time Frequency Analysis ) dan Analisis Seismisitas pada Kawasan Jalur Sesar Opak,” 2016.
- [15] K. Kanai, “Improved Empirical Formula for the Characteristic of Strong Earthquake Motions,” 1966.
- [16] I. Gazali, “Berdasarkan Inversi Mikrotremor Spectrum Horizontal to Vertical Spectral Ratio ( HVSR ) Studi Kasus : Tanah Longsor Desa Olak Alen ,” 2017.
- [17] A. Soehaimi, M. Marjiono, and K. Kamawan, “Mikrozonasi Kerentanan Bahaya Guncangan Gempa Bumi Kota Pekalongan Berdasarkan Analisis Mikrotremor,” *J. Geol. dan Sumberd. Miner.*, vol. 20, no. 5, pp. 277–290, 2010.
- [18] M. Mirzaoglu and Ü. Dýkmen, “Application of Microtremors to Seismic Microzoning Procedure,” *J. Balk. Geophys. Soc.*, vol. 6, no. 3, pp. 143–156, 2003.
- [19] Y. Nakamura and A. Saito, “Estimations of Amplification Characteristics of Surface Ground and PGA Using Strong Motion Records,” *Proc. 17th JSCE*, 1983.
- [20] M. Herak, “ModelHVSR—A Matlab Tool to Model Horizontal to Vertical Spectral Ratio of Ambient Noise,” *Comput. Geosci.*, vol. 34, no. 11, pp. 1514–1526, 2008.
- [21] S. S. Arifin, “Penentuan Zona Rawan Guncangan Bencana Gempa Bumi Berdasarkan Analisis Nilai Amplifikasi HVSR Mikrotremor dan Analisis Periode Dominan Daerah Liwa dan Sekitarnya,” *JGE (Jurnal Geofis.*

- Eksplorasi*), vol. 2, no. 01, pp. 30–40, 2014.
- [22] Y. Nakamura, “Clear Identification of Fundamental Idea of Nakamura’s Technique and Its Applications,” in *Proceedings of the 12th world conference on earthquake engineering*, 2000, vol. 2656, pp. 1–8.
- [23] H. Suciati Febrina, “Analisis Kerentanan Bangunan dengan Pengujian Mikrotremor Studi Kasus di Daerah Rawan Pergerakan Tanah,” 2017.
- [24] D. Fäh, F. Kind, and D. Giardini, “Inversion of Local S-Wave Velocity Structures from Average H/V Ratios, and Their Use for the Estimation of Site-Effects,” *J. Seismol.*, vol. 7, no. 4, pp. 449–467, 2003.
- [25] A. Amaliyah, “Studi Tingkat Resiko Bahaya Seismik Berdasarkan Analisis Pengukuran Mikrotremor di Kecamatan Alla Kabupaten Enrekang.” Universitas Islam Negeri Alauddin Makassar, 2017.
- [26] K. Aki and P. G. Richards, *Quantitative Seismology*. 2002.
- [27] M. Sambridge, “Geophysical Inversion with a Neighbourhood Algorithm—I. Searching a Parameter Space,” *Geophys. J. Int.*, vol. 138, no. 2, pp. 479–494, 1999.
- [28] D. D. Warnana, S. Triwulan, and W. Utama, “Assessment to the Soil-Structure Resonance Using Mikrotremor Analysis on Pare-East Java, Indonesia,” *Asian Tran. Eng.*, vol. 1, no. 4, pp. 6–12, 2011.
- [29] W. T. Sutrisno, B. J. Sentosa, and D. D. Warnana, “Profiling Kecepatan Gelombang Geser (Vs) Menggunakan Inversi Spektrum Horizontal to Spectral Ratio (HSVR),” *Tek. Pomits*, vol. 1, no. 1, pp. 1–6, 2013.
- [30] B. Hendrawanto and S. A. Saptari, “Analisis Data Seismogram untuk Menentukan Parameter Magnitude Gempa Bumi: Studi Kasus Gempa Bumi Padang 30 september 2009”.
- [31] J. R. Talumepa, F. J. Manoppo, and L. D. K. Manaroinsong, “Respon Spektra pada Jembatan Ir. Soekarno Manado,” *J. SIPIL STATIK*, vol. 7, no. 7, 2019.
- [32] W. Wangsadinata, “Perencanaan Bangunan Tahan Gempa Berdasarkan SNI 1726-2002,” *Shortcourse HAKI*, Jakarta, 2006.
- [33] M. Ibs-von Seht and J. Wohlenberg, “Microtremor Measurements Used to

- Map Thickness of Soft Sediments,” *Bull. Seismol. Soc. Am.*, vol. 89, no. 1, pp. 250–259, 1999.
- [34] S. Gafoer, T. C. Amin, and R. Pardede, *Peta Geologi Lembar Bengkulu, Sumatra*. Pusat Penelitian dan Pengembangan Geologi, 1992.
- [35] O. : Supartoyo *et al.*, “Kegempaan di Wilayah Bengkulu,” vol. 2, no. 3, pp. 24–33, 2007.
- [36] P. Bard, A. Duval, A. Koehler, and S. Rao, “SESAME European Research Project,” vol. D23.12, no. December, p. 62 pp., 2004.
- [37] S. Parolai, P. Bormann, and C. Milkereit, “New Relationships Between Vs, Thickness of Sediments, and Resonance Frequency Calculated by the H/V Ratio of Seismic Noise for the Cologne Area (Germany),” *Bull. Seismol. Soc. Am.*, vol. 92, no. 6, pp. 2521–2527, 2002.
- [38] K. Kanai, “Engineering Seismology,” *Tokyo Univ. Tokyo Press*, 1983.
- [39] S. Indarto *et al.*, “Monografi Batuan Vulkanik Segmen Selatan Sumatera, Daerah Bengkulu di Sayap Barat Pegunungan Bukit Barisan,” *Pros. Geoteknologi LIPI*, 2018.
- [40] F. Syaifuddin, A. S. Bahri, W. Lestari, and J. Pandu, “Microtremor Study of Gunung Anyar Mud Volcano, Surabaya, East Java,” in *AIP Conference Proceedings*, 2016, vol. 1730, no. 1, p. 50004.
- [41] C. Jiang, D. Yahong, M. Huangdong, X. You, and C. Ge, “A Microtremor Study to Reveal the Dynamic Response of Earth Fissure Site: the Case Study in Fenwei Basins, China,” *Environ. Earth Sci.*, vol. 81, no. 3, p. 80, 2022.
- [42] B. Sunardi, J. A. Daryono, D. N. Pupung Susilanto, and S. Boko Nurdianto, “Kajian Potensi Bahaya Gempa Bumi Daerah Sumbawa Berdasarkan Efek Tapak Lokal,” *J. Meteorol. dan Geofis.*, vol. 13, no. 2, pp. 131–137, 2012.
- [43] T. W. Buana, M. W. AN, and I. A. Sadisun, “Hubungan Potensi Likuifaksi pada Endapan Gunung Api Merapi Muda dengan Kerusakan Bangunan di Kabupaten Bantul pada Kasus Gempa Bumi 27 Mei 2006,” *J. Lingkung. dan Bencana Geol.*, vol. 7, no. 2, pp. 89–102, 2016.

- [44] P. S. Thein *et al.*, “Estimation of S-wave Velocity Structure for Sedimentary Layered Media Using Microtremor Array Measurements in Palu City, Indonesia,” *Procedia Environ. Sci.*, vol. 28, pp. 595–605, 2015.
- [45] B. A. Wibowo, A. Rudiyanto, and G. Ibrahim, “Studi Pendahuluan Mikrozonasi Kota Tangerang Selatan Melalui Analisis Nilai Vs-30 dan Periode Dominan,” *J. Meteorol. Klimatologi dan Geofis. (Edisi Wisuda STMKG)*, vol. 2, no. 3, 2015.

<https://earthquake.usgs.gov/data/Vs30/>

