

## DAFTAR PUSTAKA

1. Lesmana LA, Nusi IA, Gani RA, Hasan I, Sanityoso A, Lesmana CRA, et al. Panduan praktik klinik penatalaksanaan ensefalopati hepatic di Indonesia 2014. Jakarta: Perhimpunan Peneliti Hati Indonesia, 2014.
2. Tarigan P. Ensefalopati Hepatikum. Dalam : Sulaiman A, Akbar N, Lesmana LA, Noer MS. Buku Ajar Ilmu Penyakit Hati, edisi 1. Jakarta. Jaya Abadi; 2007. P419-31.
3. Amodio P, Montagnese S, Gatta A, Morgan M. Characteristics of Minimal Hepatic Encephalopathy. *Metab Brain Dis.* 2014;19(3-4):253-67.
4. Zhan T, Stremmel W. The diagnosis and treatment of minimal hepatic encephalopathy. *Dtsch Arztebl Int.* 2012;109(10):180-7.
5. Ndraha S, Tendean M, Wician F, Sujana DS, Santoso M. Tes critical flicker frequency pada sirosis hati di RSUD Koja. *Jurnal Kedokteran Meditek.* 2010; 16 (42): 1-10.
6. Michalska IC, Szczepanek M, Slowik A, Mach T. Pathogenesis of hepatic encephalopathy. *Gastroenterology Research and Practice.* 2012.
7. Iskandar M, Ndraha S, Hasan I. Prevalensi Ensefalopati Hepatik Minimal di Rumah Sakit Cipto Mangunkusumo pada Bulan Mei - Agustus 2009: KOPAPDI; 2009.
8. Poh Z, Chang PEJ. A current review of the diagnostic and treatment strategies of hepatic encephalopathy. *International Journal of Hepatology.* 2012.
9. Zubir N. Koma hepatic. Dalam: Sudoyo AW, Setiyohadi B, Alwi I, Simadibrata M, Setiati S, editor. Buku Ajar Ilmu Penyakit Dalam Edisi Kelima. Jakarta: Pusat Penerbit Departemen Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Indonesia, 2009.
10. Macias-Rodriguez RU, Torre A. Diagnostic approach to persistent hepatic encephalopathy. *Revista de gastroenterologia de Mexico.* 2011 ; 76(4): 345-52.
11. Perazzo JC, Tallis S, Delfante A, Souto PA, Lemberg A, Eizayaga FX, et al. Hepatic encephalopathy: An approach to its multiple pathophysiological features. *World J Hepatol.* 2012;4(3):50-65.

12. Prakash R, Mullen KD. Mechanisms, diagnosis, and management of hepatic encephalopathy. *Nature Review Gastroenterology and Hepatology*. 2010; 7 : 515-25.
13. Frederick RT. Current concepts in the pathophysiology and management of hepatic encephalopathy. *Gastroenterol Hepatol*. 2011;7(4):222-33.
14. Sharma P. Lactulose for minimal hepatic encephalopathy in patients with extra hepatic portal vein obstruction. *Saudi J Gastroenterology*. 2012; 18 : 168-72.
15. Wunsch E, Post M, Gutkowski, Marlicz W, Szymanik B, Hartleb M, et al. *Digestive and liver disease*. 2010; 42: 818-21.
16. Cordoba J, Minguez B. Hepatic Encephalopathy. *Semin Liver Dis*. 2008;28(1):70-80.
17. Ferenci P, Lockwood A, Mullen K, Tarter R, Weissenborn K, Blei AT. Hepatic encephalopathy—Definition, nomenclature, diagnosis, and quantification: Final report of the Working Party at the 11th World Congresses of Gastroenterology, Vienna, 1998. *Hepatology*. 2002;35(3):716-21.
18. Bajaj JS. Review article: the modern management of hepatic encephalopathy. *Alimentary Pharmacologic and Therapeutic Journal*. 2010; 31: 537-47.
19. Hartmann IJ, Groeneweg M, Quero JC, Beijeman SJ, de Man RA, Hop WC, et al. The prognostic significance of subclinical hepatic encephalopathy. *Am J Gastroenterol*. 2000;95(8):2029-34.
20. Wakim FJ. Hepatic encephalopathy: suspect it early in patients with cirrhosis. *Cleve Clin J Med*. 2011;78(9):597-605.
21. Riggio O, Ridola L, Pasquale C. Hepatic encephalopathy therapy: An overview. *World J Gastrointest Pharmacol Ther*. 2010;1(2):54-63.
22. Bai M, Yang Z, Qi X, Fan D, Han G. l-ornithine-l-aspartate for hepatic encephalopathy in patients with cirrhosis: A meta-analysis of randomized controlled trials. *J Gastroenterol Hepatol*. 2013;28(5):783-9226. Solga, SF. Probiotics can treat hepatic encephalopathy. *Med Hypotheses* 2003;61:307-13.
23. Montagnese S, Gordon HM. Disruption of smooth pursuit eye movements in cirrhosis: relationship to hepatic encephalopathy and its treatment. *Hepatology*. 2005; 42: 772-81.

24. Wright G, Chatree A, Jalan R. Management of Hepatic Encephalopathy. *Int J Hepatol.* 2011;2011.
25. Mullen KD. The Treatment of Patients With Hepatic Encephalopathy: Review of the Latest Data from EASL 2010. *Gastroenterol Hepatol.* 2010;6(7):1-16
26. Chatauret N, Butterworth RF. Effects of liver failure on inter-organ trafficking of ammonia: implications for the treatment of hepatic encephalopathy. *J Gastroenterol Hepatol.* 2004;19:S219-223.
27. Torlot FJ, McPhail JW, Taylor Robinson SD. Meta-analysis: The Diagnosis accuracy of critical flicker frequency in minimal hepatic encephalopathy. *Aliment Pharmacology and Therapeutic.* 2013 ;37 : 527-36.
28. Kircheis G, Wettstein M, Timmermann L. Critical flicker frequency for quantification of low grade hepatic encephalopathy. *Hepatology.* 2002; 35: 357-66.
29. Sharma P, Kumar A, Singh S, Tyagi P, Kumar A. Inhibitory control test, critical flicker frequency, and psychometric tests in the diagnosis of minimal hepatic encephalopathy in cirrhosis. *The Saudi Journal of Gastroenterology.* 2013; 19: 14-44.
30. Romero-Gomez M, Cordoba J, Jover R, Del Olmo JA, Ramirez M, Rey R, et al. Value of critical flicker frequency in patient with minimal hepatic encephalopathy. *Hepatology Journal.* 2007; 45 (4): 879-85.
31. Sharma P, Sharma BC, Puri V, Sarin SK. Critical flicker frequency : diagnostic tool for minimal hepatic encephalopathy. *Journal of hepatology.* 2007; 4: 67-73.
32. Sharma P, Sharm BC, Sarin SK. Critical flicker frequency for diagnosis and assesment of recovery from minimal hepatic encephalopathy in patients with cirrhosis. *Hepatobilliary Pancreas Dis Int.* 2010; 9 : 27-32.
33. Biecker E, Hausdorfer I, Grunhage F, Strunk H, Sauerbruch. Critical flicker frequency for quantification of subclinic hepatic encephalopathy. . *Hepatology.* 2002 Feb;35(2):357-66.
34. Yadav SK, Srivasta A, Thomas MA, Agarwal J, Pandey CM, Lal R. Encephalopathy assesment in children with extrahepatic portal vein obstruction with MR, psychometry and critical flicker frequency. *Journal of Hepatology.* 2010; 52: 348-54.

35. Gomez-Romero M. Critical flicker frequency: its time top breakdown barriers surrounding minimal hepatic encephalopathy. European Association for the Study of the Liver. 2007; 47: 10-11..
36. Groeneweg M, Moerland W, Quero JC, Hop WCJ, Krabbe PF, Schalm SW. Screening of subclinical hepatic encephalopathy. J Hepatol. 2000;32(5):748-53.
37. Quero JC, Hartmann IJ, Meulstee J, Hop WC, Schalm SW. The diagnosis of subclinical hepatic encephalopathy in patients with cirrhosis using neuropsychological tests and automated electroencephalogram analysis. Hepatology. 1996;24(3):556-60.
38. Vilstrup H, Amodio P, Bajaj J, Cordoba J, Ferenci P, Mullen KD, et al. Hepatic encephalopathy in chronic liver disease: 2014 practice guideline by the European Association for the Study of the Liver and the American Association for the Study of Liver Diseases. J Hepatol : 2014
39. Cordoba J. New assessment of hepatic encephalopathy. J Hepatol. 2013. 54(5):1030-40.
40. Sanyal A, Bass N, Mullen K, Poordad F, Shaw A, Merchant K, et al. Recent advances in the diagnosis and treatment of hepatic encephalopathy. Gastroenterol Hepatol. 2010;6(7):5-13.
41. Kircheis G, Nilius R, Held C, Berndt H, Buchner M, Gortelmeyer R, et al. Therapeutic efficacy of L-ornithine-L-aspartate infusions in patients with cirrhosis and hepatic encephalopathy: Results of a placebo-controlled, double-blind study. Hepatology. 1997;25(6):1351-60.
42. Ahmad I, Khan AA, Alam A, Dilshad A, Butt AK, Shafqat F, et al. L-ornithine- L-aspartate infusion efficacy in hepatic encephalopathy. Journal of the College of Physicians and Surgeons--Pakistan:JCPSP. 2008;18(11):684-7.
43. Jiang Q, Jiang X-H, Zheng M-H, Chen Y-P. l-Ornithine-l-aspartate in the management of hepatic encephalopathy: A meta-analysis. J Gastroenterol Hepatol. 2009;24(1):9-14.
44. Bongaerts G, Severijnen R, Timmerman H. Effect of antibiotics, prebiotics and probiotics in the treatment for hepatic encephalopathy. Med Hypotheses. 2005;64:64-68.
45. Liu Q, Duan ZP, Ha DK.. Synbiotic modulation of gut flora: Effect on minimal hepatic encephalopathy in patients with cirrhosis. Hepatology 2004;39:1441-9.



46. Shukla S, Shukla A, Mehboob S, Guha S. Meta-analysis: the effects of gut flora modulation using prebiotics, probiotics and synbiotics on minimal hepatic encephalopathy. *Aliment Pharmacol Ther.* 2011;33(6):662-71.
47. Rogošić V, Bojić L, Poljaka NK, Duplančić D, Vidanc P, Ivančić-Kačerc B, et al. Comparative analysis of methods and tests for testing colour vision of professional seafarers. University of Split, University Hospital Centre Split, Department of Ophthalmology, Split, Croatia. 2012.
48. Murrill CA, Stanfield D, VanBrocklin M. Care of the adult patient with cataract. *Optometric Clinical Practice Guideline Care Of The Adult Patient With Cataract.* American Optometric Association. 2004.
49. Diagnostic and statistical manual of mental disorder text revision (DSM IV-TR). American Psychiatrist Association. 2000.
50. Tobias J, Leder M. Procedural sedation: a review of sedative agents, monitoring, and management of complications. *Saudi Journal of Anesthesia.* 2011.
51. Yousaf S, Farhan S, Nadeem MA, Rasheed S, Mohsin S. Frequency of minimal hepatic encephalopathy in cirrhotic patients with normal neurological examination. Department of Medicine unit III. Gastroenterology & Hepatology Services Institute of Medical Sciences. Lahore. 2016; PJMHS Vol 10 No.2.
52. Onyekwere CA, Ogbera AO, Hameed L. Chronic liver disease and hepatic encephalopathy : clinical profile and outcomes. *Niger J Clin Pract.* 2011; 14(2): 181-5.
53. Maric D, Klasnja B, Filipovic D, Brkic S, Ruzic M, Bugarski V. Minimal hepatic encephalopathy in patients with decompensated liver cirrhosis. *Acta Clin Croat.* 2011; 50(3): 375-80.
54. Tenda ED, Hasan I, Sanityoso A, Setiati S. The effects of branched chain amino acids and l-ornithine l-aspartate combination as the late evening snack on nutritional status and minimal hepatic encephalopathy in liver cirrhosis. *The Indonesian Journal of Gastroenterology, Hepatology, and Digestive Endoscopy.* 2012. Volume 3.
55. Maldonado-Garza HJ, Vazquez-Elizondo G, Gaytan-Torres JO, Flores-Rendon AR, Cardenas-Sandoval MG, Bosques-Padilla FJ, et al. Prevalence of minimal hepatic encephalopathy in cirrhotic patients. *Ann Hepatol.* 2011; Supl 2: S40-4.
56. Ji-Yao W, Ning-Ping Z, Bao-Rong C, Yu-Qing M, Li-Na M, Ying-Di L, et al. Prevalence of minimal hepatic encephalopathy and quality of life

evaluations in hospitalized cirrhotic patients in China. Department of Gastroenterology and Hepatology, Fudan University, China. 2013.

57. Chojnacki C, Romanowski M, Winczyk K, Blasiak J, Chojnacki J. Melatonin levels in serum and ascitic fluid of patients with hepatic encephalopathy. *Gastroenterology Research and Practice*. Poland. 2012.
58. Goel A, Yadav S, Saraswat V, Srivastava A, Thomas MA, Pandey CM, et al. Cerebral oedema in minimal hepatic encephalopathy due to extrahepatic portal venous obstruction. *Liver International*. 2010; Volume 30: 1143-51.
59. Thangasami SR, Lalchandani A, Mathiyalagan N. Evaluation of serum ammonia in hepatic encephalopathy patients and its correlation with clinical severity. Department of Medicine, Gsvn Medical College, India. 2016; Vol. 5(5).
60. Kircheis G, Hilger N, Haussinger D. Value of critical flicker frequency and psychometric hepatic encephalopathy score in diagnosis of low-grade hepatic encephalopathy. Department of Gastroenterology, Hepatology, and Infectious Disease, Dusseldorf. *Gastroenterology*. 2014; 146:961-969.
61. Romero-Gomez M, Cordoba J, Jover R, Olmo JA, Ramirez M, Rey R, et al. Value of the critical flicker frequency in patients with minimal hepatic encephalopathy. *Hepatology*. 2007; 45: 879-85.
62. Ong JP, Aggarwal A, Krieger D, Easley KA, Karafa MT, Lente FV, et al. Correlation between ammonia levels and the severity of hepatic encephalopathy. *Am J Med*. 2003; 114: 188-93.

