

## DAFTAR PUSTAKA

- Anggita, N. 2012. Hubungan Faktor Konsumsi dan Karakteristik Individu Dengan Persepsi Gangguan Lambung Pada Mahasiswa Penderita Gangguan Lambung Di Pusat Kesehatan Mahasiswa (PKM) Universitas Indonesia Tahun 2011. *Skripsi*. Jakarta: FKM UI.
- Ankit, M., Manish, Y., & Dinesh, C. 2014. Solid dispersion: A technique to improve solubility of poorly water soluble drug. *Indo Am J. Pharm Res*, 4(6), 2855-66.
- Anwar, J. 2000. Obat-obat saluran cerna. In S. G. Ganiswarna, R. Setiabudy, F.D. Suyatna, Purwastyastuti, Nafriald (Eds.). *Farmakologi dan terapi*. Jakarta: Hipokrates.
- Baghel, R. S., Singh, S., & Yadav, L. 2011. A review on solid dispersion. *Int J. of Pharm & Life Sci*, 2, 1078-1095.
- Barzegar-Jalali, M., Valizadeh, H., Shadbad, M.R.S., Adibkia, K., Mohammadi, G., Farahani, A., Arash, Z. & Nokhodchi, A. 2010. Cogrinding as an approach to enhance dissolution rate of a poorly water-soluble drug (gliclazide). *Powder Technology*, 197(3), 150-158.
- Bhusnure, O. G., Kazi, P. A., Gholve, S. B., Ansari, M. M. A. W., & Kazi, S. N. 2014. Solid dispersion: an ever green method for solubility enhancement of poorly water soluble drugs. *Int J. of Research In Pharmacy and Chemistry*, 4(4), 906-918.
- BMJ Group. 2011. *British National Formulary (BNF) 61*. London: BMJ Group and the Royal Pharmaceutical Society of Great Britain.
- Bobbe, K.R., Subrahmanya, C.R., Suresh, S., Gaikwad, D.T., Patil, M.D., Khade, T.S., Gavitre, B.B., Kulkarni, V.S. & Gaikwad, U.T. 2011. Formulation and evaluation of solid dispersion of Atorvatstatin with various carriers. *Int J. Comp Pharm*, 1(2), 1-6.
- Chauhan B, Shimpi S, Paradkar A. 2005. Preparation and evaluation of glibenclamidepolyglycolized glycerides solid dispersions with silicon dioxide by spray drying technique. *Eur. J. Pharm. Sci.*, 26, 219–230.
- Chiou, W. L., & Riegelman, S. 1971. Pharmaceutical applications of solid dispersion systems. *J. of pharmaceutical sciences*, 60(9), 1281-1302.
- Chivate, N., Anuradha, C., Shubhangi, S., Jagdish, S. 2013. Improvement of bioavailability and solubility of telmisartan by solid dispersion technique using various carriers. *Int. J. Pharm. Sci.Rev. Res.*, 19(2), 36-41.

- Depkes RI. 1995. *Farmakope Indonesia* (4<sup>th</sup> Ed). Jakarta: Departemen Kesehatan Republik Indonesia.
- Depkes RI. 2005. *Pedoman Nasional Etik Penelitian Kesehatan*. Jakarta: Komisi Nasional Etik Penelitian Kesehatan Departemen Kesehatan RI.
- El-Deen, E. Z., El Rashidy, Ghorab, M., Gad, S., Shadeed, G., & Yassin, H. 2015. In vivo Evaluation of Ulcerogenic Activity of Ketorolac, its Solid Dispersion Systems, as Well as its Microcapsules in Rats. *J. of Pharmacy and is Pharmaceutical Sciences*.
- Fahmy, Rania, H. & Mohammed, A.K. 2008. Enhancement of famotidine dissolution rate through liquisolid tablets formulation: in vitro and in vivo evaluation. *European J. of Pharmaceutics and Biopharmaceutics*, 69, 993-1003.
- Fernandes, N. C., Jagdale, S. C., Chabukswar, A. R., & Kuchekar, B. S. 2009. Superdisintegrants effect on three model drugs from different BCS classes. *Research J. Pharm. and Tech*, 2(2), 335-337.
- Ford, J. L. 1985. The current status of solid dispersions. *Pharmaceutica Acta Helvetiae*, 61(3), 69-88.
- Friedrich, H., Nada, A., & Bodmeier, R. 2005. Solid state and dissolution rate characterization of co-ground mixtures of nifedipine and hydrophilic carriers. *Drug development and industrial pharmacy*, 31(8), 719-728.
- Garg, A., Singh, S., Rao, V. U., Bindu, K., & Balasubramaniam, J. 2009. Solid state interaction of raloxifene HCl with different hydrophilic carriers during co-grinding and its effect on dissolution rate. *Drug development and industrial pharmacy*, 35(4), 455-470.
- Geneidi, A. S., ElShamy, A. H., Awad, G. A. S., Hassan, A. O. K., & Eldemerdash, E. 2004. Solid dispersion of famotidine: factorially designed capsule formulation and in vivo evaluation of antiulcer activity. *Saudi Pharm. J.*, 12, 119-129.
- Goldberg, A. H., Gibaldi, M., & Kanig, J. L. 1966. Increasing dissolution rates and gastrointestinal absorption of drugs via solid solutions and eutectic mixtures II: experimental evaluation of a eutectic mixture: urea-acetaminophen system. *J. of pharmaceutical sciences*, 55(5), 482-487.
- Goodman, A., & Gilman, L. 1996. *The Pharmacological Basis of Therapeutics*. New York: The McGraw-Hill Company.
- Gunawan, S. G. 2007. *Farmakologi dan Terapi*. Jakarta: FKUI.
- Hadisoewignyo, L., Hadi, E., & Wibowo, N. 2011. Tablet Likuisolid Ibuprofen. *Majalah Farmasi Indonesia*. 22 (3), 197 – 203.

- Haggag, Y. A., El-Gizawy, S. A., El-din, E. E. Z., El-Shitany, N. A., & Osman, M. A. 2016. Sulindac solid dispersions: development, characterization and in vivo evaluation of ulcerogenic activity in rats. *J. of Applied Pharmaceutical Science*, 6(02), 022-031.
- Hanim, D., 1996. Pengaruh vitamin E terhadap organ hati dan uterus tikus putih (*Rattus norvegicus*) betina yang diberi perlakuan natrium sakarin dan natrium siklamat. *Tesis*. Bogor: Institut Pertanian Bogor.
- Hansen, K. E., & Elliot, M. E., 2005. *Osteoarthritis, Pharmacotherapy, A Pathophysiological Approach*. Singapore: The McGraw-Hill Companies.
- Harkness, J. E., & Wagner, J. E. 1983. *Biology and Medicine of Rabbits and Rodents*. Philadelphia: Lea and Fabriger.
- Hassan, M. A., Suleiman, M. S., & Najib, N. M. 1990. Improvement of the in vitro dissolution characteristics of famotidine by inclusion in  $\beta$ -cyclodextrin. *Int J. of pharmaceutics*, 58(1), 19-24.
- Hayati, I., Bailey, A. I., & Tadros, T. F. 1987. Investigations into the mechanisms of electrohydrodynamic spraying of liquids: I. Effect of electric field and the environment on pendant drops and factors affecting the formation of stable jets and atomization. *J. of Colloid and Interface Science*, 117(1), 205-221.
- Hilton, J. E., & Summers, M. P. 1986. The effect of wetting agents on the dissolution of indomethacin solid dispersion systems. *Int J. of pharmaceutics*, 31(1-2), 157-164.
- Hirlan. 2009. *Buku Ajar Ilmu Penyakit Dalam* (5<sup>th</sup> Ed). Jakarta: Internal Publishing.
- Huichao, W., Shouying, D., Yang, L., Ying, L., & Di, W. 2014. The application of biomedical polymer material hydroxy propyl methyl cellulose (HPMC) in pharmaceutical preparations. *J. Chem Pharm Res*, 6(5), 155-60.
- Katzung, B.G. 2002. *Farmakologi Dasar dan Klinik*. Jakarta: Salemba Medika.
- Kemendes RI. 2009. *Profil Kesehatan Indonesia*. Jakarta: Kemendes RI
- Kumari, R., Chandel, P., & Kapoor, A. 2013. Paramount role of solid dispersion in enhancement of solubility. *Indo Global J. Pharm Sci*, 3, 78-89.
- Kurniawan, R. 2016. Pembentukan Dispersi Padat Famotidin-HPMC E5LV Dengan Teknik *Co-Grinding*. *Skripsi*. Padang: Universitas Andalas.
- Leuner, C., & Dressman, J. 2000. Improving drug solubility for oral delivery using solid dispersions. *European J. of Pharmaceutics and Biopharmaceutics*, 50(1), 47-60.
- Levy, G., 1963. Effect of particle size on dissolution and gastrointestinal absorption rates of pharmaceuticals. *Am. J. Pharm. Sci.*, 135, 78-92.



- Malole, M. B. M., & Pramono, C. S. U. 1989. *Pengantar Hewan-Hewan Percobaan di Laboratorium*. Bogor: Pusat Antara Universitas Bioteknologi IPB.
- McConnell, E. L., Basit, A. W., & Murdan, S. 2008. Measurements of rat and mouse gastrointestinal pH, fluid and lymphoid tissue, and implications for in-vivo experiments. *J. of Pharmacy and Pharmacology*, 60(1), 63-70.
- Mogal, S. 2012. Solid dispersion technique for improving solubility of some poorly soluble drugs. *Scholars Research Library Der Pharmacia Lettre*, 4(5), 1574-1586.
- Nielsen, L. H., Rades, T., & Müllertz, A. 2013. Characterization during storage and dissolution of Solid dispersions containing furosemide and hydroxypropyl methylcellulose. *J. of Drug Delivery Science and Technology*, 23(4), 409-415.
- Nikghalb, L. A., Singh, G., Singh, G., & Kahkeshan, K. F. 2012. Solid dispersion: methods and polymers to increase the solubility of poorly soluble drugs. *J. of Applied Pharmaceutical Science*, 2(10), 170-175.
- Nokhodchi, A., Talari, R., Valizadeh, H., & Jalali, M. B. 2007. An investigation on the solid dispersions of chlordiazepoxide. *Int J. biomed sci*, 3(3), 211-6.
- Pasricha, P. J., & Hoogerwetf, W. A. 2008. Obat-Obat Pengendali Keasaman Lambung Serta Pengobatan Ulser Peptik dan Penyakit Refluks Gastro Esofagus. Goodman & Gilman (Editor) dalam *Dasar Farmakologi Terapi*. Volume I. Jakarta: EGC.
- Patel, R. P., Patel, D. J., Bhimani, D. B., & Patel, J. K. 2008. Physicochemical characterization and dissolution study of solid dispersions of furosemide with polyethylene glycol 6000 and polyvinylpyrrolidone K30. *Dissolution Technol*, 15(3), 17-25.
- Ramachandran, G. Poovi & M.D. Dhanaraju, 2011. Evaluation of Gastric and Duodenal Antiulcer Activity of Famotidine Formulation in Experimental Animals. *J. of Pharmacology and Toxicology*, 6, 189-195.
- Ramadhani, S. 2016. Pembentukan Dispersi Padat Famotidin-Manitol Dengan Teknik *Co-Grinding*. *Skripsi*. Padang: Universitas Andalas.
- Reddy, V. V., Aswini, M., Harini, P., Prathyusha, B., & Sreevani, M. S. 2013. Design and Characterization of Microcrystals for Enhanced Dissolution Rate of Telmisartan. *International J. of Innovative Pharmaceutical Research*, 4(1), 263-268.
- Riekes, M. K., Kuminek, G., Rauber, G. S., de Campos, C. E. M., Bortoluzzi, A. J., & Stulzer, H. K. 2014. HPMC as a potential enhancer of nimodipine biopharmaceutical properties via ball-milled solid dispersions. *Carbohydrate polymers*, 99, 474-482.

- Rowe, R. C., Sheskey, P. J., & Quinn, M. E. 2009. *Handbook of pharmaceutical excipient* (6<sup>th</sup> Ed). London: The Pharmaceutical Press.
- Rukiyah. 2009. *Asuhan Kebidanan I (Kehamilan)*. Jakarta: Trans Info Media.
- Schmitz, P. G., & Martin, K. J. 2008. *Internal Medicine: Just The Facts*. Singapore: The McGraw-Hill Companies.
- Sevak, N. 2000. *Promote Health through Homeopathy with a Holistic, Totalistic, and Individualistic approach*. USA: Phoenix Institute of Herbal Medicine and Acupuncture.
- Sherwood, L. 2010. *Human Physiology: From Cells to Systems* (7<sup>th</sup> Ed). Canada: Yolanda Cossio.
- Siregar, C., & Kumolosari, E. 2006. *Farmasi Rumah Sakit: Teori dan Penerapan*. Jakarta: EGC.
- Siswandono & Soekardjo. 1995. *Kimia Medisinal*. Surabaya: Penerbit Airlangga University Press.
- Smith, J. B., & Mangkoewidjojo, S. 1988. *Pemeliharaan, Pembiakan dan Penggunaan Hewan Percobaan di Daerah Tropis. Tikus Laboratorium (Rattus norvegicus)*. Jakarta: Universitas Indonesia.
- Someshwar, K., Rama, G., Harikiran, L., Krishna, K., & Srinivas, A. 2011. Dissolution Enhancement of a poorly water soluble drug using water soluble carriers. *J. of Advanced Pharmaceutical Sciences*, 1(1), 42-46.
- Sridhar, I., Doshi, A., Joshi, B., Wankhede, V., & Doshi, J. 2013. Solid dispersions: an approach to enhance solubility of poorly water soluble drug. *J. of Scientific and Innovative Research*, 2(3), 685-694.
- Swarbrick, J., & Boylan, J. C. 1990. *Encyclopedia of pharmaceutical Technology*, Volume 3. New York: Basel. Hongkong, Marcel Dekker Inc.
- Sweetman, S. C. 2009. *Martindale*. (36<sup>th</sup> Ed). London: Pharmaceutical Press.
- Takeuchi, K., Ukawa, H., Konaka, A., Kitamura, M., & Sugawa, Y. 1998. Effect of nitric oxide-releasing aspirin derivative on gastric functional and ulcerogenic responses in rats: comparison with plain aspirin. *J. of Pharmacology and Experimental Therapeutics*, 286(1), 115-121.
- Tarigan, P. 2001. *Tukak Gaster dalam Ilmu Penyakit Dalam*. Jilid II. Slamet Suyono (Editor). Jakarta: FKUI.
- Taufiqurrahman, M.A. 2003. *Metodologi Penelitian Kedokteran dan Kesehatan*. Klaten: GSCF.
- Tedjasaputra, T. R. 2014. *Hiperasiditas Lambung*. Jakarta: Inhealth Gazette.
- The World Health Report. 2002. *Reducing risks, promoting healthy life*. Geneva: World Health Organization.

- Tortora, G. J., & Derrickson, B. H. 2009. *Principles of Anatomy and Physiology*. (12<sup>th</sup> Ed). Asia: Wiley.
- Vasanthavada, M., Tong, W. Q., Joshi, Y., & Kislalioglu, M. S. 2004. Phase behavior of amorphous molecular dispersions I: Determination of the degree and mechanism of solid solubility. *Pharmaceutical research*, 21(9), 1598-1606.
- Wang, X., Michael, A., & Van den Mooter, G. 2005. Solid state characteristics of ternary solid dispersions composed of PVP VA64, Myrj 52 and itraconazole. *Int J. of pharmaceutics*, 303(1), 54-61.
- Zaini, E., Halim, A., Soewandhi, S. N., & Setyawan, D. 2011. Peningkatan Laju Pelarutan Trimetoprim Melalui Metode Kokristalisasi dengan Nikotinamida. *Jurnal Farmasi Indonesia*, 5, 195-204.
- Zaini, E., Witarsah, A. S., & Agustin, R. 2014. Enhancement of Dissolution Rate of Meloxicam by Co-grinding Technique using Hydroxypropyl methylcellulose. *J. of Chemical and Pharmaceutical Research*, 6(11):263-267.
- Zhong, L., Zhu, X., Luo, X., & Su, W. 2013. Dissolution properties and physical characterization of telmisartan–chitosan solid dispersions prepared by mechanochemical activation. *AAPS PharmSciTech*, 14(2), 541-550.

