

DAFTAR PUSTAKA

- Adams GL, Boies LR, Higler PA (1997). BOIES: Buku Ajar Penyakit THT. Edisi ke 6. Jakarta: EGC, pp:603-604.
- Adham M, Kurniawan AN, Muhtadi AI, Roezin A, Hermani B, Gondhowiardjo S, Tan IB, et al (2012). Nasopharyngeal carcinoma in Indonesia: Epidemiology, incidence, signs, and symptoms at presentation. *Chin J Cancer*, 31(4): 185-196.
- Adham M, Roezin A (2012). Karsinoma nasofaring. Dalam: Soepardi EA, Iskandar N, Bashiruddin J, Restuti RD, (eds). Buku ajar ilmu kesehatan telinga hidung tenggorok kepala & leher. Jakarta: Balai Penerbit Fakultas Kedokteran Universitas Indonesia, pp :158-163.
- American Cancer Society (2016). Nasopharyngeal Cancer. <http://www.cancer.org/acs/groups/cid/documents/webcontent/003124-pdf.pdf>- Diakses Februari 2016.
- American joint committee of cancer (2016). Cancer Staging References. <https://cancerstaging.org/references-tools/Pages/What-is-Cancer-Staging.aspx>- Diakses April 2016.
- Breda E, Catarino RJF, Azevedo I, Lobão M, Monteiro E, Medeiros R (2010). Epstein-barr virus detection in nasopharyngeal carcinoma - implications in a low-risk area. *Braz J Otorhinolaryngol*, 76(3):310-5.
- Chen JY, Zhang L, Ji QH, Li DS, Shen Q, Wang ZY, Huang CP, et al (2015). Selective neck dissection for neck residue of nasopharyngeal carcinoma: A prospective study. *J Craniomaxillofac Surg*, 43(8):1571-6
- Desen W (ed) (2008). Buku ajar onkologi klinis. Edisi ke 2. Jakarta : Balai Penerbit Fakultas Kedokteran Universitas Indonesia, pp : 263-278.
- Drake RL, Vogl AW, Mitchell AWM (2012). Gray Dasar-Dasar Anatomi. Singapore: Elsevier Churchill Livingstone, pp:553-556.
- Faiza S (2013). Karakteristik klinis dan patologis karsinoma nasofaring di bagian THT-KL RSUP DR. M. Djamil Padang periode juni 2010- juli 2013. Universitas Andalas. Skripsi.
- Guo Q , Pan J , Zong J , Zheng W , Zhang C, Tang L , Chen B, et al (2015). Suggestions for Lymph Node Classification of UICC/AJCC Staging System: A Retrospective Study Based on 1197 Nasopharyngeal Carcinoma

Patients Treated With Intensity-Modulated Radiation Therapy. *Medicine (Baltimore)*, 94(20): e808.

Ho FC, Tham IW, Earnest A, Lee KM, Lu JJ (2012). Patterns of regional lymph node metastasis of nasopharyngeal carcinoma: A meta-analysis of clinical evidence. *BMC Cancer*, 12(1):98.

Howren MB, Christensen AJ, Karnell LH, Funk GF (2013). Psychological factors associated with head and neck cancer treatment and survivorship: Evidence and opportunities for behavioral medicine. *J Consult Clin Psychol*, 81(2): 299–317.

Jemal A, Bray F, Center MM, Ferlay J, Ward E, Forman D (2011). Global cancer statistics. *CA Cancer J Clin*, 61(2):69-90.

Jemal A, Bray F, Center, M.M, Ferlay J, Ward E, Forman D. 2011. Global Cancer Statistic. Available from: http://onlinelibrary.wiley.com/store/10.3322/caac.20107/asset/20107_ft.pdf?v=1&t=huy8l6ge&s=9f014226be7a19789c0d30daf481f7e02bd13469- Diakses April 2016.

Jones AS, Roland NJ, Field JK, Phillips DE (1993). The level of cervical lymph node metastases: their prognostic relevance and relationship with head and neck squamous carcinoma primary sites. *Clin. Otolaryngol*, 19: 63-69

KPKN (2015). Panduan nasional penanganan kanker nasofaring. <http://kanker.kemkes.go.id/guidelines/PNPKKNF.pdf>- Diakses Februari 2016.

Lai V, Khong P L (2014). Updates on MR imaging and 18F-FDG PET/CT imaging in nasopharyngeal carcinoma. *Oral Oncol*, 50 (6) : 539–548.

Loh KS, Goh BC, Lu J, Hsieh WS, Tan L (2006). Familial nasopharyngeal carcinoma in a cohort of 200 patients. *Arch Otolaryngol Head Neck Surg*, 132(1):82-5.

Lv J, Wang R, Qing Y, Du Q, Zhang T (2012), Magnetic resonance imaging analysis of regional lymph node metastasis in 1298 cases of nasopharyngeal carcinoma., 26(18):769-72.

Munir M (2012). Keganasan di bidang telinga hidung tenggorok. Dalam: Soepardi EA, Iskandar N, Bashiruddin J, Restuti RD, (eds). Buku ajar ilmu kesehatan telinga hidung tenggorok kepala & leher. Jakarta:Balai Penerbit Fakultas Kedokteran Universitas Indonesia, pp :138-149.

Nasution II (2007). Hubungan merokok dengan karsinoma nasofaring. Universitas Sumatra Utara. Tesis.

- Ng SH, Chang TC, Ko SF, Yen PS, Wan YL, Tang LM, Tsai MH (1997). Nasopharyngeal carcinoma : MRI and CT scan assessment. *Neuroradiology*, 39(10) : 741-746.
- Punagi AQ (2007). Ekspresi vascular endothelial growth factor receptor (VEGFR-4) dan latent membrane protein (LMP-1) pada karsinoma nasofaring. *Otorhinolaryngologica Indonesia*, 37(3-4):44-9.
- Roezin A (2012). Sistem aliran limfa leher. Dalam: Soepardi EA, Iskandar N, Bashiruddin J, Restuti RD, (eds). *Buku ajar ilmu kesehatan telinga hidung tenggorok kepala & leher*. Jakarta:Balai Penerbit Fakultas Kedokteran Universitas Indonesia, pp :150-153.
- Shi Q, Shen C, Kong L, Wang X, Ding J, Gao Y, Xu T, Hu C (2014). Involvement of both Cervical Lymph Nodes and Retropharyngeal Lymph Nodes has prognostic value for N1 patients with Nasopharyngeal Carcinoma. *Radiat Oncol*, 9: 7.
- Sun Y, Ma J, Lu TX, Wang Y, Huang Y, Tang LL (2012). Regulation for distribution of metastatic cervical lymph nodes of 512 cases of nasopharyngeal carcinoma. *BMC Cancer*
- Teymoortash A, Werner J.A (2012). Current advances in diagnosis and surgical treatment of lymph node metastasis in head and neck cancer. *GMS Curr Top Otorhinolaryngol Head Neck Surg*, 11.
- Tomita N, Fuwa N, Ariji Y, Kodaira T, Mizoguchi N (2011). Factors associated with nodal metastasis in nasopharyngeal cancer: an approach to reduce the radiation field in selected patients. *Br J Radiol*, 84(999): 265–270.
- Wang XS, Hu CS, Ying HM, He XY, Zhu GP, Kong L, Ding JH (2015). Patterns of lymph node metastasis from nasopharyngeal carcinoma based on the 2013 updated consensus guidelines for neck node levels. *Radiotherapy and Oncology Journal*, 115(1): 41-45
- WHO (2014). Nasopharyngeal carcinoma. Union for International Cancer Control. http://www.who.int/selection_medicines/committees/expert/20/applications/NasopharyngealCarcinoma.pdf- Diakses februari 2016.
- Yang J, Xia W, Xiang Y, Lv X, Ke L, Yu Y, Guo X (2016). Occipital lymph node metastasis from nasopharyngeal carcinoma: A special case report and literature review. *Chin J Cancer*, 35: 1.
- Yenita, Asri A (2012). Korelasi antara Latent Membrane Protein-1 Virus Epstein-Barr dengan P53 pada Karsinoma Nasofaring. *Jurnal Kesehatan Andalas*, 1(1).

