

## DAFTAR PUSTAKA

- Adam John MF (2014). Dislipidemia. Dalam: Sudoyo AW, Setiyohadi B, Alwi I, Simadibrata M, Setiati S (eds). Buku ajar ilmu penyakit dalam jilid II. Edisi ke VI. Jakarta: Pusat Penerbitan Departemen Ilmu Penyakit Dalam FKUI, pp: 2549-2558.
- Adejumo OA, Okaka EL, Ojugwu LI (2016). Lipid profile in pre-dialysis chronic kidney disease patients in Southern Nigeria. *Ghana Med J*, 50(1): 44-9.
- Amalia F (2015). Gambaran tingkat depresi pada pasien penyakit ginjal kronik yang menjalani hemodialisis di RSUP Dr. M Djamil Padang. *Jurnal Kedokteran Andalas*, 4 (1): 115–20.
- Bargman JM, Skorecki K (2010). Chronic Kidney Disease. Dalam: Jameson JL, Loscalzo (eds) *Harrison's nephrology and acid base disorders*. New York: McGraw-Hill's, pp: 113-129.
- Blaton V (2009). Dyslipidemia at Chronic Renal Failure. *EJIFCC*, 20 (1): 59-66.
- CDC (2014). National Chronic Kidney Disease Fact Sheet. US Department of Health and Human Services; Centers for Disease Control and Prevention. National Center for Chronic Disease Prevention and Health Promotion. [https://www.cdc.gov/diabetes/pubs/pdf/kidney\\_factsheet.pdf](https://www.cdc.gov/diabetes/pubs/pdf/kidney_factsheet.pdf)- diakses Februari 2016
- De Boer IH, Brunzell JD (2014). HDL in CKD: How Good Is the “Good Cholesterol?”. *J Am Soc Nephrol*, 25 (5): 871-4.
- Depkes (2016). RSUP Sanglah siap layani cangkok ginjal. <http://www.depkes.go.id/pdf.php?id=16013000003> – diakses Mei 2016.
- Dominiczak MH, Baynes JW (eds) (2014). *Medical biochemistry*. Edisi ke 4. United State of America: Elsevier, pp: 214-235.
- Foley RN, Collins AJ (2007). End-stage renal disease in the united states: An update from the United States renal data system. *J Am Soc Nephrol*, 18: 2644-8.
- Gaw A, Murphy MJ, Srivastava R, Cowan RA, O'Reilly D (eds)(2013). *Clinical biochemistry: An illustrated colour text*. Edisi ke 5. United State of America: Elsevier, pp: 132-3.
- Glasscock R. J, Winearls, C (2009). Ageing and the Glomerular Filtration Rate: Truths and Consequences. *Trans Am Clin Climatol Assoc*, 120: 419-28.

- Hall John E (ed) (2016). Guyton and hall textbook of medical physiology. Edisi ke 13. United State of America: Elsevier, p: 863.
- Hardjasasmita P (2010). Ikhtisar biokimia dasar b. Jakarta: Balai Penerbit FKUI, pp: 86-94.
- Indonesian Renal Registry (2014). 7<sup>th</sup> report of Indonesian renal registry. Perkumpulan Nefrologi Indonesia, pp: 8-18.
- Islam MD, Mohammad RI, SM Tjadit R, khaleda A, Adiba T, Khwaja NU (2016). Pattern of Lipid Profile in Chronic Kidney Failure Patient with GFR < 60 ml/min/1,73m<sup>2</sup> on Conservative Treatment Versus Maintenance Haemodialysis. Bangladesh J Medicine, 27: 55-61.
- Jardine AG, Mark PB, Patel RK, Holdaas H, Fellstrom B (2014). Special patient populations: chronic kidney disease. Dalam: Ballantyne CM (ed). Clinical lipidology : A companion to braunwald's heart disease. Edisi ke 2. United State of America: Elsevier, pp: 482-483.
- Jha V, Garcia-Garcia G, Iseki K, Naicker S, Platter B, Saran R, Wang AY, Yang CW (2013). Chronic kidney disease: global dimension and perspectives. Lancet, 382 (9888): 260-72.
- Kasper DL, Fauci AS, Longo DL, Braunwald E, Hauser SL, Jameson JL (eds) (2008) Harrison's principle of internal medicine. Edisi ke 17. New York: McGraw-Hill's, pp: 2416-30.
- Khalid Amin, Masud Javed, M Abid et al (2006). Pattern of dyslipidemia in patients with CRF. Professional Med J, 13(1): 79-86.
- Krause I, Goldberg I (2016). The Role of Gender in Chronic Kidney Disease. EMJ, 1 (2): 58-66.
- Lohano A, Bhatti IA, Iqbal A, Jilani SS (2015). Dyslipidemia; to Determine The Various Lipid Profile Pattern in Patients of Chronic Renal Failure. Professional Med J, 22 (7): 865-70.
- Marcovitch H (ed) (2005). Black's Medical Dictionary. Edisi ke 41. United States: A&C Black, p: 300.
- Markum (2014). Penyakit Ginjal Kronik. Dalam: Sudoyo AW, Setiyohadi B, Alwi I, Simadibrata M, Setiati S (eds). Buku ajar ilmu penyakit dalam jilid II. Edisi ke VI. Jakarta: Pusat Penerbitan Departemen Ilmu Penyakit Dalam FKUI, p: 2166.
- Mohanalakshmi P, Shanti S, Jothimalar R (2014). Correlation of Lipoprotein(a) in Normal Individuals and in Chronic Kidney Disease Patients with Diabetes Mellitus. Int J Curr Microbiol App Sci. 3 (3): 1074-80.

- Nahas EM, Khwaja A (2015). Epidemiology, natural history, and pathophysiology of chronic kidney disease. Dalam: Floege J, Johnson RJ, Feechaly J (eds). *Comprehensive clinical nephrology*. Edisi ke 5. United State of America: Elsevier, pp: 917- 930.
- NFK KDOQI (2002). KDOQI clinical practice guideliner for chronic kidney disease: Evaluation, classification, and stratification. [http://www.kidney.org/professionals/KDOQI/guidelines\\_kd/p4\\_classg1.htm](http://www.kidney.org/professionals/KDOQI/guidelines_kd/p4_classg1.htm) – diakses Februari 2016
- Rader DJ, Hobbs HH (2008). Disorder of Lipoprotein Metabolism. Dalam: Kasper DL, Fauci AS, Longo DL, Braunwald E, Hauser SL, Jameson JL: *Harrison's principle of internal medicine*. Edisi ke 17. New York: McGraw-Hill's, pp: 2416-30.
- Riskesdas (2013). Riset Kesehatan dasar 2013. Badan Penelitian dan Pengembangan Kesehatan, Departemen Kesehatan, Republik Indonesia. <http://www.depkes.go.id/resources/download/general/Hasil%20Riskesdas%202013.pdf> – diakses Februari 2016
- Staples A, Wong C (2010). Risk factor for progression of chronic kidney disease. *Curr Opin Pediatr*, 22 (2): 161-9.
- Stenvinkel P, Hergoz CA (2015). Cardiovascular disease in chronic kidney disease. Dalam: Floege J, Johnson RJ, Feechaly J (eds). *Comprehensive clinical nephrology*. Edisi ke 5. United State of America: Elsevier, p: 949.
- Sukandar E (2006). *Nefrologi klinik*. Edisi ketiga. Bandung: Pusat Informasi Ilmiah (PII) Bagian Ilmu Penyakit Dalam Fakultas Kedokteran UNPAD, pp: 475-91.
- Sulistiowati E, Sri I (2015). Faktor Risiko Penyakit Ginjal Kronik Berdasarkan Analisis Cross-Sectional Data Awal Studi Kohort Penyaki Tidak Menular Penduduk Usia 25-65 Tahun di Kelurahan Kebon Kelapa, Kota Bogor Tahun 2011. *Buletin Penelitian Kesehatan*. 43 (3): 163-72.
- Suwitra K (2014). Penyakit Ginjal Kronik. Dalam: Sudoyo AW, Setiyohadi B, Alwi I, Simadibrata M, Setiati S (eds). *Buku ajar ilmu penyakit dalam jilid II*. Edisi ke VI. Jakarta: Pusat Penerbitan Departemen Ilmu Penyakit Dalam FKUI, pp: 2159-2165.
- Thomas R, Kanso A, Sedor JR (2008). Chronic kidney disease and it's complications. *Prim Care*, 35 (2): 392-vii.
- Tjekyan S. RM (2014). Prevalensi dan Faktor Risiko Penyakit Ginjal Kronik di RSUP Dr. Mohammad Hoesin Palembang Tahun 2012. *MKS*, 46 (4): 276-82.

- Trevisan R, Dodesini AR, Lepore G (2006). Lipids and renal disease. *J Am Soc Nephrol*, 14(4 Suppl 2): S145-7.
- Tsimihodimos V, Dounousi E (2011). Dyslipidemia associated with chronic kidney disease. *TOCMJ*, 5: 41-8.
- Uchida S (2011). Differential diagnosis of chronic kidney disease (CKD) : By primary diseases. *JMAJ*, 54 (1): 22-6.
- Vaziri ND (2006). Dyslipidemia of chronic renal failure: the nature, mechanism, and potential consequences. *Am J Physiol Renal Physiol*, 290 (2): F262-72.
- Watnick S, Morrison G, (2007a). Approach to renal disease. Dalam: Tierney LM, McPhee SJ, Papadakis MA (eds). *Current medical diagnosis and treatment*. Edisi ke 47, United State of America: McGraw- Hill's, pp: 863-866.
- Watnick S, Morrison G, (2007b). Chronic kidney disease Dalam: Tierney LM, McPhee SJ, Papadakis MA (eds). *Current medical diagnosis and treatment*. Edisi ke 47. United State of America: Lange Medical Books McGraw – Hill's, pp: 873-881.
- WHO (2014). Non Communicable Diseases (NCD) Country Profiles. [http://www.who.int/nmh/countries/idn\\_en.pdf](http://www.who.int/nmh/countries/idn_en.pdf) – diakses Januari 2017
- Zhang L, Yuan Z, Chen W, Chen S, Liu X, Liang Yan, Shao X, Zou H (2014). Serum Lipid Profiles, Lipid Ratios and Chronic Kidney Disease in a Chinese Population. *Int J Environ Res Public Health*, 11(8): 7622–35.

