

## DAFTAR PUSTAKA

1. Halliwell, B.; Gutteridge, J.M.C.; Oxford University Press.: *Free Radikal In Biology And Medicine* , New York, 2000.
2. Kumaran, A.; Karunakaran, R.J.: Antioxidant and free radical scavenging activity of aqous extractof *Coleus aromaticus*, *J. Food Sci* 2006, 97, 109-114.
3. Pauly, g.: *Cosmetic, Dermatological And Pharmaceutical Use Of An Extract Of Terminalla Catappa*, United State Patent Application 2001, No. 200100022665.
4. Ahmeda, A.; Ismail, Z.; Gabriel, A.: *Antioxidants Properties of Phyllanthus niruri Extracts*. *Malaysian Journal of Science* 2005. 24(1). 195-200.
5. Dalimarta, S.: *Atlas Tumbuhan Obat Indonesia*. Trubus, Agriwidya: Bogor, 2000.
6. Mason, T.J.: *Introduction, Chemistry with Ultrasound*. Edited by T.J Mason. Elsevier Applied Science. London, 1990.
7. Syamsuhidayat, S.S.; Hutapea, J.R.; *Inventaris Tanaman Obat Indonesia*, edisi kedua. Departemen Kesehatan RI: Jakarta, 1991.
8. Yuan, Y.V.; Bone, D.E.; Carrington, M.F.: *Antioxidant activity of dulse (Palmaria palmata) extract evaluated in vitro*. *Food Chemistry* 2005. 91, 485–494.
9. Wei, L.S.; W. Wee.; J.Y.F. Siong.; D.F. Syamsumir.: *Characterization of Anticancer, Antimicrobial, Antioxidant Properties and Chemical Compositions of Peperomiapellucida Leaf Extract*. *Acta Medicalranica* 2011. 49(10): 670-674.
10. Yuan, Y.V.; Bone, D.E.; Carrington, M.F.: *Antioxidant Activity of Dulse (Palmaria palmata) Extract Evaluated In Vitro*. *Food Chemistry* 2005. 91, 485–494.
11. Yu, L. (Ed).: *Wheat Antioxidants*. Kanada: John Wiley and Sons. 2008. 120-147.

12. Thite, S.V.; Aparach, V.T.; Kore, B.A.: Effect of Powdery Mildew Infection on DPPH radical Scavenging Activity and Ferric-Reducinf Antioxidant Power Plant. *J of Pharmaceutical Research* 2013. 2, 1-6.
13. Miyake T.; Shibamoto T.: Antioxidant activity of natural compound found in plant. *Journal Agric Food. Chemi* 1997, 45:1819-1822.
14. Winarsi H.: Radikal Bebas dan antioksidan dalam antioksidan alami dan radikal bebas: potensi dan aplikasinya dalam kesehatan. Yogyakarta, 2007, 5-11.
15. Halliwell, Barry.: Food-Derived Antioxidants: *How to Evaluate Their Importance in Food and In Vivo*, Handbook of Antioxidant 2nd ed. New York, 2002, Marcel Dekker, 9.
16. Liu QM,; et al.: *Optimization Of Ultrasonic-Assisted Extraction Of Chlorogenic Acid From Folium Eucommiae And Evaluation Of Its Antioxidant Activity*. *Journal of Medicinal Plants Research* 2010, 4(23):2503-2511.
17. Mason TJ.; Paniwnky L.; Lorimer JP.: The uses of ultrasound in food technology. *Ultrason. Sonochem* 1996, 3:253-260.
18. Anderson RL.: *Practical Statistic For Analytical Chemists*. Van Nostrand Reinhold Company: New York, 1987.
19. Krisyanella.; Nana Susilawati.; Harrizul Rivai: Pembuatan dan Karakterisasi Serta Penentuan Kadar Flavonoid dari Ekstrak Kering Herba Meniran (*Phyllanthus niruri L.*) Padang, 2013, Vol. 5, No. 1.
20. De Abreu, N.; Mazzafera, P.: Effect of water and temperature stress on the content of active constituents of *Hypericum brasillenne Choisy*. *Plant Physiol. Biochem* 2005, 43:241-248.
21. Nyoman, C.S.: Pengaruh Jenis Pelarut Terhadap Kandungan Total Flavonoid dan Aktivitas Antioksidan Ekstrak Daun Matoa. *Skripsi*. Fakultas Teknologi Pertanian, Universitas Udayana: Bali, 2015.
22. Vika, S.F.: Optimasi Ekstraksi Antioksidan dalam tumbuhan suruhan (*Peperomia pellucida L. Kunth*) menggunakan ultrasonik dan penentuan kadarnya menggunakan metode DPPH. *Skripsi*. Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Andalas: Padang, 2016.

23. Oancea, S.; Grosu, C.; Ketney, O.; Stoia, M.: Conventional and Ultrasound Assisted Extraction of Anthocyanins from Blackberry and Sweet Cherry Cultivars. *Acta Chim. Slov* 2013,60(2):383-389.
24. Navas, M.J.; Jimenez, A.M.; Bueno, J.M.; Saez, P.; Asuero, A.G.: Analysis and antioxidant capacity of anthocyanin pigments. Part iv: extraction of anthocyanins. *Critical Reviews in Analytical Chemistry* 2012, 42:313-342.
25. Kurniati, S.: Ekstraksi antosianin ubi jalar ungu. (*Ipomoea batatas var Ayamurasaki*) menggunakan ultrasonic bath. *Skripsi*. FTP, Universitas Brawijaya: Malang, 2011.
26. Bilgin, M.; Ahin, S.: Effects of geographical origin and extraction methods on total phenolic yield of olive tree (*Olea europaea*) leaves. *Journal of the Taiwan Institute of Chemical Engineers* 2013, 44(1):8-12.
27. Wang, X.; Wu, Q.; Wu, Y.; Chen, G.; Yue, W.; Liang, Q.: Response surface optimized ultrasonic-assisted extraction of flavonoids from sparganii rhizome and evaluation of their in vitro antioxidant activities. *Molecules* 2012, 17(6):6769-6783.

