

DAFTAR PUSTAKA

- Addis, B. R. 2013. *Genetic Structure And Disease Prevalence of Boreal Toads (Bufo boreas) In Glacier National Park*. Thesis. Master of Science In Organismal Biology and Ecology. The University of Montana Missoula, MT
- Alasaad, S., K. V. Rozhkovan, D. M. Atopkin, A. Sanchez, J. G. Garcia, I. Romero, R.C. Soriguer and G. N. Chelomina. 2013. RAPD-PCR Molecular Analysis of The Threatened Cabrera's Vole Populations in The Iberian Peninsula. *Afr. J. Biotechnol.* 12 (26).
- Allendorf, F. W dan G. H. Luikart. 2007. *Conservation And The Genetics of Populations*. Blackwell Publishing. USA.
- Arruda M. P and E. M. Versute 2008. Cytogenetic and Random Amplified Polymorphic DNA Analysis of *Leptodactylus* Species from Rural And Urban Environments (Anura, Amphibia). *Genet. Mol. Res.* 7 (1): 161-176.
- Bagley, M. J., E. Susan, S. E. Franson, S. A. Christ, E. R., Waits G. P. Toth. 2002. *Genetic Diversity as an Indicator of Ecosystem Condition and Sustainability: Utility for Regional Assessments of Stream Condition in the Eastern United States*. U.S. Environmental Protection Agency, Cincinnati, OH.
- Bardacki, F. 2001. Random Amplified Polymorphic DNA (RAPD) Markers. *Turk. J. Biol.* 25: 185-196.
- Caetano, A. G. 2004. DNA Amplification Fingerprinting. A forum for DNA marker methodologies: University of Illinois at Urbana- Champaign.
- Degani, G., R. Nagar and, S. Yom-Din. 2012. Molecular DNA Variation In *Hyla felixarabica* from Various Breeding Sites in Northern Israel. *Herpetologica Romanica*, (6) 51-67.
- Degani, G., T. Golberg, A. Gasith, E. Elron and E. Nevo 2013. DNA Variations of The Green Toad *Pseudepilea viridis* (syn, *Bufo viridis*) from Various Habitats. *Zoological Studies.* 52: 18.
- Diouf, J. 2007. *The State of the World's Animal Genetic Resources for Food and Agriculture*. Rome, Italy. Pp.
- Fatchiyah, Arumingtiyas, Widyawati dan Rahayu. 2011. *Biologi Molekuler*. Erlangga. Jakarta.

- Fauzan. 2009. *Differensiasi Morfometrik Fejervarya limnocharis (Gravenhorst, 1829) Di Sumatera Barat*. [Skripsi]. Jurusan Biologi FMIPA Universitas Andalas, Padang.
- Finkeldey, R. 2005. *An Introduction to Tropical Forest Genetics*. Gottingen: Institute of Forest Genetics and Forest Tree Breeding Georg-August-University Gottingen.
- Frankham, R., J. D. Ballou and D. A. Briscoe. 2002. *Introduction to Conservation Genetics*. Cambridge University Press.
- Funk, W.C., M. S. Blouin, P. S. Corn, B. A. Maxell, D. S. Pilliod, S. Amish and F.W. Allendorf. 2005. Population Structure of Columbia Spotted Frogs (*Rana luteiventris*) is Strongly Affected by The Landscape. *Molecular Ecology*, 14: 483-496.
- Gurdebeke, S., J. P., Maelfait and T. Backeljau. 2003. Contrasting Allozyme and RAPD Variation in Spider Populations from Patchy Forest Habitats. *Genetica*, 119: 27-34.
- Gusman, D. 2003. *Morfometri Spesies Katak dari Famili Bufonidae dan Ranidae di Sumatra Barat*. [Skripsi]. Jurusan Biologi FMIPA Universitas Andalas, Padang.
- Harrison, I., M. Laverty and E. Sterling. 2004. Genetic Diversity. *Connexions module: m12158*.
- Hill, P.J. and G.S.A.B. Stewart. 1992. The Polymerase Chain Reaction in Molecular and Microbiology. *Biotechnology And Genetic Engineering Reviews*. Vo.10.
- Hurzaid, A., J. Ibrahim, A. Zalina and A. M. N. Siti. 2014. Genetic structure of the Asian Grass Frog, *Fejervarya limnocharis* (Amphibia: Anura: Dicroglossidae) of Peninsular Malaysia: a preliminary report. (1) 53:77
- Inger, R. F and R. B. Stuebing. 2005. *A Field Guide To The Frogs Of Borneo*. Natural History Publications (Borneo). Kinabalu.
- Iskandar, D. T. 1998. *The Amphibians of Java and Bali*. Research and Development Center for Biology-Indonesian Institute of Sciences (LIPI), Bogor.
- IUCN. 2015. The IUCN Red List of Threatened Species. Version 2015. www.iucnredlist.org. Downloaded on 26 Januari 2016.

- Jerry, D.R., Preston, N.P., Peter, J.C., Sandy, K., Meadows, J.R.S., Yutao, L., 2004. Parentage determination of Kuruma shrimp *Penaeus (Marsupenaeus) Japonicus* Using Microsatellite Markers (Bate). *Aquaculture* 235, 237 – 247.
- Joshi, M and J. D. Deshpande. 2010. Polymerase Chain Reaction: Methods, rinciples And Application. *IJBR* 1 (5): 81-97
- Kottelat, M and A. J. Whitten. 1996. *Freswater Biodiversity in Asia With Special Reference to Fish*. World Bank Technical Paper, 343, Washington, USA.
- Karakousis, Y and K. Pasqualina. 1995. Genetic and Morphological Differentiation Among Populations Green Toad *Bufo viridis* from Northern Greece. *Biochemical Systematics and Ecology*, 23 (1): 39-45
- Kumar N. S and G. Gurusubramanian. 2011. Random Amplified Polymorphic DNA (RAPD) Markers and its Applications. *Sci Vis* 11 (3): 116-124.
- Kumari, N and S. K. Thakur. Randomly Amplified Polymorphic DNA-A Brief Review. 2014. *American Journal of Animal and Veterinary Sciences* 9 (1): 6-13,
- Kurniawan, N. H. T. Djong. T. Meideliza. A. Hamidy. M. Hasan, T. Igawa and M. Sumida. 2014. Genetic Divergence and Geographic Distribution of Frogs in Genus *Fejervarya* from Indonesia Inferred from Mitochondrial 16s rRNA Gene Analysis. *Treubia* 41: 1-16
- Kurniati, H. 2003. Amphibians and Reptiles of Gunung Halimun National Park. Research Center for Biology-LIPI and Nagao Natural Environment Foundation-NEF. *Cibinong*, 134 pp
- Kurniati, H. 2011. Fauna Indonesia. Pusat Penelitian Biologi - LIPI Bogor, Gd. Widyasatwaloka, Cibinong: Bogor
- Kusrini, M. D. and R. Alford. 2006. Indonesia's Exports Of Frogs Legs. *Traffic Bulletin*. 21:13-24.
- Kusrini, M. D. 2013. *Panduan Bergambar Identifikasi Amfibi Jawa Barat*. Fakultas Kehutanan IPB dan Direktorat Konservasi Keanekaragaman Hayati. Bogor.
- Laval, G., M. Sancristobal and C. Chevalet. 2002. Measuring genetic distances between breeds: use of some distances in various short term evolution models. *Genet. Sel. E* vol. 34: 481-507
- Liu, Z. J and J. F. Cores. 2004. Review: DNA Marker Technology and Their Applications in Aquaculture Genetics. *Aquaculture*. 238:1-37.

- Liu, W. Y., W. Ching-Yuh, W. Tsu-Shing, M. F. Gary, L. Bo-Chi and K. Yeong-Choy. 2011. Impacts of The Herbicide Butachlor on The Larvae of a Paddy Field Breeding Frog (*Fejervarya limnocharis*) in Subtropical Taiwan. *Ecotoxicology*, 20:377–384
- Lundqvist, A. C., S. Andersson and M. Lönn, 2008. *Genetic Variation in Wild Plants and Animals in Sweden*. Naturvårdsverket and Press Art. Bromma, Sweden.
- Lynch, M and B. G. Milligan, 1994. Analysis of Population Genetic Structure With RAPD markers. *Molecular Ecology*. 3:91-99.
- Maki-Petays, H. 2007. Conservation and Management of Populations in A Fragmented Forest Landscape. Behavioural ecology meets population genetics. *Acta Univ. Oul. A* 479
- Mendez, M. A., E. R. Soto, C. Correa, A. Veloso, E. Vergara, M. Sallaberry and P. Ittura. 2004. Morphological and Genetic Differentiation Among Chilean Populations of *Bufo spinulosus* (Anura: Bufonidae). *Revista Chilena de Historia Natural* 77:559-567.
- Mikulek, P and J. Pialek. 2003. Molecular Identification of Three Crested Newt Species (*Triturus cristatus* superspecies) by RAPD Markers. *Amphibia-Reptilia*. 24:201-207
- Mistar. 2003. *Panduan Lapangan Amfibi*. Kawasan Ekosistem. UGM Press.
- Moslehi, T., M. Mahdih, A. Shayestehfar and S. M. Talebi. 2015 Genetic Diversity of *Rana (Pelophylax) ridibunda* and *Bufo (Pseudepidelea) viridis* in different populations. *Biodiversitas* Vol.16 No.2 Pages:128-131.
- Murwanto, A. G. 2008. Pentingnya Analisis Genetik Dengan Menggunakan Metode Randomly Amplified Polymorphic DNA (RAPD) Untuk Konservasi Genetik Rusa Timor (*Cervus timorensis*) di Papua. *Jurnal Peternakan* hal.72-83, Vo.3 No.2
- Nei, M. 1987. *Molecular Evolutionary Genetics*. New York. Columbia University Press.
- Oromi, N., A. R. Boix, D. Sanuy and J. Fibla. 2012. Genetic Variability in Geographic Populations of The Natterjack Toad (*Bufo calamita*). *Ecology and Evolution* 2(8): 2018–2026.
- Ryman, N and O. Leimar. 2009. GST is Still a Useful Measure of Genetic Differentiation, A Comment on Jost's D. *Molecular Ecology*, 18: 2084-2087.

- Smith M. A. and D. M. Green. 2006. Sex, isolation and Fidelity: Unbiased Long-Distance Dispersal in a Terrestrial Amphibian. *Ecography* 29: 649-658
- Silva, D. D. M. E., A. D. D. Cruz, R. P. Bastos, R. L. Reis, M. P. D. C. Telles dan J. A. F. F. D. Filho. 2007. Population Structure of *Eupemphix nattereri* (Amphibia, Anura, Leiuperidae) from Central Brazil. *Genetics and Molecular Biology*, 30 (4) 1161-1168
- Stinchcombe, J. R and H. E Hoekstra. 2007. Combining Population Genomics and Quantitative Genetics: Finding The Genes Underlying Ecologically Important Traits. *Heredity*. 1-13
- Sumida M., M. Kotaki, M. M. Islam, H. D. Tjong, T. Igawa, Y. Kondo, M. Matsui, D. S. Anslem, W. Khonsue and M. Nishioka. 2007. Evolutionary Relationships and Reproductive Isolating Mechanisme in the Rice Frog (*Fejervarya limnocharis*) Species Complex from Sri Lanka, Thailand, Taiwan and Japan, Inferred from mtDNA Gene Sequences, Allozymes and Crossing Experiments. *Zoological Science* 24: 547-562
- Takezaki, N dan M. Nei. 1996. Genetic Distance and Reconstruction of Phylogenetic trees from Microsatellite DNA. *Genetics*, 144, 389-399.
- Tamura, K., J. Dudley, M. Nei dan S. Kumar. 2007. MEGA4 Molecular Evolutionary Genetics Analysis (MEGA) software version 4.0.
- Thammachoti, P., K. Wichase, K. Jirarach, V. Pakorn and K. Noppadon. 2012. Morphometric and Gravimetric Parameters of the Rice Frog *Fejervarya limnocharis* Living in Areas with Different Agricultural Activity. *Journal of Environmental Protection*, (3) 1403-1408.
- Telles, M. P. D. C., R. R. P. Bastos, T. N. Soares, L. V. Resende and J.A.F. Diniz-filho, 2006. RAPD Variation and Population Genetic Structure of *Physalaemus cuvieri* (Anura: Leptodactylidae) in Central Brazil. *Genetica* 128:323-332.
- Tjong, H. D., M. Matsui, D. M. Belabut, Y. H. Sen, M. Nishioka and M. Sumida. 2007. Morphological Divergence, Reproductive Isolating Mechanism, and Molecular Phylogenetic Relationships among Indonesia, Malaysia and Japan Populations of The *Fejervarya limnocharis* Complex (Anura: Ranidae). *Zoological Science* 24: 1197-1212.
- Tjong, H.D., Iskandar, T.D. dan Gusman, D. 2010. Hubungan Filogenetik Spesies *Limnonectes* (Ranidae: Amphibian) Asal Sumateraa Barat dan Asal Asia Tenggara Berdasarkan Gen 16S Ribosomal RNA. *Makara, Sains* 14(1): 79-87.

- Veith, M., J. Kosuch, A. Ohler, and A. Dubois. 2001. Morphological and Molecular variation in Frog from The Greater Sunda Islands (Sumatera, Java, Borneo) with The Definiton of Two Species. 2. Morphological and molecular variation in frogs from the Greater Sunda Islands (Sumatra, Java, Borneo) with the definition of two species. *Alytes*. 19(1): 5-28
- Vignal, A., D. Milan, M. S. Cristobal and A. Eggen. 2002. Riview on SNP and other types Of Molecular Markers and Their Use in Animal Genetics. *Genet. Sel. Evol.* 34 (275-305)
- Wati, M. 2011. *Analysis of Genetic Variation Fejervarya nicobariensis Stoliczka, 1870 (Ranidae) based on Morphometrics and 16S rRNA along with Cytochrome b Genes from West Sumatra*. [Tesis]. Jurusan Biologi FMIPA Universitas Andalas, Padang.
- Welsh, W and M. McClelland, 1990. Fingerprinting genomes using PCR with arbitrary primers. *Nucleic Acids Research*, Vol. 18, No. 24 7213
- Wien, J. J. 2000. *Phylogenetic, Analysis of Morphological Data*. Smithsonian Institution. USA.
- Williams, J. G. K., A. R. Kubelik, K. J. Livak, J. A Rafalski and S. V. Tingey. 1990. DNA Polymorpisme Amplified by Arbitrary Primers are Useful as Genetic Markers. *Nucleid Acids Res.* 18(4): 6531-6535.
- Wright, A. F. 2005. *Genetic Variation: Polymorphisms and Mutations*. MRC Human Genetics Unit, Edinburgh, UK.
- Yeh, F. C., R. C. Yang and T. Boyle. 1997. POPGENE, The User-Friendly Shareware for Population Genetic Analysis. *Molecular Biology and Biotechnology* Centre, University of Alberta, Canada <http://www.ualberta.ca/~fyeh/>