

## DAFTAR PUSTAKA

- Al-Jahdali AH, Kogher HA, Alqadhi WA, Baharoon S, Tamim H, Alhejaili FF, *et al.* (2010). Insomnia in chronic renal patients on dialysis in Saudi Arabia. *Journal Of Circadian Rhythms*, 8: 1-7.
- Aramwit P, Supasyndh O (2015). Uremic pruritus; Its prevalence, pathophysiology and management. Dalam: Suzuki H (ed.). *Updates In Hemodialysis*. InTech. <http://www.intechopen.com/books/updates-in-hemodialysis/uremic-pruritus-its-prevalence-pathophysiology-and-management> - Diakses Juni 2016.
- Ashurst IB, Olene E, Kaushik T, McCafferty K, Yaqoob MM (2014). Acidosis: Progression of chronic kidney disease and quality of life. *Journal Of The International Pediatric Nephrology Association*, 30: 873-879.
- Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI (2013). Riset kesehatan dasar. Bakti Husada. <http://www.depkes.go.id/resources/download/general/Hasil%20Rikesdas%202013.pdf> –Diakses Februari 2016.
- Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI (2013). Riset kesehatan dasar dalam angka provinsi Sumatera Barat. Bakti Husada.
- Bakirci T, Sasak G, Ozturk S, Akcay S, Sezer S, Maberl M (2007). Pleural effusion in long term hemodialysis patients. *Transplantation Proceeding*, 39: 889-891.
- Bakris GL, Burkart JM, Weinhandl ED, McCullough PA, Mraus MA (2016). Intensive hemodialysis, blood pressure, and antihypertensive medication use. *American Journal Of Kidney Diseases*, 68(5): 15-23.
- Bargman JM, Skorecki K (2010). Chronic kidney disease. Dalam: Jameson JL, Loscalzo J (eds). *Harrison's nephrology and acid-base disorders*. Edisi 1. New York: The MacGraw-Hill Companies.
- Bashardoust B, Gavami M, Maleki N, Doustkami H, Habibzadeh S (2015). Mortality and nutritional status in patients undergoing hemodialysis. *Shiraz E-Med J*, 16(2): 1-5.
- Cho S, Adwood E (2002). Peripheral Edema. *American Journal Of Medicine*, 113: 580-586.
- Chung S, Koh ES, Shin SJ, Park CW (2012). Malnutrition in patients with chronic kidney disease. *Open Journal Of Internal Medicine*, 2: 89-99.

- Dahlan MS (2010). Langkah-langkah membuat proposal penelitian bidang kedokteran dan kesehatan. Jakarta: Sagung Seto.
- Daugirdas JT, Greene T, Rocco MV, Kaysen GA, Depner TA, Levin NW, *et al.* (2013). Effect of frequent hemodialysis on residual kidney function. *Kidney International*, 83: 949-958.
- Folley RN, Curtis BM, Parfrey PS (2009). Erythropoietin therapy, hemoglobin targets, and quality of life in healthy hemodialysis patients: A randomized trial. *Clin J Am Soc Nephrol*, 4: 726-733.
- Henry Ford Health System (2011). Chronic kidney disease: Clinical practice recommendations for primary care physicians and healthcare providers. Edition 6.0. [https://www.asn-online.org/education/training/fellows/HFH\\_S\\_CKD\\_V6.pdf](https://www.asn-online.org/education/training/fellows/HFH_S_CKD_V6.pdf) - Diakses Februari 2016.
- Hruska KA, Mathew S, Lund R, Qiu P, Pratt R (2008). Hyperphosphatemia of chronic kidney disease. *Kidney Int*, 74: 148-157.
- Hsu TW, Chen YC, Wu MJ, Li AF, Yang WC, Ng YY (2011). Reinfusion of ascites during hemodialysis as a treatment of massive refractory ascites and acute renal failure. *International Journal Of Nephrology And Renovascular Disease*, 4: 29-33.
- James MT, Hammelgarn BR, Tonelli M (2010). Renal medicine 2: Early recognition and prevention of chronic kidney disease. *The Lancet*, 375: 1296-1309.
- Joint National Committee (2013). Hypertension: The silent killer: Updated jnc-8 guideline recommendations. [https://c.ymcdn.com/sites/aparx.site-ym.com/resource/resmgr/CEs/CE\\_Hypertension\\_The\\_Silent\\_K.pdf](https://c.ymcdn.com/sites/aparx.site-ym.com/resource/resmgr/CEs/CE_Hypertension_The_Silent_K.pdf) - Diakses Agustus 2016.
- K/DOQI (2002). Clinical practice guidelines for chronic kidney disease: Evaluation, classification and stratification. [https://www.kidney.org/sites/default/files/docs/ckd\\_evaluation\\_classification\\_stratification.pdf](https://www.kidney.org/sites/default/files/docs/ckd_evaluation_classification_stratification.pdf) - Diakses Maret 2016.
- K/DOQI (2015). Clinical practice guideline for hemodialysis adequacy. [https://www.kidney.org/sites/default/files/KDOQI-Clinical-Practice-Guideline-Hemodialysis-Update\\_Public-Review-Draft-FINAL\\_20150204.pdf](https://www.kidney.org/sites/default/files/KDOQI-Clinical-Practice-Guideline-Hemodialysis-Update_Public-Review-Draft-FINAL_20150204.pdf) - Diakses Februari 2016.
- KDIGO (2012). Clinical practice guideline for the evaluation and management of chronic kidney disease. [http://www.kdigo.org/clinical\\_practice\\_guidelines/pdf/CKD/KDIGO\\_2012\\_CKD\\_GL.pdf](http://www.kdigo.org/clinical_practice_guidelines/pdf/CKD/KDIGO_2012_CKD_GL.pdf) - Diakses Februari 2016.

- Khan MA, Agmad M, Mir S (2011). Insomnia in patients of chronic renal failure on hemodialysis. *The Annals Of Pakistan Institute Of Medical Sciences*, 7: 165-168.
- Khrisnan AV, Pussel BA, Kiernan MC (2009). Neuromuscular disease in the dialysis patient: An update for nephrologist. *Seminar In Dialysis Journal*, 22(3): 267-278
- Kim MJ, Han JY, Kim SI, Lee JM, Hong S, Kim SH, *et al.* (2015). Metformin-associated lactic acidosis: Predisposing factors and outcome. *Endocrinology And Metabolism*, 30: 78-83.
- Kraut JA, Madias NE (2011). Consequences and therapy of the metabolic acidosis of chronic kidney disease. *Journal Of The International Pediatric Nephrology Association*, 26: 19-28.
- Lesley AI, Coresh J, Levey AS, Tonelly M, Munter P (2011). Estimatid GFR, albuminuria, and complication of chronic kidney disease. *Journal American Society of Nephrology*, 22: 2322-2331.
- Liu KD, Chertow GM (2010). Dialysis in the treatment of renal failure. Dalam: Jameson JL, Loscalzo J (eds). *Harrison's nephrology and acid-base disorders*. Edisi 1. New York: The MacGraw-Hill Companies.
- Malaki M, Mortazavi FS, Moazemi S, Shoaran M (2012). Insomnia and limb pain in hemodialysis patiens: What is the share of share of restless leg syndrome. *Saudi J Kidney Dis Transpl*, 23(1): 15-20.
- Matovinović MS (2009). Pathophysiology and classification of kidney diseases. *The Journal Of The International Federation Of Clinical Chemistry And Laboratory Medicine*, 20: 1-10.
- McMahon BA, Phelan D, Mrray PT (2010). Oliguria and anuria. *European Society of Intensive Care Medicine*. <https://www.vumc.nl/afdelingen-themas/41463/27797/2089686/8380425/8879008/Lit2.pdf> - Diakses Juni 2016.
- Mettang T, Kremer AE (2014). Uremic pruritus. *Kidney International*, 87: 585-591.
- Murtagh FE, Addinathall JM, Edmons PM, Donohoe P, Carey I, Jenkins K, Higginson IJ (2007). Symptoms in advanced renal disease: A cross-sectional survey of symptom prevalence in stage 5 chronic kidney disease managed without dialysis. *Journal Of Palliative Medicine*, 10: 1266-1276.
- Narita I, Iguchi S, Omori K, Gejyo F (2006). Etiology and prognostic significance of severe uremic pruritus in chronic hemodialysis patients. *Kidney International*, 69: 1626-1632.

- National Kidney Foundation (2014). Clinical update on hyperkalemia; A chronic risk for CKD patients and a potential barrier to recommended CKD treatment. [https://www.kidney.org/sites/default/files/02-10-6785\\_HBE\\_Hyperkalemia\\_Bulletin.pdf](https://www.kidney.org/sites/default/files/02-10-6785_HBE_Hyperkalemia_Bulletin.pdf) - Diakses Juni 2016.
- Pardede (2012). Gangguan gastrointestinal pada penyakit ginjal kronis. *CDK*, 39(7): 501-507.
- Patambo KK, Rotty LW, Palar S (2014). Gambaran status besi pada pasien penyakit ginjal kronik yang menjalani hemodialisis. *Jurnal e-Clinic*, 2(2): 1-6.
- PERNEFRI (2011). 4<sup>th</sup> report of indonesian renal registry. <http://www.indonesianrenalregistry.org/data/4th%20Annual%20Report%20Of%20IRR%202011.pdf> – Diakses Februari 2016.
- Pisoni RL, Wikstrom B, Elder SJ, Akizawa T, Asano Y, Keen ML, *et al.* (2006). Pruritus in haemodialysis patients: International results from the dialysis outcomes and practice patterns study (dopps). *Oxford Journals*, 21: 3495-3505.
- Pranandari R, Supadmi W (2015). Faktor resiko gagal ginjal kronik di unit hemodialisis rsud wates kulon progo. *Majalah Farmaseutik*, 11(2): 316-320.
- Ray S, Mukherjee S, Ganguly J, Abhishek K, Mitras S, Kundu S (2013). A cross-sectional prospective study of pleural effusion among cases of chronic kidney disease. *Indian J Chest Dis Allied Sci*, 55: 209-213.
- Rizzo MA, Frediani F, Granata A, Ravasi B, Cusi D, Gallieni M (2012). Neurological complications of hemodialysis: State of the art. *Journal Of Nephrology*, 25(02): 170-182.
- Salawati L (2016). Analisis lama hemodialisis dengan status gizi penderita penyakit ginjal kronik. *Jurnal Kedokteran Syiah Kuala*, 16(2): 64-68.
- Santoso BR, Manatean Y, Asbullah (2016). Hubungan lama hemodialisis dengan penurunan nafsu makan pada pasien gagal ginjal kronik di unit hemodialisa rsud ulin banjarmasin. *Dinamika Kesehatan*, 7: 139-151.
- Scales CD, Smith AC, Hanley JM, Saigal CS (2012). Prevalence of kidney stones in united states. *European Urology*, 62(1): 160-165.
- SIGN (2008). Diagnosis and management of chronic kidney disease: A national clinical guideline. <http://www.sign.ac.uk/pdf/sign103.pdf> - Diakses Februari 2016.



- Sood R (2000). Ascites: Diagnosis and management. *Journal of Indian Academy of Clinical Medicine*, 5: 81-89.
- Strid H, Simren M, Johansson AC, Svedlund J, Samuelsson O, Bjornsson ES (2002). The prevalence of gastrointestinal symptoms in patients with chronic renal failure is increased and associated with impaired psychological general well being. *Oxford Journal*, 17: 1434-1439.
- Suhardjono (2014). Hemodialisis: Prinsip dasar dan pemakaian kliniknya. Dalam: Setiati S, Alwi I, Sudoyo AW, Simadibrata M, Setiyohadi B, Syam AF (eds). *Buku ajar ilmu penyakit dalam jilid 1*. Edisi ke 6. Jakarta: Interna Publishing.
- Sukandar E (2006). *Nefrologi klinik*. Edisi ke 3. Bandung: Pusat Informasi Ilmiah bagian Ilmu Penyakit Dalam Fakultas Kedokteran UNPAD/RS. Dr. Hasan Sadikin.
- Supadmi W (2011). Evaluasi penggunaan obat antihipertensi pada pasien gagal ginjal kronik yang menjalani hemodialisis. *Jurnal Ilmiah Kefarmasian*, 1(1): 67-80.
- Suwitra K (2014). Penyakit ginjal kronik. Dalam: Setiati S, Alwi I, Sudoyo AW, Simadibrata M, Setiyohadi B, Syam AF (eds). *Buku ajar ilmu penyakit dalam jilid 1*. Edisi ke 6. Jakarta: Interna Publishing.
- Suyatno FE, Rotty LWA, Moeis ES (2016). Gambaran anemia defisiensi pada penyakit ginjal kronik stadium v yang menjalani hemodialisis di Instalasi tindakan hemodialisis rsup prof dr r d kandou manado. *Jurnal eclinic*, 4(1): 146-151.
- Syaiful HQ, Oenzil F, Afriant R (2014). Hubungan umur dan lamaya hemodialisis dengan status gizi pada penderita penyakit ginjal kronik yang menjalani hemodilisis di rsup dr m djamil padang. *Jurnal Kesehatan Andalas*, 3(3): 381-386.
- Tanto C (ed), Hustrini NM (2014). Penyakit ginjal kronis. Dalam: Liwang F, Hanifati S, Pradipta EA (eds). *Kapita selekta kedokteran jilid 2*. Edisi ke 4. Jakarta: Media Aesculapius.
- Thomas R, Kanso A, Sedor JR (2008). Chronic kidney disease and its complications. *Primary Care*, 35:1-15.
- Traeger J, Galland R, Delawari R, Arkouche W (1999). Time needed to improve clinical parameters by daily hemodialysis. *Home Hemodialysis International*, 3: 29-32.
- Weinstein JR, Anderson S (2010). The aging kidney: Physiological changes. *Nih Public Access*, 17(4): 302-307.

- Weisberg LA, Garcia C, Strub R (eds) (2012). Neurologic complications of systemic disease. *Essentials of Clinical Neurology*. <http://www2.tulane.edu/som/departments/neurology/programs/clerkship/upload/wch22.pdf> - Diakses Juni 2016.
- Weisbord SD, Fried LF, Mor MK, Resnick AL, Unruh ML, Palevsky PM (2007). Renal provider recognition of symptoms in patients on maintenance hemodialysis. *Clinical Journal Of The American Society Of Nephrology*, 2:960-967.
- WHO (2001). Age standardization of rates: a new WHO standard. <http://www.who.int/healthinfo/paper31.pdf> - Diakses Juni 2016.
- WHO (2016). Anaemia. <http://www.who.int/topics/anaemia/en/> - Diakses Juni 2016.
- WHO (2016). BMI classifications. [http://apps.who.int/bmi/index.jsp?introPage=intro\\_3.html](http://apps.who.int/bmi/index.jsp?introPage=intro_3.html) – Diakses Juni 2016.
- Wu AW, Fink NE, Manzi JV, Meyer KB, Finkelstein FO, Chapman MM, Powe NR (2004). Changes in quality of life during hemodialysis and peritoneal dialysis treatment: Generic and disease specific measures. *Journal Of The American Society Of Nephrology*, 15: 743-753.
- Yamagata K, Ishida K, Sairenchi T, Takahashi H, Ohba S, Shiigai T, *et al.* (2007). Risk factor for chronic kidney disease in a community based population: A 10 year follow up study. *Kidney International*, 71:159-166.
- Zhang X, Bansal N, Go AS, Hsu C (2015). Gastrointestinal symptoms, inflammation and hypoalbuminemia in chronic kidney disease patients: A cross-sectional study. *BMC Nephrology*, 16: 211-218.
- Zuyana L, Meryana A (2013). Perbedaan asupan makanan dan status gizi antara pasien hemodialisis adekuat dan inadekuat penyakit ginjal kronik. *Media Gizi Indonesia*, 9: 13-19.