

DAFTAR PUSTAKA

- Alves HC, da Silva ALM, Olsson IAS, Orden JMG and Antunes LM (2010). Anesthesia with Intraperitoneal Propofol, Medetomidine, and Fentanyl in Rats. *Journal of the American Association for Laboratory Animal Science*, 49(4), pp. 454–459.
- Alves HC, Valentim AM, Olsson IAS and Antunes LM (2007). Intraperitoneal propofol and propofol fentanyl, sufentanil and remifentanil combinations for mouse anaesthesia. *Laboratory Animals*, 41(3), pp. 329–336.
- Alves HC, Valentim AM, Olsson IAS and Antunes LM (2009). Intraperitoneal anaesthesia with propofol, medetomidine and fentanyl in mice. *Laboratory Animals*, 43(1), pp. 27–33.
- Apfelbaum JL *et al* (2006). Practice Advisory for Intraoperative Awareness and Brain Function Monitoring. *Anesthesiology*, 104(4), pp. 847–864.
- Beale JM Jr. (2011). Central Nervous System Stimulants. Dalam: Beale JM Jr., Block JH (Eds). *Wilson and Gisvold's Textbook of Organic Medicinal and Pharmaceutical Chemistry*, Ed 12th Lippincott Williams & Wilkins, pp. 505 – 506.
- Boushey HA (2012). Drugs Used in Asthma. Dalam: Katzung BG, Masters SB, Trevor AJ (Eds). *Basic and Clinical Pharmacology*, Ed 12th Mc-Graw Hill Companies, pp. 344 – 346.
- Coolong K, McGough E, Vacchiano C and Pellegrini J (2003). Comparison of the Effects of Propofol Versus Thiopental Induction on Postoperative Outcomes Following Surgical Procedures Longer Than 2 Hours. *American Association of Nurse Anesthetists*, 71(3), pp. 251–222.
- Dunwiddie TV and Masino SA (2001). The Role and Regulation of Adenosine in the Central Nervous System, *Annual Review of Neuroscience*, 24(1), pp. 31–55.
- Eilers H and Yost S (2012). General Anesthetic. Dalam: Katzung BG, Masters SB, Trevor AJ (Eds). *Basic and Clinical Pharmacology*, Ed 12th Mc-Graw Hill Companies, pp. 429 – 447.
- Gamma-Aminobutyric Acid (GABA) (2007). Dalam: *Alternative Medicine Review*, Thorne Research, 12(3), pp. 274–279.
- Garcia P, Kolesky S and Jenkins A (2010). General anesthetic actions on GABA_A receptors, *Current Neuropharmacology*, 8(1), pp. 2–9.

- Howell WH, Guyton AC and Hall JE (2005). Cerebral Cortex, Intellectual Functions of the Brain, Learning and Memory. Dalam: Textbook of medical physiology, Ed 11th, Elsevier, pp. 723.
- Khan KS, Hayes I and Buggy DJ (2014). Dalam: Pharmacology of anaesthetic agents I: Intravenous anaesthetic agents. Continuing Education in Anaesthesia, Critical Care & Pain, 14(3), pp. 100–105.
- Liu S (2011). Central Nervous System Depressants. Dalam: Beale JM Jr., Block JH (Eds). Wilson and Gisvold's Textbook of Organic Medicinal and Pharmaceutical Chemistry, Ed 12th Lippincott Williams & Wilkins, pp. 443 – 469.
- Lou Y, Peng Q, Nolan B, Wagner GC and Lu Y (2009). Oral administration of caffeine during voluntary exercise markedly decreases tissue fat and stimulates apoptosis and cyclin B1 in UVB-treated skin of hairless p53-knockout mice. Carcinogenesis, 31(4), pp. 671–678.
- Madiyono B, Moeslichan S, Sastroasmoro S, Budiman I dan Purwanto SH (2011). Perkiraan besar sampel. Dalam: Sastroasmoro S dan Ismael S (Eds). Dasar-dasar Metodologi Penelitian Klinis. Edisi ke 4. Jakarta: Sagung Seto, pp. 348-381.
- Magkos F and Kavouras SA (2005). Caffeine use in sports, pharmacokinetics in man, and cellular mechanisms of action. Critical Reviews in Food Science and Nutrition, 45, pp. 535 – 562.
- Mashour GA and Pryor KO (2015). Consciousness, Memory, and Anesthesia. Dalam: Miller RD, Cohen NH, Eriksson LI, Fleisher LA, Wiener-Kronish JP, Young WL (Eds). Miller's Anesthesia, Ed 8th Elsevier, pp. 282 – 287.
- Meyer RE and Fish RE (2011). Pharmacology of Injectable Anesthetics, Sedatives, and Tranquilizers. Dalam: Fish R, Danneman PJ, Brown M, Karas A (Eds). Anesthesia and Analgesia in Laboratory Animals, Ed 2nd Elsevier, pp. 38 – 42.
- O'Brien CP (2011). Drug Addiction. Dalam: Brunto LL, Chabner BA, Knollmann BC (Eds). Goodman and Gilman's pharmacological basis of Therapeutics, Ed 12th McGraw-Hill Companies, pp. 638.
- Olsen RW (2002). GABA. Dalam: Davis KL, Charney D, Coyle JT, Nemeroff C (Eds). Neuropsychopharmacology: The Fifth Generation of Progress, Publication of American College of Neuropsychopharmacology, pp. 159 – 168.
- Patel PM, Patel HH and Roth DM (2011). General Anesthetic and Therapeutic Gases. Dalam: Brunto LL, Chabner BA, Knollmann BC (Eds). Goodman

and Gilman's pharmacological basis of Therapeutics, Ed 12th McGraw-Hill Companies, pp. 502 – 513.

Sadikin ZD dan Elysabeth (2009). Anestetik Umum. Dalam: Gunawan SG, Setiabudy R, Nafrialdi, Elysabeth (Eds). Farmakologi dan Terapi. Edisi ke 5. Jakarta: Balai Penerbit FKUI, pp. 122 – 138.

Sebastiao AM and Ribeiro JA (2009). Adenosine Receptors and the Central Nervous System. Dalam: Wilson CN, Mustafa SJ (Eds). Adenosine Receptors in Health and Disease. Handbook of Experimental Pharmacology, Springer-Verlag, pp. 471 – 534.

Shaikh SI and R LR (2014). Delayed awakening after anaesthesia- A challenge for an anaesthesiologist. International Journal of Biomedical and Advance Research, 5(8), pp. 352.

Sherwood L (2007). Susunan Saraf Pusat. Dalam: Fisiologi Manusia: dari Sel ke Sistem, Jakarta: EGC, pp. 181 – 183.

Sinclair RCF and Faleiro RJ (2006). Delayed Recovery of Consciousness After Anaesthesia. Continuing Education in Anaesthetic, Critical Care, and Pain. 6(3), pp. 114–118.1

Valentim AM, Guedes SR, Pereira AM and Antunes LM (2016). Euthanasia Using Gaseous Agents in Laboratory Rodents. Laboratory Animals, 50(4), pp. 241 – 253.

Vuyk J, Sitsen E and Reekers M (2015). Intravenous Anesthetic. Dalam: Miller RD, Cohen NH, Eriksson LI, Fleisher LA, Wiener-Kronish JP, Young WL (Eds). Miller's Anesthesia, Ed 8th Elsevier, pp. 832 – 837.

Wang Q, Fong R, Mason P, Fox AP and Xie Z (2014). Caffeine Accelerates Recovery from General Anesthesia. Journal of Neurophysiology, 111, pp. 1331 – 1340.

WHO (2000). General Guidelines for Methodologies on Research and Evaluation of Traditional Medicine. Department of Essential Drugs and Medicines Policy (EDM)World Health Organization. <http://apps.who.int/iris/bitstream..> – diakses pada Mei 2016.

Zheng X, Takatsu S, Wang H and Hasegawa H (2014). Acute intraperitoneal injection of caffeine improves endurance exercise performance in association with increasing brain dopamine release during exercise. Pharmacology Biochemistry and Behavior, 122, pp. 136–143.