

DAFTAR PUSTAKA

- Adam I, Ahmed S, Mahmoud MH, Yassin MI (2012). Comparison of HemoCue® hemoglobin-meter and automated hematology analyzer in measurement of hemoglobin levels in pregnant women at Khartoum hospital, Sudan. *Diagn Pathol*, 7: 30.
- Akhtar K, Sherwani RK, Rahman K, Hasan J, Shahid M (2008). HemoCue photometer: a better alternative of hemoglobin estimation in blood donors? *Indian J Hematol Blood Transfus*, 24: 170-172.
- Aldridge C, Foster HM, Albonico M, Ame SM, Montresor A (2012). Evaluation of the diagnostic accuracy of the Haemoglobin Colour Scale to detect anaemia in young children attending primary healthcare clinics in Zanzibar. *Trop Med Int Health*, 17: 423-429.
- Almatsier, S. (2004). Prinsip Dasar Ilmu Gizi. Jakarta: Gramedia Pustaka Utama, pp: 132-150.
- Alwar V, Shanthala DAM, Sitalakshmi S, Karuna RK (2010). Clinical patterns and haematological spectrum in autoimm- mune haemolytic anemia. *Journal of Laboratory Physicians*. 2(1):17-20
- Anand H, Mir R, Saxena R (2009). Hemoglobin color scale a diagnostic dilemma. *Indian J Pathol Microbiol*, 52: 360-362.
- Baek SW, Lee MW, Ryu HW, Lee KS, Song IC, Lee HJ, et al (2011). Clinical features and outcomes of autoimmune hemolytic anemia: A retrospective analysis of 32 cases. *Korean J Hematol*. 2011 Jun;46(2):111-7
- Bakta IM (2003). Hematologi klinik ringkas. Jakarta: Penerbit Buku Kedokteran EGC, pp: 50-80.
- Baratawidjaja K, Rengganis I (eds) (2014). Imunologi dasar. Edisi ke 11. Jakarta: Balai Penerbit Fakultas Kedokteran Indonesia, pp: 583-599.
- Barcellini W, Zaja F, Zaninoni A, Imperiali FG, Battista ML, Bona ED, Fattizzo B, et al (2012). Low-dose rituximab in adult patients with idiopathic autoimmune hemolytic anemia: clinical efficacy and biologic studies. *Blood*, 119 (6):3691-3696.
- Barnes BC, Hertenstein EG (2015). Immunohematology and blood transfusion medicine, Dalam: Graeter LJ, Hartenstein EG, Accurso CE, Labiner GH (eds). Medical laboratory science examination review. Missouri: Elsvier saunders, p: 207.

Berentsen S (2011). How I manage cold agglutinin disease. British Journal Haematology, 153:309–317.

Berentsen S, Randen U, Vagan AM, Hjorth-Hansen H, Vik A, Dalgaard J, Jacobsen EM, et al (2010). High response rate and durable remissions following fludarabine and rituximab combination therapy for chronic cold agglutinin disease. Blood, 116:3180–3184.

Beutler E, Bull BS, Herrmann PC (2010). Hemolytic anemia resulting from chemical and physical agents. Dalam: Kaushansky K, Lichtman MA, Beutler E, Kipps TJ, Seligsohn U, Prchal JT (eds). Williams Hematology. 8th ed. New York, NY: McGraw Hill; 2010, pp: 763-768.

Bussone G, Ribeiro E, Dechartres A, Viallard JF, Bonnotte B, Fain O, *et al* (2009). Efficacy and safety of rituximab in adults' warm antibody autoimmune hemolytic anemia : Retrospective analysis of 27 cases. Am. J. Hematol, 84:153-157.

Carson KR, Beckwith LG, Mehta J (2010). Successful treatment of IgM-mediated autoimmune hemolytic anemia with bortezomib. Blood, 115:915.

Chairlain, Lestari E (2011). Pedoman teknik dasar untuk laboratorium kesehatan. Jakarta: Penerbit Buku EGC, p:264.

Chaudary R, Das SS (2009). Significance of quantitation of autoantibodies in the eluate of sensitized red cells in warm autoimmune hemolytic anemia. Labmedicine, 40(9):531-534.

Crowther M, Chan YLT, Garbett IK, Lim W, Vickers MA, Crowther MA (2011). Evidence-based focused review of treatment of idiopathic warm immunehemolytic anemia in adult. Blood, 118(15):4036-4040.

Darshana LG, Uluwaduge DI (2014). Validation of the WHO Hemoglobin Color Scale Method. Anemia, 2014: 531670.

De Loughery TG (2013). Hematology board review manual : Autoimmune hemolytic anemia. Hematology, 8 (1): 2-9.

Dhaliwal G, Tierney LM (2004). Hemolytic anemia. American Family Physician, 69 (11) : 2599 – 2606.

Febianty N (2013). Perbandingan pemeriksaan kadar hemoglobin dengan metode sahli dan autoanalyzer pada orang normal. Fakultas Kedokteran Universitas Maranatha. Karya Tulis Ilmiah

Fransisca D.K. (2010). Usia produktif kerja. www.bappenas.go.id/get-fileserver/node/2860/ - Diakses Februari 2016.

Friedberg RC, Vandita P. Johari (2013), *Autoimmune hemolytic anemia*. Dalam: Greer JP, Arber DA, Glader B, List AF, Means RT, Paraskevas F, Rodgers GM, Foerster J (eds). Wintrobe's clinical hematology. 13th edition. Philadelphia: Lippincott-Williams & Wilkins p:746.

Gehrs BC, Friedberg RC (2002). Autoimmune hemolytic anemia. American Journal of Hematology 69 : 258-271.

Grigoriadis C, Tympa A, Liapis A, Hassiakos D, Bakas P (2013). Case report : Alpha-methyldopa-induced autoimmune hemolytic anemia in the third trimester of pregnancy. Hindawi. <http://dx.doi.org/10.1155/2013/150278> - Diakses Februari 2016

Gandasoebrata R (2007). Penuntun Laboratorium Klinik. Jakarta : Dian Rakyat, p:10-12

Guyton AC, Hall JE (eds) (2006). Buku ajar fisiologi kedokteran. Edisi ke 11. Jakarta: EGC, pp: 439-449.

Hoffbrand AV, Pettit JE, Moss PAH (2001). Essential hematology. 4th edition. Oxford: Blackwell Scientific Publications, p:15.

Huh YO, Liu FJ, Rogge K, Chakrabarty L, Lichtiger B (1988). Positive direct antiglobuline test and high serum immunoglobuline G values. American Journal Clinical Pathology, 90(2):197-200.

Kementerian kesehatan RI (2013). Riset kesehatan dasar 2013. Jakarta: kementerian kesehatan RI, p:16.

Kumar R (2013). Dasar-dasar patofisiologi penyakit. Pamulang: Binarupa Aksara, pp:19-21.

Lechner K, Jager U (2010). How I treat autoimmune hemolytic anemias in adults. Blood, 116:1831–1838.

Lewis SM1, Emmanuel J. Validity of the haemoglobin colour scale in blood donor screening. Vox Sang. 2001; 80: 28-33.

Liu B, Gu W (2013). Review article: Immunotherapy treatments of warm autoimmune hemolytic anemia. Hindawi, <http://dx.doi.org/10.1155/2013/561852> - Diakses Februari 2016.

Michel M (2011). Classification and therapeutic approaches in autoimmune hemolytic anemia: an update. Expert Review Hematology, 4(6): 607-612.

Michel M (2014). Warm autoimmune hemolytic anemia: advances in pathophysiology and treatment. Presse Med, 43(4 Pt 2):e97-e104

- Montresor A, Albonico M, Khalfan N, Stoltzfus RJ, Tielsch JM, Chwaya HM, et al (2000). Field trial of a haemoglobin colour scale: an effective tool to detect anaemia in preschool children. *Trop Med Int Health*, 5: 129-133.
- Morgan TL, Tomich EB (2012). Overwhelming post-splenectomy infection (OPSI): a case report and review of the literature. *The Journal of Emergency Medicine*, 43:758–763.
- Neff AT (2003). Autoimmune hemolytic anemias. Dalam: Greer JP, Foerster J, Lukens JN, Rodgers GM, Paraskevas F, Galder B (eds). *Wintrobe's clinical hematology*. 11th edition. Philadelphia: Lippincott-Williams & Wilkins, pp:1157-1182.
- Ngo ST, Steyn FJ, McCombe PA (2014). Gender differences in autoimmune disease. *Frontiers in Neuroendocrinology*, 35:347-369.
- Oehadian A (2012). Pendekatan klinis dan diagnosis anemia. Jakarta: Cermin Dunia Kedokteran, 39(6): 409.
- Packman CH (2008). Hemolytic anemia due to warm autoantibodies. *Blood review*, 22:17-31.
- Packman CH (2015). The Clinical Pictures of Autoimmune Hemolytic Anemia. *Transfus Med Hemother*, 42:317–324.
- Padgett B (2003). An Educational Supplement: Direct Antiglobulin Test. ALQEP. http://www.cpsa.ab.ca/libraries/pro_qofc_alqep/alqep_trans_DAT_Supplement_2003.pdf?sfvrsn=0 - Diakses Maret 2016.
- Park SH (2016). Diagnosis and Treatmentt of Autoimmune Hemolytic Anemia : classic approach and recent advances. *Blood Reaserch* 51(2): 69-70.
- Pearce EC (2009). Anatomi dan Fisiologi untuk Paramedis. Jakarta: PT Gramedia, pp: 134-135.
- Playfair JHL, Chain BM (2012). At a glance imunologi 9th ed. Editor : Rina Astikawati. Jakarta : Erlangga.
- Prabhu R, Bhaskaran R, Shenoy V, Rema G, Sidharthan N (2016). Clinical characteristics and treatment outcomes of primary autoimmune hemolytic anemia: a single center study from South India. *Blood Research*, 51(2): 88-94.
- Ridwan M (2014). Korelasi jumlah limfosit B dan CD 20 dengan imunoglobulin antieritrosit pada pasien anemia hemolitik otoimun. Universitas Andalas. Tesis

- Rodeghiero F, Ruggeri M (2012). Short- and long-term risks of splenectomy for benign haematological disorders: should we revisit the indications?. British Journal Haematology, 158:16–29.
- Sari M, de Pee S, Martini E, Herman S, Sugiatmi, Bloem MW, et al (2001). Estimating the prevalence of anaemia: a comparison of three methods. Bull World Health Organ, 79: 506-511.
- Sastroatmoro S, Ismael S (2011). Dasar – dasar metodologi penelitian klinis. Edisi ke 4. Jakarta: Sagung Seto.
- Srivastava T, Negandhi H, Neogi SB, Sharma J, Saxena R (2014). Methods for Hemoglobin Estimation: A Review of “What Works”. J Hematol Transfus, 2(3): 1028.
- Stein RS, Neff AT (2001). Hematology board review manual : Immune hemolytic anemia. Hematology, 1(4): 2-12.
- Suega K (2010). Aplikasi klinis retikulosit. Jurnal Penyakit Dalam, 11(3):191-201.
- Taroeno-Hariadi KW, Pardjono E (2014). Anemia Hemolitik Imun. Dalam: Setiati S, Alwi A, Sudoyo AW, Simadibrata M, Setiyohadi B, Syam AF (eds). Buku ajar ilmu penyakit dalam edisi VI jilid II. Jakarta : Pusat Penerbitan Departemen Ilmu Penyakit Dalam FKUI, pp: 2607-2613.
- Timan IS, Tatsumi N, Aulia D, Wangsasaputra E (2004). Comparison of haemoglobinometry by WHO Haemoglobin Colour Scale and copper sulphate against haemiglobincyanide reference method. Clin Lab Haematol, 26: 253-258.
- van Rheezen PF, de Moor LT (2007). Diagnostic accuracy of the haemoglobin colour scale in neonates and young infants in resource-poor countries. Trop Doct, 37: 158-161.T
- Wheeler CA, Calhoun LA, Blackall DP (2004). Warm reactive autoantibodies : Clinical and serological correlations. Am J Clin Pathol 122:680-685.
- WHO (2011). Haemoglobin concentrations for the diagnosis of anemia and assessment of severity. World Health Organization: Vitamin and Mineral Nutrition Information System. www.who.int/vmnis/indicators/haemoglobin.pdf - Diakses Februari 2016.
- Widayanti S (2008). Analisis kadar hemoglobin pada anak buah kapal PT. Salam Pacific Indonesia Lines di Belawan tahun 2007. Medan, Fakultas Kesehatan Masyarakat Universitas Sumatera Utara. Skripsi.

Wilczynski (2014). Haptoglobin. Medscape.
<http://emedicine.medscape.com/article/2085592-overview> - Diakses Februari 2016.

Zanella A, Barcellini W (2014). Treatment of autoimmune hemolytic anemias. Haematologica, 99(10):1547-1554.

Zarandona JM, Yazer MH (2006). The role of the coombs test in evaluating hemolysis in adults. Canadian Medical Association Journal, 174(3): 305.

Zeerleider (2011). Autoimmune haemolytic anaemia – a practical guide to cope with a diagnostic and therapeutic challenge. The Journal of Medicine Netherlands, 59 (4): 177-183.

Zulfiqar AA, Mahdi R, Mourot-Cottet R, Pennaforte JL, Novella JL Dan Andrès E (2015). Autoimmune Hemolytic Anemia - A Short Review Of The Literature, With A Focus On Elderly Patients. Journal of Hematology & Thromboembolic Diseases, 3(6): 2.

