

DAFTAR PUSTAKA

- Alice S. Pakurar, dan John W. Bigbee (2004). Digital Histology. Published by John Wiley & Sons, Inc. Hoboken, New Jersey.
- Amar S, Resham V, dan Saple DG (2008). Aloe vera: a short review. Indian Journal of Dermatology. 53 (4); 163-6
- Andrews (2006). Disease of the skin: clinical dermatology. Edisi 10. Elsevier Saunders. Philadelphia
- Apgar, Satrias (2010). Formulasi sabun mandi cair yang mengandung gel daun lidah buaya (Aloe vera (L) Webb) dengan basis virgin coconut oil (VCO). Skripsi. Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Islam Bandung; Bandung.
- Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI. Laporan Hasil Riset Kesehatan Dasar (RISKESDAS) (2013). LITBANG DEPKES RI. pp: 86-87
- Badan POM RI - Direktorat Obat Asli Indonesia (2008). Tentang lidah buaya. <http://www.badanpomri.com>. Diakses 10 Mei 2016.
- Balin AK, Pratt L (2002). Dilute povidone-iodine solutions inhibit human skin fibroblas growth. Dermatol Surg. Mar; 28(3): 210-4.
- Betadine solution bottle 5ml. www.office.sukamart.com diakses pada 20 Oktober 2016 jam 22.00.
- Boudreau MD, Beland FA (2006). An evaluation of the biological and toxicological properties of Aloe barbadensis (miller), Aloe vera. Journal of Environmental Science and Health. Part C, Environmental Carcinogenesis & Ecotoxicology Reviews. 24 (1) : 103-154
- Broughton G, Janis JE, Attinger CE (2006). Wound healing: an overview. Plast Reconstr Surg. 117: 1eS-32eS.
- Broughton II G, Janis JE, Attiger CE (2006). Wound healing : an overview. Plastic Reconstruction Surgery 117 (supplement) : 1eS-32eS.
- Candra I, Santoso j, Yandi M, Widoyo S, Efendi GA (2009). Wirausaha makanan kesehatan keripik lidah buaya (kelabu) sebagai usaha inovatif dalam upaya pengentasan pengangguran. UNS.

- Choi S, Chung, MH (2003). A review on the relationship between Aloe vera components and their biologic effects. *Semin. Integr. Med*; 1: 53-62.
- Choi SW, Son BW, Son YS, Park YI, Lee SK, Chung MH (2001). The wound healing effect of a glycoprotein fraction isolated from aloe vera. *Br. J. Dermatol.* 145: 535-45
- Cokorde, Istri I, Umi K, dan Sudjari (2004). Pengaruh pemberian temulawak pada lambung tikus yang mengalami ulkus peptikum akibat induksi indometasin, *Jurnal Kedokteran Brawijaya*, Vol XX (2); 96-9
- Cole L, Heard C (2007). Skin permeation enhancement potential of Aloe vera and a proposed mechanism of action based upon size exclusion and pull effect. *Intern J Pharmaceutics* ; 333:10-16
- Cooper R (2004). A review of the evidence for the use of topical antimicrobial agents in wound care. *World Wide Wounds*. <http://www.worldwidewounds.com/2004/february/Cooper/Topical-Antimicrobial-Agents.html>
- Dagne E, Bisrat D, Viljoen A, Van Wyk, BE (2000). Chemistry of Aloe species *Curr.Org. Chem.* 4:1055-78.
- Danu Mahandaru, Ishandono Dachlan (2012). The effect of Aloe vera on healing process of incision wound. *Jurnal Plastik Rekonstruksi*, Jakarta pp: 82-87
- David K (2016). Aloe vera. www.webmd.com diakses pada 10 juni 2016 jam 22.30.
- David, Gawkrödger (2002). *Dermatologi*. edisi ketiga philadelphia churhchill livingstone
- Dell RB, Holleran S, Ramakrishan R (2002). Sample size determination. *ILAR Journal*, 43 (4), halaman 208 – 213.
- DiPietro, L.A., Burns, A.L. (Eds). 2003. *Wound Healing: Methods and Protocols. Methods in Molecular Medicine*. Totowa, N.J. Humana Press. Electronic
- Dorland I, Dan Newman WA (2010). *Kamus kedokteran Dorland*. Edisi: 31. EGC
- Durani P, Leaper D (2008). Povidone-iodine: use in hand disinfection, skin preparation and antiseptic irrigation. *Int Wound J* 5:376-87
- Eming SA, Krieg T, Davidson JM (2007). Inflammation in Wound Repair: Molecular and Cellular Mechanisms. *Journal of Investigative Dermatology*, 127:514–525.

- Fitria M (2013). Pengaruh papain getah pepaya terhadap pembentukan jaringan granulasi pada penyembuhan luka bakar tikus percobaan. Hal 28.
- Flanagan M (2000). The physiology of wound healing. *Journal Of Wound Care*. 9 (6) :299-300
- Freedberg IM, Eisen AZ, Wolff K, Austen KF, Goldsmith LA, Katz SI (2003). *Fitzpatrick's dermatology in general medicine*. McGraw-Hill. 6th Edition
- Furnawathi I (2006). *Khasiat dan manfaat lidah buaya si tanaman ajaib*. Edisi ke-7. Agro Media Pustaka: Jakarta
- Gurtner GC. Wound healing: normal and abnormal. In: Thorne (2007). *Grabb and Smith's Plastic Surgery*, 6th ed. Philadelphia: Lippincott Williams & Wilkins. P: 15-22.
- Hamman JH (2008). Composition and application of aloe vera leaf gel. *Molecules* 13:1599-1616.
- Hart J (2002). Inflammation : its role in the healing of acute wounds. *J Wound Care* (11): 205-9
- Hartanto ES dan EH Lubis (2002). *Pengolahan minuman sari lidah buaya (Aloe vera Linn)*. *Warta IHP/J. Agro-Based Industry*.
- Hayati K (2009). Efek antibakteri ekstrak lidah buaya (Aloe vera) terhadap *Sthaphylococcus aureus* yang diisolasi dari denture stomatitis (penelitian in vitro). Skripsi. FKG. Universitas Sumatera Utara
- Heather LO, David K, Louise F, Marie (2011). Basic principles of wound healing. *Wound Care Canada*. 9(2) p:4-12
- Hu Q, Xu J, and Hu Y (2003). Evaluation of antioxidant potential of aloe vera (*aloe barbadensis miller*) extract. *Journal of Agricultural and Food Chemistry*. 51:7788-91
- Hunt KT (2003). Wound healing. In: *Current surgical diagnosis and treatment*. 12 Th edition. McGraw-Hills, USA. p:75-87
- Josias H, Hamman (2008). Composition and applications of Aloe vera leaf gel. *Molecules*. www.mdpi.org/molecules. 13: 1599-1616
- Kanitakis, J (2002). Anatomy, histology and immunohistochemistry of normal human skin. *European Journal of Dermatology*. 12(4) : 390–401

- Koh TJ, DiPietro LA (2011). Inflammation and wound healing: the role of the macrophage. *Expert Rev Mol Med*, 13:e23.
- Komite Nasional Etik dan Penelitian Kesehatan RI (2006). Pedoman nasional etik penelitian kesehatan. Jakarta: Departemen Kesehatan RI.
- Lawler W, Ahmed A, Hume WJ (2002). Buku pintar patologi untuk kedokteran gigi. Jakarta : EGC
- Leaper DJ, Harding KG. Phase of wound healing graph. www.clinimed.co.uk diakses pada 10 juni 2016 jam 13.00.
- Leoni G, Neumann PA, Sumagin R, Denning TL, Nusrat A (2015). Wound repair: role of immune–epithelial interactions. *Mucosal Immunology*, 8(5): 959–968.
- Lepor NE, Madyoon H (2009). Antiseptic skin agents for percutaneous procedures. *Rev Cardiovasc Med*. pp: 187-93
- Mann A, Niekisch K, Schirmacher P, Blessing M (2001). Keratinocyte-driven granulocyte macrophage colony stimulating factor accelerates wound healing: stimulation on keratinocyte proliferation, granulation tissue formation, and vascularization. *Invest Dermatol*. 117: 1382-90
- Micah L Hemani, Herbert Lepor (2009). Skin preparation for the prevention of surgical site infection: Which agent is best? *Rev Urol*. 11:190-195.
- Michael W, Lillemoe, Keith D, Doherty, Gerard M, Maier, Ronald V, Upchurch,, Gilbert R (2006). *Greenfield's surgery: Scientific principles and practise*. Lippincott Williams & Wilkins. 4th Edition
- Myers Wt, Leong M, Phillips LG (2007). Optimizing the patient for surgical treatment of the wound. *ClinPlast Surg*. 34(4): 607-20
- Natarajan S, Williamson D, Stiltz AJ, et al (2000): Advances in wound care and healing technology. *Am J Clin Dermatol*. (1) : 269 – 275
- Nazir F (2012). Pengaruh pemberian gel lidah buaya (Aloe vera) terhadap jarak pinggir luka pada tikus wistar. Skripsi. FK UNAND. Padang.
- Ni Y, Tizard IR (2004). Analytical methodology: the gel-analysis of aloe pulp and its derivatives in aloes the genus Aloe. CRC Press: Boca Raton. pp: 111-126
- Nur Atik dan Januarsih iwan (2009) Perbedaan efek pemberian topikal gel lidah buaya (Aloe vera L) dengan solusio povidone iodine terhadap

penyembuhan luka sayat pada kulit mencit (*Mus musculus*). Bagian Histologi, Fakultas Kedokteran Universitas Padjadjaran. Bandung

Orsted HL, David K, Louise F, Mégie (2006). Basic principles of wound healing. *Wound Care Canada / Volume 9, Number 4-12.*

Oryan A, aboutorab T, Naeni BN, dan Effat G (2010). Effect of aqueous extract of aloe vera on experimental cutaneous wound healing in rat. *Veterniraski Arhiv.* 80 (4) pp: 509-522

Panca, Adha Wardhanu (2009). Potensi lidah buaya Pontianak (*Aloe vera chinensis* Linn) sebagai bahan baku industri berbasis sumber daya lokal. Pascasarjana Teknologi Pertanian Universitas Brawijaya; Malang

Pascal M, Anthony CD (2008). Mechanism involved in wound healing. *The Biomedical Scientist* : 609-15

Prasetyono OHT (2009). General concept of wound healing, revisited. *Med J Indonesia.* 18(3):208-16

Rahman A (2007). Pengaruh penggunaan kompres hangat terhadap penurunan sensasi nyeri pasca laparatomi di RSUD. Nene Mallomo. Makassar

Reinke JM, Sorg H (2012). Wound repair and regeneration. *Eur Surg Res* 49: 35-43

Reynolds Tom (2004). *Aloes: The genus Aloe. medicinal and aromatic plants— industrial profiles.* Boca Raton. Fla: CRC Press. v.38

Setiani TE, Fitriani S, Kosterman U (2011). Penerapan penggunaan daun lidah buaya (*Aloe vera*) untuk pengobatan stomatitis aftosa (sariawan) di desa Ciburial Kecamatan Cimenyan Kab.Bandung. FKG. UNPAD.

Sharrif MM and Sandeep KV (2011). Aloe vera their chemicals composition and application: review. *International Journal of Biological & Medical Research.* 2(1): 466-471

Sibbald RG, Leaper DJ, Queen D (2011). iodine made easy. [www. Woundinternational.com](http://www.Woundinternational.com). Volume 2 | Issue 2

Sunil Kumar, Raja Babu, Jagadish Reddy, dan Uttam A (2011). Revitation of povidone iodine. *IJDA.* July-September

Surjushe A, Vasani R (2008). Saple DG. Aloe vera: A short review. *Indian J Dermatol.* 53:163-6.

- Tjay HT dan Rahardja K (2003). Obat-obat penting. Elex Media Komputindo. Jakarta.
- Ueno C, Hunt TK, Hopf HW (2006). Using physiology to improve surgical wound outcomes. *Plast Reconstr Surg.* 117: 59S-71S.
- Velnar T, Baylei T, Smrkoj (2009). The wound healing process: an overview of the cellular and molecular mechanisms. *The Journal of International Medical Research.* 37: 1528 – 1542.
- Vinson JA, et al (2005). Effect of Aloe vera preparation on the human bioavailability of vitamin C and E. *Phytomedicine.* 12(10): 760-5
- Vogt PM (2006). PVP-iodine in hydrosome and hydrogel – a novel concept in wound therapy leads to enhanced epithelialization and reduced loss of skin grafts burns. *Sep;32(6): 698-705.*
- Wells MY, Bcret A, Leuillet S, Palate B, Lonchamp MO; et al (2008). Measurement of skin thickness in control rat (SD) and mice (CD1) from two subcutaneous toxicity studies. *The Toxicologist.*102: 318
- Wiksmann LB, Solomonik I, Spira R, Tennenbaum T (2007). Novel insights into wound healing Sequence of events. *Toxicologic Pathol.* pp: 767-3579
- Wim De Jong (2010). Buku ajar ilmu bedah. Jakarta : Penerbit Buku Kedokteran, EGC.

