

Daftar Pustaka

- AHA (American Heart Association). (2013). Type of stroke, p: 2.
- Alway, D and Cole, J W. (2009). Stroke essentials for primary care: a practical guide. Trans. Jonatan. Jakarta: EGC. p: 11.
- Dinkes Kota Padang. (2012). Profil kesehatan tahun 2011 edisi 2012. Diakses dari <http://dinkeskotapadang1.files.wordpress.com>. Februari 2015.
- Fauci, Braunwald, Kasper, Hauser, Longo, Jameson. (2008). Harrison's Principles of internal medicine 7th edition. United State of American. The Mcgraw-hill Companies. p: 980.
- Freigin VL, Forounzafar MH. (2013). Global and region burden of stroke during 1990-2010 : finding from the global burden of disease study 2010. The Lancet. 383(9913), pp: 245-255.
- Goldstein LB, Bushnell CD. (2011). Guideline for primary prevention of stroke: a guideline for healthcare professionals from american heart association. A Journal of Cerebral Circulation. 42(2). pp: 517-584.
- Goldszmidt, A.J, Caplan, L.R. (2009). Esensial stroke. Jakarta : EGC. p: 52.
- Haghighi A.B, Karimi A.A, Amiri A, Ghaffarpasand F. (2009). Knowledge and attitude towards stroke risk factors, warning symptoms and treatment in an Iranian population. Diakses dari <http://www.biomedcentral.com/1471-2318/9/35>. Februari 2016.
- Hankey GJ (2013). The global and region burden of stroke. Lancet. pp: 239-240.
- Hankey GJ and Mardlaw JM. (2002). Clinical neurology. London : Hanson Publishing. p: 751.
- Harsono. (2011). Buku ajar neurologi klinis. Faktor Risiko GPDO. Yogyakarta: Gajah Mada University Press. pp: 59-65

Hickey A, et al. (2009). Stroke awareness in the general population : knowledge of stroke risk factors and warning sign in older adult. Ireland. Diakses dari

[.nlm.nih.gov/pubmed/19656359](http://pubmed.nlm.nih.gov/pubmed/19656359). Juni 2016.

Japardi Iskandar. (2002). Patomekanisme stroke infark aterotrombotik. (lecture online), (<http://repository.usu.ac.id/handle/123456789/1972>, diakses tanggal 17 Februari 2016)

Lee Cheng Meng. (2011). Gambaran pengetahuan, sikap, dan tindakan mahasiswa fakultas ekonomi Universitas Sumatera Utara angkatan 2008 tentang stroke. Medan.

Myint, et al. (2008). A study of constraint-induced movement therapy in subacute stroke patients in Hongkong. Diakses dari

[.nlm.nih.gov/pubmed/18212033](http://pubmed.nlm.nih.gov/pubmed/18212033). Juni 2016.

Notoadmodjo. (2003). Ilmu perilaku kesehatan. Jakarta: Rineka Cipta.

Notoadmodjo. (2010). Metodologi penelitian kesehatan. Jakarta: Rineka Cipta.

NSA (National Stroke Association). (2014). Stroke risk factor. p: 2.

Pandian, et al. (2002). Public awareness of warning symptoms, risk factors, and of stroke in Northwest India. Diakses dari www.stroke-ahajournals.org/content/36/3/644. Juni 2016

Price SA, Wilson LM. (2003). Patofisiologi konsep klinis proses-proses penyakit edisi 6. Penerjemah Pendit bu, et al., Jakarta: EGC. p: 681.

Rahayuningsih, S.E. (2011). Prevention of atherosclerosis should start in childhood. Dalam 15th Indonesia Congress of Pediatrics. Universitas Padjajaran.

Riset Kesehatan Dasar. (2013). Kecendrungan prevalensi stroke per 1000* menurut provinsi 2007-2009. Jakarta, pp: 91-130.

Riset Kesehatan Dasar. (2007). Riset kesehatan edisi 2007. Jakarta, p: 157.

Sarigumilan, Rahmi. (2013). Hubungan komponen konsep diri dengan kejadian

depresi pada pasien pasca stroke
di poliklinik saraf RSUP Dr.M.Djamil
Padang. Skripsi, Universitas
Andalas.

Sarwono, Sarlito W. (2006). Pengantar umum psikologi. Jakarta: PT Bulan
Bintang.

Stroke Association. (2015). Stroke statistics. Diakses dari
<http://www.stroke.org.uk>.
Februari 2016.

Wirawan, R.P. (2009). Rehabilitasi Stroke pada Pelayanan Kesehatan Primer.
Vol : 59. Jakarta. pp: 63-64.

World Health Organization. (2014). Stroke. p: 1.

World Health Organization. (2011). The top 10 causes of death. (online :
<http://who.int/mediacentre/factsheets/fs310/en/index.html#>) diunduh
tanggal 5 Maret 2016

World Health Organization. (2006). Neurological disorder: Public Health
Challenges Switzerland. WHO
Press.



