

DAFTAR PUSTAKA

- Abdala C, Visser-Dumont L (2001). Distortion product otoacoustic emissions: A tool for hearing assessment and scientific study. *The Volta Review*, 103(4): 281-302.
- Aditiawati, Erwin H, Athiah M (2013). Clinical approaches and intervention of growth and developmental disorders in daily practice. Palembang: Departemen Ilmu Kesehatan Anak FK UNSRI-RSMH, pp: 127-145.
- Ahmed S, Fallah S, Garrido B, Gross A, King M, Morrish T, et.al (2007). Use of portable audio devices. *Journal from Department of Psychology Universitas Toronto*, 35: 35-52.
- Akmalia A (2016). Hubungan penggunaan peranti dengar dan bising mesin terhadap fungsi pendengaran pada siswa SMK X di Tangerang Selatan. Jakarta. Fakultas Ilmu Kesehatan dan Kedokteran Universitas Islam Negeri Syarif Hidayatullah. Skripsi.
- Barret KE, Barman SM, Boitano S, Brooks HL (2012). Ganong's review of medical physiology. Edisi 24. Amerika Serikat: Mc-Graw Hill Companies.
- Bashiruddin J, Soetirto I (2009). Gangguan pendengaran akibat bising. Dalam: Soepardi EA, Iskandar N, Bashiruddin J, Restuti RD. *Buku Ajar Ilmu Kesehatan Telinga, Hidung, Tenggorok, Kepala & Leher*. Edisi ke 6. Jakarta: Fakultas Kedokteran Universitas Indonesia Press, pp: 49 – 52.
- Beatrice D (2013). Priority medicines for europe and the world “A public health approach to innovation” : Hearing Loss. http://www.who.int/medicines/areas/priority_medicines/BP6_21Hearing.pdf – Diakses Juni 2016.
- Buchari (2007). *Kebisingan industri dan hearing conservation program*. Medan: Universitas Sumatera Utara Digital Library.
- Campbell KCM (2006). Otoacoustic emissions. <http://www.emedicine.com/ent/topic372.htm> - Diakses Oktober 2016.
- Cashidy JW, Ditty KM (2001). Gender differences among newborns on a transient otoacoustic emissions test for hearing. *Journal of Music Therapy*, 38 (1) : 28-35.
- Dahlan MS (2012). *Langkah-langkah membuat proposal penelitian bidang kedokteran dan kesehatan*. Edisi kedua. Jakarta: Sagung Seto.
- DeKalb, Frederick P (2004). Earbud headset. U.S. Patent No. 6,810,987.
- Dhar S, Hall JW (2011). *Otoacoustic emissions: Principles, procedures, and protocols*. San Diego: Plural Publishing. pp: 53-78.

- Dhingra PL, Dhingra S (2014). Disease of ear, nose, and throat& head and neck surgery. India: Elsevier.
- Dobie R (2003). Idiopathic sudden sensorineural hearing loss. Dalam: Snow JB. Ballenger's Manual of Otorhinolaryngology Head and Neck Surgery. Edisi ke 16. London: DC Decker.
- Feder K, Michaud D, Ramage-Morin P, Mc-Name J, Beauregard Y (2015). Prevalence of hearing loss among Canadians aged 20 to 79: Audiometric results from the 2012/2013. Canadian Health Measures Survey. Statistics Canada, 26(7) : 18 – 25.
- Gagnon, T (2010). Critical review: Are otoacoustic emissions effective for characterizing subclinical auditory impairment in normal hearing individuals with type I diabetes mellitus?. <https://www.uwo.ca/fls/lwm/ebp/reviews/2009-10/Gagnon.pdf> - Diakses Oktober 2016.
- Goncalves CL, Dias FAM (2014). Audiological findings in young users of headphones. Revista CEFAC, 16(4) : 1097-1108.
- Harding AH, Frost GA, Tan E, Tsuchiya A (2015). Loss of healthy life due to UK noise exposure valued at €1.34 billion. Dalam: European Commission. Science for environmental policy, thematic issue: Noise impacts on health, pp: 11.
- Herman NWP (2011). Prevalensi gangguan pendengaran pada mahasiswa program studi pendidikan dokter Universitas Islam Negeri Syarif Hidayatullah Jakarta tahun 2011. Jakarta, Universitas Islam Negeri Syarif Hidayatullah Jakarta. Skripsi.
- Ignatova IR, Shilov SN, Vakhrushev SG, Pokidysheva LI (2015). Modern schoolchildren's passion for headphones and earphones: What are consequences?. Journal of Siberian Federal University, 9: 1911-1918.
- Isaacson J, Vora N (2003). American Family Physician Review : Differential Diagnosis and Treatment of Hearing Loss. American Family Physician, 68(6) : 1125-1134.
- Kementerian Kesehatan Republik Indonesia (2011). Seri pedoman tatalaksana penyakit akibat kerja bagi petugas kesehatan: Penyakit THT Akibat Kerja. Jakarta: Kementerian Kesehatan Republik Indonesia.
- Kementerian Tenaga Kerja dan Transmigrasi (2011). Peraturan Menteri Tenaga Kerja dan Transmigrasi Republik Indonesia nomor Per.13/MEN/X/2011 tentang nilai ambang batas faktor fisika dan faktor kimia di tempat kerja. www.pnk3.com/files/perpu/503421Permen%20NAB%20dan%20NAK.pdf – Diakses Oktober 2016.

- Kim MG (2009). Hearing threshold of Korean adolescents associated with the use of personal music players. *Yonsei Medical Journal*, 50(6): 771-776.
- Laoh A (2015). Hubungan penggunaan headset terhadap fungsi pendengaran pada mahasiswa angkatan 2012 Fakultas Kedokteran Universitas Sam Ratulangi. *Jurnal Kedokteran Komunitas Topik*, 3(3) : 142-147.
- Lonsbury-Martin BL, Martin GK (2007). Otoacoustic emissions. Dalam: Burkard RF, Don M, Eggermont JJ. *Auditory evoked potentials: Basic principles and clinical application*. Baltimore: Lippincott Williams & Wilkins, pp : 159-179.
- Marieb EN, Hoehn K (2015). *Human anatomy & physiology*. Edisi kesepuluh. Boston: Pearson Education, Inc.
- Munilson J, Edward Y, Hafiz A (2009). *Gangguan pendengaran akibat bising: Tinjauan Beberapa Kasus*. Padang: Repository Unand.
- Passchier-Vermeer W, Vos H, Steenbekkers JHM (1998). Popmusic through headphones and hearing loss. *TNO Prevention and Health*, 98 : 36.
- Pearson JD, Morrell CH, Gordon-Salant S, Brant LJ, Metter J, Klein LL, Fozard JL (1998). Gender differences in a longitudinal study of age-associated hearing loss. *The Journal of The Acoustical Society of America*, 97 : 1196.
- Pradana A (2013). Hubungan antara kebisingan dengan stress kerja pada pekerja bagian gravity PT. Dua Kelinci. Semarang, Universitas Negeri Semarang. Skripsi.
- Rahadian J, Praswoto NA, Haryono R (2010). Pengaruh penggunaan *earphone* terhadap fungsi pendengaran remaja. *Majalah Kedokteran Indonesia*, 60(10): 468 – 473.
- Rambe A (2003). *Gangguan pendengaran akibat bising*. Medan: Universitas Sumatera Utara Digital Library.
- Robert AD (2006). Noise induced hearing loss. Dalam : Bailey BJ. *Head and Neck Surgery-Otolaryngology*. Edisi keenam. Baltimore : Lippincott Williams & Wilkins, pp: 2190-2195.
- Sabri L, Hastono SP (2014). *Statistik Kesehatan*. Edisi pertama. Jakarta: Rajawali Press. pp: 141-153.
- Salawati L (2013). Noise-induced hearing loss. *Jurnal Kedokteran Syiah Kuala*, 13(1): 45-49.
- Salim SL, Hartanto DD, Sylvia M (2014). Perancangan kampanye bijak menggunakan *earphone*. <http://studentjournal.petra.ac.id/index.php/dkv/article/download/1894/1699> - Diakses September 2016.

- Sazili M. Hubungan perilaku bermain game online menggunakan *earphone* dengan gangguan fungsi pendengaran pada remaja usia 12-19 tahun di counter game online AS net dan Fathan net perum Cipta Emerald Kelurahan Belian Kota Batam Tahun 2013. <http://www.academia.edu/5218118/Jurnal> - Diakses Maret 2017.
- Serra MR, Biassoni EC, Utz R, Minoldo G, Franco G (2005). Recreational noise exposure and its effect on hearing of adolescents. *International Journal Audiology*, 44 : 65-73.
- Shaffer LA, Dhar S (2006). DPOAE component estimates and their relationship to hearing thresholds. *Journal of American Academy of Audiology*, 17(4): 279-292.
- Sherwood L (2014). *Human physiology from cell to systems*. Edisi kesembilan. Kanada : Cengage Learning. pp: 211-224.
- Shier D, Butler J, Lewis R (2009). *Hole's essentials of human anatomy & physiology*. Edisi kesebelas. New York: Mc Graw Hill Companies, pp:270-275.
- Snell RS (2012). *Clinical anatomy by regions*. Edisi kesembilan. Philadelphia: Lippincott Williams & Wilkins, pp: 562-569.
- Soetirto I, Hendarmin H, Bashiruddin J (2009). Gangguan pendengaran. Dalam: Soepardi EA, Iskandar N, Bashiruddin J, Restuti RD. *Buku Ajar Ilmu Kesehatan Telinga, Hidung, Tenggorok, Kepala & Leher*. Edisi ke 6. Jakarta : Fakultas Kedokteran Universitas Indonesia Press. pp: 10 – 22.
- Sokol J, Hyde M (2002). Hearing screening. *Pediatrics in Review*, 23(5): 155-162.
- Syakila N (2014). Hubungan lama paparan penggunaan earphone musik terhadap terjadinya gangguan pendengaran akibat bising pada mahasiswa fakultas kedokteran universitas syiah kuala. Banda Aceh : Universitas Syiah Kuala.
- Tjan H, Lintong F, Supit W (2013). Efek bising mesin elektronika terhadap gangguan pendengaran pada pekerja di kecamatan Sario kota Manado, Sulawesi Utara. *Jurnal e-Biomedik*, 1 (1): 34-39.
- Tortora GJ, Derrickson B (2009). *Principles of anatomy and physiology*. Edisi kedua belas. Amerika Serikat: John Wiley & Sons, pp: 620-628.
- Trihandani O (2008). Gambaran hasil pemeriksaan emisi otoakustik sebagai skrining awal pendengaran bayi baru lahir di RSUP H. Adam Malik Medan dan Balai Pelayanan Kesehatan Dr. Pirngadi Medan. Medan, Universitas Sumatera Utara. Skripsi.

- Ueberfuhr MA, Fehlberg H, Goodman SS, Withnell RH (2016). A DPOAE assessment of hair cell integrity in ears with age-related hearing loss. *Hearing Research*, 322(2): 137-150.
- Valente M, Valente LM, Goebel J (1992). High frequency thresholds: circumaural earphone versus insert earphone. *Journal of the American Academy of Audiology*, 3(6): 410-418.
- Vogel I, Brug J, Van der Ploeg CP, Raat H (2011). Adolescents Risky MP3-Player Listening and Its Psychosocial Correlates. *Health Aeduc Res*, 26: 254-264.
- WHO (2007). Situation review and update on deafness, hearing loss, and intervention programmes. http://apps.searo.who.int/pds_docs/B3177.pdf - Diakses Agustus 2016.
- WHO (2015a). A review: Hearing loss due to recreational exposure to loud sounds. http://apps.who.int/iris/bitstream/10665/154589/1/9789241508513_eng.pdf - Diakses Mei 2016.
- WHO (2015b). Deafness and hearing loss. <http://www.who.int/mediacentre/factsheets/fs300/en/> - Diakses September 2016.
- Williams W, Beach EF, Gilliver M (2010). Clubbing : The cumulative effect of noise exposure from attendance at dance clubs and night clubs on whole-of-life noise exposure. *Noise Health*, 12 : 155-158.
- Zain TR (2016). Gambaran perilaku remaja terhadap penggunaan earphone pada siswa SMA Negeri Kota Padang. Padang, Universitas Andalas. Skripsi.

