

DAFTAR PUSTAKA

- Menteri Kesehatan Republik Indonesia. Peraturan pemerintah Republik Indonesia nomor 33 tahun 2012 tentang pemberian air susu ibu eksklusif. Kementerian Kesehatan Republik Indonesia Tahun 2012.
- Aldy OS, Lubis BM, Sianturi P, Azlin E, Tjipta GD. Dampak proteksi air susu ibu terhadap infeksi. *Sari Pediatri*.2009;11(3):167-173.
- National health and medical research council. Infant feeding guidelines. Canberra: National Health and Medical Research Council. December 2012.
- American Academy of Pediatrics. Breastfeeding and the use of human milk. *Pediatr*. 2012;129:e827.
- Lawrence RM, Pane CA. Human breast milk: current concepts of immunology and infectious diseases. *Curr Probl Pediatr Adolesc Health Care* .2007;37:7-36.
- Matondang CS, Munasir Z, Sumadiono. Aspek imunologi air susu ibu. Dalam: Akib AAP, Munasir Z, Kurniati N, ed. Buku ajar alergi-imunologi anak. 2nd ed. Jakarta: Badan Penerbit IDAI.2008:189-203.
- Riskerdas. 2014. Riset Kesehatan Dasar (RISKESDAS) 2014. Badan Penelitian dan Pengembangan Kesehatan. Kementerian Kesehatan RI.
- Queiroz VVO, Assis ANO, Junior HCR. Protective effect of human lactoferrin in the gastrointestinal tract. *Rev.Paul.Pediatr*. 2013;31(1):90-95
- Valenti P, Vogel HJ. Lactoferrin, all roads lead to Rome. *BioMetals*. 2014;27:803-806.
- Ella EE, Ahmad AA, Umoh VJ, Ogala WN, Balogun TB. Lactoferrin levels in human breast milk among lactating mothers with sick and healthy babies in Kaduna State, Nigeria. *Int.J.Med.Med.Sci*. 2009;1(11):495-500.
- Ella EE, Ahmad AA, Umoh V J, Ogala WN, Balogun TB, Musa A. Studies on the interaction between IgA, lactoferrin and lysozyme in the breastmilk

- of lactating women with sick and healthy babies. *J.Infect.Dis.Immun.* 2011;3(2):24-29.
- Riskin A, Almog M, Peri R, Halasz K, Srugo I, Kessel A. Changes in immunomodulatory constituents of human milk in response to active infection in the nursing infant. *Pediatr.Res.* 2012;71(2):220-225.
- Hassiotou F, Hepworth AR, Metzger P, Lai CT, Trengove N, Hartmann PE, et al. Maternal and infant infections stimulate a rapid leukocyte response in breastmilk. *Clin.Transl.Immunol.* 2013;2(e3):1–10.
- Breakey AA, Hinde K, Vallengia CR, Sinofsky A, Ellison PT. Illness in breastfeeding infants relates to concentration of lactoferrin and secretory Immunoglobulin A in mother's milk. *Evol.Med.PublicHealth.* 2015: 21-31
- Mexitalia M. Air susu ibu dan menyusui. Dalam: Damayanti RS, Lestari ED, Mexitalia M, Nasar SS, ed. Buku ajar nutrisi pediatrik dan penyakit metabolik. Jakarta: Badan Penerbit IDAI. 2011:77-97.
- Story L, Parish T. Breastfeeding helps prevent two major infant illness. *IJAHSF.* 2008;6(3):1-5.
- Ahmed EM, Ibrahim IA, Husein AAEM, Ahmed FA. Impact of breast feeding versus formula feeding on surgical wound healing in infants during the first three months of age. *IJSBAR.* 2013;10(1):25-37.
- Bachour P, Yafawi R, Jaber F. Effects of smoking, mother's age, body mass index, and parity number on lipid, protein, and secretory immunoglobulin a concentrations of human milk. *Breastfeed.Med.* 2012;7(3):179-188.
- Shashiraj, Faridi MMA, Singh O, Rusia U. Mother's iron status, breastmilk iron and lactoferrin-are they related? *Eur.J.Clin.Nutr.* 2006;60:903–908.
- Chang JH, Chen CH, Fang LJ, Tsai CR, Chang YC, Wang TM. Influence of prolonged storage process, pasteurization, and heat treatment on biologically-active human milk proteins. *Pediatr.Neonatol.* 2013;54:360-366.

- Molinari CE, Casadio YS, Arthur PG, Hartmann PE. The effect of storage at 25°C on proteins in human milk. *Int.DairyJ.* 2011;21:286-293.
- Adlerova L, Bartoskova A, Faldyna M. Lactoferrin: a review. *Vet.Med.* 2008;53(9):457-468.
- Latorre D, Puddu P, Valenti P, Gessani S. Reciprocal interactions between lactoferrin and bacterial endotoxins and their role in the regulation of the immune response. *Toxins.* 2010;2:54-68.
- Berlutti F, Pantanella F, Natalizi T, Frioni A, Paesano R, Polimeni A, et al. Antiviral properties of lactoferrin - a natural immunity molecule. *Molecules.* 2011;16:6992-7018.
- González-Chávez SA, Arévalo-Gallegos S, Rascón-Cruz Q. Lactoferrin: structure, function and applications. *Int.J.Antimicrob.Agents.* 2009;33:301e1-301e8.
- Liu B, Newburg DS. Human milk glycoproteins protect infants against human pathogens. *Breastfeed.Med.* 2013;8(4):354-362.
- Ferrer PAR, Baroni A, Sambucetti ME, Lopez NE, Cernadas JMC. Lactoferrin levels in term and preterm milk. *J.Am.Coll.Nutr.* 2000;19(3):370-373.
- Embleton ND, Berrington JE, McGuire W, Stewart CJ, Cummings SP. Lactoferrin: antimicrobial activity and therapeutic potential. *Semin.Fetal.Neonat.M.* 2013;xxx:1-7.
- Hanson LA. Feeding and infant development Breast-feeding and immune function. *Proc.Nutr.Soc.* 2007;66:384-396.
- Roseanu A, Brock JH. What are the structure and the biological function of lactoferrin in human breast milk? *IUBMB Life.* 2006;58(4):235-237.
- Hanson LA. Breast-feeding and protection against infection. *Scand.J.Food.Nutr.* 2006;50(1):32-4.
- Krissansen GW. Emerging health properties of whey proteins and their clinical implications. *J.Am.Coll.Nutr.* 2007;26(6):713S-23S

- Farnaud S, Evans RW. Lactoferrin-a multifunctional protein with antimicrobial properties. *Mol.Immunol.* 2003;40:395–405.
- Aguila AA, Brock JH. Lactoferrin: antimicrobial and diagnostic properties. *Biotechnol.Apl.* 2001;18(2):76-83.
- Walker A. Breast milk as the gold standard for protective nutrients. *J.Pediatr.* 2010;156:S3-S7.
- Conneely OM. Antiinflammatory activities of lactoferrin. *J.Am.Coll.Nutr.* 2001;20(5):389S–95S.
- De la Rosa G, Yang D, Tewary P, Varadhachary A, Oppenheim JJ. Lactoferrin acts as an alarmin to promote the recruitment and activation of APCs and antigen-specific immune responses. *J.Immunol.* 2008;180:6868-6876.
- Kruzel ML, Zimecki M. Lactoferrin and immunologic dissonance: clinical implications. *Arch.Immunol.Ther.Exp.* 2002;50:399–410.
- Aguila A, Herrera AG, Morrison D, Cosgrove B, Perojo A, Montesinos I, et al. Bacteriostatic activity of human lactoferrin against *Staphylococcus aureus* is a function of its iron-binding properties and is not influenced by antibiotic resistance. *FEMS Immunol.Med.Microbiol.* 2001;31:145-152.
- Hendrixon DR, Qiu J, Shewry SC, Fink DL, Petty S, Baker EN, et al. Human milk lactoferrin is a serine protease that cleaves Haemophilus surface proteins at arginine-rich sites. *Mol.Microbiol.* 2003;47(3):607–17.
- Nibbering PH, Ravensbergen E, Welling MM, Van Berkel A, Van Berkel PHC, Pauwels EKJ, et al. Human lactoferrin and peptides derived from its N terminus are highly effective against infections with antibiotic-resistant bacteria. *Infect.Immun.* 2001;69(3):1469-1476.
- Ochoa TJ, Cleary TG. Effect of lactoferrin on enteric pathogens. *Biochimie.* 2009;91(1):30-34.

- Yen CC, Shen CJ, Hsu WH, Chang YH, Lin HT, Chen HL, et al. Lactoferrin-an iron-binding antimicrobial protein against *Eschericia coli* infection. *BioMetals*. 2011;24(4): 585-94.
- Yekta MA, Verdonck F, Van Den Broeck W, Goddeeris BM, Cox E, Vanrompay D. Lactoferrin inhibits *E. coli* O157:H7 growth and attachment to intestinal epithelial cells. *Vet.Med*. 2010;55(8):359-368
- Araújo AN, Giugliano LG. Lactoferrin and free secretory component of human milk inhibit the adhesion of enteropathogenic *Escherichia coli* to HeLa cells. *BMC Microbiol*. 2001;1: 25.
- Giugliano LG, Ribeiro STG, Vainstein MH, Ulhoa CJ. Free secretory component and lactoferrin of human milk inhibit the adhesion of enterotoxigenic *Escherichia coli*. *J.Med.Microbiol*. 1995;42:3-9.
- Willer EM, Lima RL, Giugliano LG. In vitro adhesion and invasion inhibition of *Shigella dysenteriae*, *Shigella flexneri* and *Shigella sonnei* clinical strains by human milk proteins. *BMC Microbiol*. 2004;4:18
- León-Sicairos N, López-Soto F, Reyes-López M, Godinez-Vargas D, Ordaz-Pichardo C, De la Garza M.. Amoebicidal activity of milk, apolactoferrin, sIgA and lysozym. *J.Clin.Med.Res*. 2006;4(2):106-113.
- Purnamawati S. Faktor-faktor yang berhubungan dengan pola pemberian asi pada bayi usia 4 bulan. *MPK*.2003:XIII(3):29-37
- Kementerian Kesehatan Republik Indonesia. Buku bagan manajemen terpadu balita sakit (MTBS). Kementerian Kesehatan Republik Indonesia : Jakarta, 2015.
- Wati E. Hubungan episode infeksi saluran pernafasan akut (ISPA) dengan pertumbuhan bayi umur 3 sampai 6 bulan di Kecamatan Suruh Kabupaten Semarang. Tesis. Program Pasca Sarjana, Universitas Diponegoro: Semarang. 2005.
- Rahmitasari P, Ichsan B, Ermawati S. Perbedaan frekuensi diare antara bayi yang diberi ASI eksklusif dengan bayi yang diberi susu formula pada

rentang usia 2- 4 bulan di wilayah kerja Puskesmas Klaten Tengah. *Biomedika*.2012; 4(2):26-30.

Kementerian Kesehatan Republik Indonesia. Profil kesehatan Indonesia tahun 2014. Jakarta: Kementerian Kesehatan RI, 2015.

Riskerdas. 2013. Riset Kesehatan Dasar (RISKESDAS) 2013. Badan Penelitian dan Pengembangan Kesehatan. Kementrian Kesehatan RI.

Kementerian Kesehatan Republik Indonesia. Situasi dan analisis ASI eksklusif. Pusat Data dan Informasi Kementerian Kesehatan RI, 2014.

Montagne P, Cuillere ML, Mole C, Bene MC, Faure G. Changes in lactoferrin and lysozyme levels in human milk during the first twelve weeks of lactation. Dalam: Newburg, ed. *Bioactive Components of Human Milk*. New York: Kluwer Academic/Plenum Publishers.2001:241-247.

Rai D, Adelman AS, Zhuang W, Rai GP, Boettcher J, Lonnerdal B. Longitudinal changes in lactoferrin concentrations in human milk: a global systematic review. *Crit.Rev.Food Sci.Nutr*. 2014;54(12):1539-1547.

Bachrach VRG, Schwarz E, Bachrach LR. Breastfeeding and the risk of hospitalization for respiratory disease in infancy. *Arch.Pediatr.Adolesc.Med*. 2003;157:237-243.

Lonnerdal B. Bioactive proteins in breast milk. *J.Paediatr.Child.Health*. 2013;49(Suppl. 1):1-7.