

DAFTAR PUSTAKA

- Agbor, G.A., Vinson, J.A., & Donnelly, P.E. (2014). Folin-Ciocalteu reagent for polyphenolic assay. *Int. J. Food Sci. Nutr. Diet.* 3, 8, 147-156.
- Cadenas, E. & Packer, L. (2002). *Handbook of antioxidants*. Switzerland: Marcel Dekker Inc.
- Cools, K., Vicente, A., & Terry, L.A. (2011). *Methodologies for extraction, isolation, characterization and quantification of bioactive compounds in L.A. terry (Ed.) health-promoting properties of fruits and vegetables*. UK: CAB International.
- Dachriyanus. (2004). *Analisis struktur senyawa organik secara spektroskopi cetakan pertama*. Padang : Andalas University Press.
- Darwati, Bahti, H.H., Dachriyanus, & Supriyatna. (2009). Santon terpenilasi aktif antioksidan dari kulit batang *Garcinia cowa* Roxb. *Jurnal Bionatura*, 11, 2, 129-136.
- Departemen Kesehatan Republik Indonesia. (1995). *Farmakope Indonesia edisi IV*. Jakarta: Departemen Kesehatan Republik Indonesia.
- Departemen Kesehatan Republik Indonesia. (2000). *Parameter standar umum ekstrak tumbuhan obat*. Jakarta: Departemen Kesehatan.
- Departemen Kesehatan Republik Indonesia. (2008). *Farmakope herbal Indonesia*. Jakarta: Departemen Kesehatan Republik Indonesia.
- Dey, P.M. & Harbone, J.B. (1989). *Methods in plant biochemistry: plant phenolics*. New York: Academic Press.
- Food and Drug Administration. 2013. *Guidance for Industry: Bioanalytical Method Validation*. USA: Food and Drug Administration.
- Gandjar, I.G., & Rohman, A. (2007). *Kimia farmasi analisis*. Yogyakarta: Pustaka Pelajar.
- Han, Q.B., Yang, N.Y., Tian, H.L., Qiao, C.F., Song, J. Z., Chang, D. C.S., Chen, L., Luo, K.Q., and Xu, H. X. (2008). Xanthones with growth inhibition against hela cells from *Garcinia xipshuanbannaensis*. *Phytochemistry*, 69, 2187-2192.
- Harris, D.C. (2007). *Quantitative chemical analysis* (7th ed). New York: W.H. Freeman and Company.

- Iswari, K. (2011). *Kulit manggis bekhasiat tinggi*. Jakarta: PT Gramedia Pustaka Utama.
- Jeffery, G.H., Basset, J., Mendham, J., & Denney, R.C. (1989). *Vogel's textbook of quantitative chemical analysis* (5th ed.). New York: John Wiley Sons Inc.
- Jena, B.S., Jayaprakasha, G.K., & Sakariah, K.K. (2002). Organic acids from leaves, fruits, and rinds of *Garcinia cowa*. *Journal of Agricultural and Food Chemistry*, 50, 12, 3431-3434.
- Joseph, G.S., Jayaprakasha, G.K., Selvi, A.T., Jena, B.S., & Sakariah, K.K. (2005). Antiaflatoxic and antioxidant activities of garcinia extracts. *Int. J. Food Microbiol.* 101, 153-160.
- Kinsella, J.E., Frankel, E., German, B., & Kanmer, J. (1993). Possible mechanism for the protective role of antioxidants in wine and plants food. *J Food Technology*. 4, 5-89.
- Kumalaningsih, S. (2006). *Antioksidan alami*. Surabaya: Trubus Agrisarana.
- Likhitwitayawuid, K., Phadungchroen, T., & Krungkrai, J., (1998). Antimalarial xanthones from *Garcinia cowa*. *Planta Med.* 64, 70-72.
- Lim, K.L. (2012). *Edible medicinal and non-medicinal plants* (vol. 2). Berlin: Springer.
- Mahabusarakam, W., Chairerk, P., & Taylor, W.C. (2005). Xanthones from *Garcinia cowa* Roxb. latex. *Phytochemistry*, 66, 1148-1153.
- Mahabusarakam, W., Wiriyaichitra, P., & Taylor, W.C. (1987). Chemical constituents of *Garcinia mangostana*. *J. Nat. Prod.* 50, 474-478.
- Mates, J.M., Cristina, P.G., & De, C.I.N. (1999). Antioxidant enzymes and human diseases. *Clin Biochem.* 32, 595-603.
- Minami, H., Kinoshita, M., Fukuyama, Y., Kodama, M., Yoshizawa, T., Sugiura, M., Nakagawa, K., & Tago, H. (1994). Antioxidant xanthones from *Garcinia subelliptica*. *Phytochemistry*, 36, 501-506.
- Molyneux, P. (2004). The use of the stable free radical diphenyl picrylhydrazyl (dpph) for estimating antioxidant activity. *J. Sci. Technol.* 26, 2, 211-219.
- Munira, B.A., & Sadia A.C. (2015). Antibacterial, neuropharmacological and analgesic activities of *Garcinia cowa* (family: clusiaceae). *International journal of bioinformatics and biomedical engineering*. 1, 2, 112-117.

- Mustafa, R., Hamid, A., Mohamed, S., & Bakar, F. (2010). Total phenolic compounds, flavonoids, and radical scavenging activity of 21 selected tropical plants. *J of Food Science*. 75, C28-C35.
- Na, Z., Song, Q.S., & Hu, H.B. (2013). A new prenylated xanthone from latex of *Garcinia cowa* Roxb. *Rec Nat Prod*. 7, 3, 220-224.
- Negi, P.S., Jayaprakasha, G.K., & Jena, B.S. (2008). Antibacterial activity of the extracts from the fruit rinds of *Garcinia cowa* and *Garcinia pedunculata* against food borne pathogens and spoilage bacteria. *LWT-Food Sci. Technol*. 41, 1857-1861.
- Niu, S.L., Li, Z.L., Ji, F., Liu, G.Y., Zhao, N., Liu, X.Q., Jing, Y.K., & Hua, H. M. (2012). Xanthones from the stem bark of *Garcinia bracteata* with growth inhibitory effects against HL-60 cell. *Phytochemistry*, 77, 280-286.
- Panthong, K., Pongcharoen, S., Phongpaichit, & Taylor, W.C. (2006). Tetraoxygenated xanthones from the fruits of *Garcinia cowa*. *Phytochemistry*. 67, 999-1004.
- Pietta, P.G. (2000). Reviews: flavonoids as antioxidants. *J of Natural Products*, 63, 7, 1035-1042.
- Prior, R.L., Wu, X., & Scaich, K. (2005). Standardized methods for the determination of antioxidant capacity and phenolics in foods and dietary supplements. *J Agric Food Chem*. 53, 4294-4295.
- Rahardjo, M. & Hernani. (2005). *Tanaman berkhasiat antioksidan*. Jakarta: Penebar Swadaya.
- Ritthiwigrom, T., Laphookieo, S., & Pyne, G. (2013). Chemical constituents and biological activities of *Garcinia cowa* Roxb. *Maejo International J of Sciences and Technology*, 7, 2, 212-231.
- Rukachaisirikul, V., Kamkaew, N., Sukavisit, D., Phongpaichit, S., Sawangchote, P., & Taylor, W.C. (2003). Antibacterial xanthones from the leaves of *Garcinia nigrolineata*. *J Nat. Prod*. 66, 1531-1535.
- Sharma, S., Joseph, G.S., & Singh, R.P. (2014). Antioxidant and antiplatelet aggregation properties of bark extracts of *Garcinia pendunculata* and *Garcinia cowa*. *J Food Sci Technol*. 51, 8, 1626-1631.
- Silalahi, J. (2006). *Makanan fungsional*. Yogyakarta: Kanisius.

- Singleton, V.L., & Rossi, J.A. (1965). Colorimetry of total phenolics with phosphomolybdic – phosphotungstic acid reagents. *American J of Enology and Viticulture*, 16, 3, 144-158.
- Song, Q.S., Na, Z., & Hu, H.B. (2013). A new prenylated xanthone from latex of *Garcinia cowa* Roxb. *Academy of Chemistry of Globe Publications*, 7, 3, 220-224.
- Tjitrosoemo, G. (1993). *Taksonomi tumbuhan (spermatophyta)*. Yogyakarta: Gadjah Mada University Press.
- Trisuwan, K. & Ritthiwigrom, T. (2012). Benzophenone and xanthone derivatives from the inflorescent of *Garcinia cowa*. *Arch Pharm Res*. 35, 1733-1738.
- Vitchipan, S., Vitchipan, K., & Sirikkhansaeng, P. (2007). Flavonoid content and antioxidant activity of krachai-dum (*Kaempferia parviflora*) wine. *KMITL Sci. Tech. J.* 7, 97-105.
- Voigt, H. (1994). *Buku pelajaran teknologi farmasi*. Penerjemah: S. Noerono. Yogyakarta: Gadjah Mada University Press.
- Wadhwa, N., Mathew B.B., & Tiwari, A. (2012). Lipid peroxidation: mechanism, models and significance. *Int J Curr Sci USA*. 3.
- Wahyuni, F.S., Byrne, L.T., Dachriyanus, Dianita, R., Jubahar, J., & Lajis, N.H. (2004). A new ring-reduced tetraprenyltoluquinone and a prenylated xanthone from *Garcinia cowa*. *Aust. J. Chem.* 57, 3, 223-226.
- Wahyuni, F.S., Shaari, K., Stanslas, J., Lajis, N.H., & Dachriyanus. (2015). Cytotoxic xanthenes from the stem bark of *Garcinia cowa* Roxb. *J of Chemical and Pharmaceutical Research*, 7, 1, 227-230.
- Waterhouse, A. L. (2002). *Determination of total phenolic in R. E. wrolstad. current protocols in food analytical chemistry supplement 6*. Inc: John Wiley Sons.
- Widiyanti, R. (2006). *Analisa kandungan antioksidan dan fenol pada jahe*. Jakarta: Universitas Indonesia.
- Winarsi, H. (2007). *Antioksidan alami dan radikal bebas*. Yogyakarta: Kanisius.