

REFERENCES

- [1] Wedin R. Chemistry on a high-carb diet. Washington, DC: American Chemical Society 2004; 30–5.
- [2] La Mantia FP, Morreale M. Green composites: a brief review. *Compos Part A: Appl Sci Manuf* 2011;42:579–88.
- [3] Satyanarayana KG, Arizaga GGC, Wypych F. Biodegradable composites based on lignocellulosic fibers – an overview. *Prog Polym Sci* 2009;34:982–1021.
- [4] Roz, A., Carvalho, A., Gandini, A., & Curvelo, A. The effect of plasticizers on thermoplastic starch compositions obtained by melt processing. *Carbohydrate Polymers* 2006; 63, 417–424.
- [5] Lenz RW. Biodegradable polymers. *Adv Polym Sci* 1993;107:1–40.
- [6] Swinkels JJM. Composition and properties of commercial native starches. *Starch* 1985;37:1–5.
- [7] Bradbury, J.H., Holloway, W.D., 1988. *Chemistry of Tropical Root Crops: Significance for Nutrition and Agriculture in the Pacific*. Australian Centre for International Agricultural Research, Canberra, Australia
- [9] Shuhadah, S., Supri, M., Kamaruddin, H., 2008. Thermal analysis, water absorption and morphology properties of eggshell powder filled low density polyethylene composites. In: *Proceeding of MUCET 2008*, UniMAP, Kangar, Perlis, pp. 15–16.
- [10] Toro, Patricio, Quijad, Rau 1, Yazdani-Pedram, Mehrdad, Arias, Jose´ Luis. Eggshell a new bio-filler for polypropylene composites. *Materials Letters* 2007 ; 61 (22), 4347–4350.
- [11] Abdullah, A. Hussein 1, Rusel, D. Salim and Abdulwahab A. Sultan. Water absorption and mechanical properties of high density polyethylene/egg shell composite. *Journal of Basrah Researches ((Sciences))* 2011;37 (3A), 15.
- [12] William D. Callister, Jr. *Materials Science and Engineering An Introduction seventh edition*. John wiley and sons inc. 2006. USA.

- [13] Martin O, Averous L, Della Valle G. In-line determination of plasticized wheat starch viscoelastic behavior: impact of processing. *Carbohydrate Polymers* 2003;53:169–82.
- [14] Avérous L. Biodegradable multiphase systems based on plasticized starch: a review. *Polymer Reviews* 2004;44:231–74.
- [15] Yu L, Dean K, Li L. Polymer blends and composites from renewable resources. *Progress in Polymer Science* 2006;31:576–602.
- [16] Wang XL, Yang KK, Wang YZ. Properties of starch blends with biodegradable polymers. *Polymer Reviews* 2003;43:385–409.
- [17] Perez S, Baldwin PM, Gallant DJ. Structural features of starch granules I. In: James B, Roy W, editors. *Starch*. 3rd ed. San Diego. Academic Press 2009; 149–92.
- [18] Jane JL. Structural features of starch granules II. In: James B, Roy W, editors. *Starch*. 3rd ed. San Diego: Academic Press; 2009. p. 193–236.
- [19] Perez S, Bertoft E. The molecular structures of starch components and their contribution to the architecture of starch granules: a comprehensive review. *Starch/Starke* 2010;62:389–420.
- [20] Buleon A, Colonna P, Planchot V, Ball S. Starch granules: structure and biosynthesis. *International Journal of Biological Macromolecules* 1998;23:85–112.
- [21] Zobel HF. Molecules to granules: a comprehensive starch review. *Starch/Starke* 1988;40:44–50.
- [22] Avérous L, Halley PJ. Biocomposites based on plasticized starch.
- [23] Solomon SE. Egg and eggshell quality. London: Wolfe; 1991 149.
- [24] Parsons AH. Structure of the eggshell. *Poult Sci* 1982;61:2013.
- [25] Cain CJ, Heyn ANJ. *Biophys J* 1964;4:23.
- [26] Kitimasak W, Thirakhupf K, Moll DL. *Sci Asia* 2003;29:95.
- [27] Nys Y, Hincke MT, Arias JL, Garcia-Ruiz JM, Solomon SE. *Poult Avian Biol Rev* 1999;10:143.
- [28] Arias JL, Fink DJ, Xiao SQ, Heuer AH, Caplan AI. *Int Rev Cytol* 1993;145:217.
- [29] Addadi L, Weiner S. *Angew Chem Int Ed Engl* 1992;31:153.

- [30] Nakano T, Ikawa NI, Ozimek L. *Poult Sci* 2003;82:510.
- [31] Burley RW, Vadehra DV. *The eggshell and shell membranes: properties and synthesis- in the Avian egg, chemistry and biology*. New York: John Wiley; 1989 25.
- [32] Bronsch K, Diamantstein T. *Nature* 1965;207:635.
- [33] Nys Y, Gautron J, Garcí'A-Ruiz JM, Hincke MT. *C R Palevol* 2004;3:549.
- [34] Hamilton RMG. *Food Microstruct* 1986;55:99.
- [35] Rodríguez-Navarro A, Kalin O, Nys Y, Garcí'A-Ruiz JM. *Br Poult Sci* 2002;43:395.
- [36] Garcí'A-Ruiz JM, Rodríguez-Navarro A. Competitive crystal growth: the avian eggshell model. In: Allemand D, Cuif JP, editors. *Biom mineralization*, 93. Monaco: Muse'e Oce'anographique de Monaco; 1994. p. 85–94.
- [37] Powrie WD. *Chemistry of eggs and eggs products*. In: Stadelman WJ, Cotterill OJ, editors. *Egg science and technology*. Westport, Connecticut: the AVI publishing company, INC.; 1972. p. 65–91.
- [38] Abdel-Salam ZA, Abdoul AM, Harith MA. *Int J Poult Sci* 2006;5:35.
- [39] Hamilton RMG. *Food Microstruct* 1986;55:99.
- [40] Rodríguez-Navarro A, Kalin O, Nys Y, Garcí'A-Ruiz JM. *Br Poult Sci* 2002;43:395.
- [41] Garcí'A-Ruiz JM, Rodríguez-Navarro A. Competitive crystal growth: the avian eggshell model. In: Allemand D, Cuif JP, editors. *Biom mineralization*, 93. Monaco: Muse'e Oce'anographique de Monaco; 1994. p. 85–94.
- [42] A. G. Supri et all, 'Enhancing Interfacial Adhesion Performance by Using Poly(vinyl alcohol) in (Low-Density Polyethylene)/(Natural Rubber)/(Water Hyacinth Fiber) Composites. *Vinyl & bAdditive Technology* 2015
- [43] S. Siriwardena, H. Ismail, and U.S. Ishiaku, *Polym. Int* 2001; 50: 707
- [44] H. Scoog, *Principles of Instrumental Analysis*. Thomson Brooks/cole, 1998
- [45] Khalil, H. P. A., Ismail,H., Rozman, H. D., and Ahmad, M. N. The effect of acetylation on interfacial shear strength between plant fiber and various matrices.” *Eur.Polym. J.* 2001; 37(5), 1037-1045
- [46] M. Haque, M. Hasan, S. Islam, and E. Ali, “Bioresource Technology

Physico-mechanical properties of chemically treated palm and coir fiber reinforced polypropylene composites,” *Bioresour. Technol* 2009., vol. 100, no. 20, pp. 4903–4906.

- [47] Troedec, M., Sedan, D, Peyratout,C., Bonnet,J., Smith,A., Guinebretiere, R.,Gloatuen, V., Krausz,P. Influenceof Various ChemicalTreatments on the composition and structure of hemp fibers,” *Compos Part A* 2008; 39: 514-22,.
- [48] Nacos, M., Katapodos, P., Pappas, C., Daferera, D., Tarantilis, P. A., Christakopoulos, P., and Polissiou, M. Kenaf xylan-A source of biologically active acidic oligosaccharides. *Carbohydr.Polym.* 2006; 66(1), 126-134.
- [49] Yi Li, The physical properties of poly(l-lactide) and functionalized eggshellpowder composites. *International Journal of Biological Macromolecules* 2016; 85: 63–73
- [50] Munlika Booklad, Kaeta Kaewtatip, Biodegradation of Thermoplastic Starch/Eggshell Powder Composites. *Carbohydrate Polymers* 2013; 97, 315-320.

