

## DAFTAR PUSTAKA

- Aina YT, Omoigberale AI (2012). Risk factors for neonatal jaundice in babies presenting at the university of benin teaching hospital, benin city. *Niger J Paed*, 39(4): 159-163.
- Alimohamadi Y, Kashfi SM, Alizadeh S, Chaichian S, Akbari H, Abbari-Ghahramanloo A (2016). Comparison of frequency and risk factors of pathologic versus physiologic jaundice. *Manag Epidemiol Public Health* 1(1): 1-4.
- Angele MK, Pratschke S, Hubbard WJ, Chaudry IH (2014). Gender differences in sepsis. *Virulence*, 5(1): 12-19.
- Anggraini (2014). Hubungan antara persalinan premature dengan hiperbilirubin pada neonatus. *Jurnal Kesehatan*, V(2): 109-112.
- Akinbi H (2005). Ikterus pada bayi baru lahir. Dalam: Schwartz MW (ed). *Pedoman klinis pediatri*. Jakarta: EGC.
- Beck S, Wojdyla D, Say L, Betran AD, Merialdi M, Requejo JH, Ruberis C, et al (2010). The worldwide incidence of preterm birth: A systematic review of maternal mortality and morbidity. *Bull World Health Organ*, 88: 31-38.
- Buthani VK, Wong RJ (2013). Bilirubin neurotoxicity in preterm infants: Risk and prevention. *Journal of Clinical Neonatology*, 2(2): 1-80.
- Callahan JM (2005). Ikterus. Dalam: Schwartz MW (ed). *Pedoman klinis pediatri*. Jakarta: EGC, pp: 461-472.
- Chen J, Smith LEH (2007). Retinopathy of prematurity. *Angiogenesis*, 10: 133-140.
- Chowdhury MR, Chowdhury JR, Lu T (2007). Bilirubin metabolism. Dalam: Rodes J, Benhamou JP, Blei A, Reichen J, Rizetto M (eds). *The textbook of hepatology: From basic science to clinical practice*. UK: Blackwell Publishing, pp: 165-174.
- Cnattingius S, Villamor E, Johansson S (2013). Maternal obesity and risk of preterm delivery. *JAMA*, 309(22): 2362-2370.
- Cunningham FG, Leveno KJ, Bloom SL, Hauth JC, Rouse DJ, Spong CY (2009). Kelahiran kurang bulan. Dalam: Twickler DM dan Wendel GD (eds). *Terjemahan Brahm UP. Obstetri williams*. Jakarta: EGC, pp: 846-887.

- Dewi R (2008). Prosedur medic pada bayi baru lahir transfusi tukar. Dalam: Kosim MS, Yunanto A, Dewi R, Sarosa GI, Usman A (eds). Buku ajar neonatologi. Jakarta: Badan Penerbit IDAI, pp: 411-416.
- Dhanjal GS, Jain G, Singh M (2014). Clinico-etiological study of nonatal jaundice in a tertiary carecentre in ambala (Haryana) india. *Journal of Biomedical and Pharmaceutical Research*, 3(1): 64-67.
- Ebrahim GJ (2000). Care of the newborn in developing countries. [www.oxfordjournals.org/our\\_journals/tropei/online/](http://www.oxfordjournals.org/our_journals/tropei/online/) -Diakses April 2016.
- Fernanda M, Almeida B (2004). When should we start phototherapy in preterm newborn infants. *Jornal de Pediatria*, 80(4): 256-258.
- Figueroa R, Ogburn PL (2005). Preterm labor. Dalam: Martin RJ, Fanaroff AA, Walsh MC (eds). *Neonatal-perinatal medicine*. USA: Mosby Elsevier, pp: 329-335.
- Gomella TL, Cunningham MD, Eyal FG, Zenk KE (2008). Hyperbilirubinemia. Dalam: Gomella TL, Cunningham MD, Eyal FG, Zenk KE. *Neonatology: Management, procedures, on-call problems, disease, and drugs*. USA: McGraw Hill, pp: 381-395.
- Guzoglu N, Tandircioglu UA, Aliefendoglu D (2016). Management of hyperbilirubinemia in preterm infants in turkey. *Turk J Med Sci*, 46: 401-403.
- Hansen TW (2016). Neonatal jaundice. <http://emedicine.medscape.com/article/974786-overview> -Diakses April 2016.
- Hermansen CL, Lorah KN (2007). Respiratory distress in the newborn. *American Family Physician*, 76(7): 987-994.
- Irawan G, Kosim MS (2008). Prosedur medik pada bayi baru lahir terapi sinar. Dalam: Kosim MS, Yunanto A, Dewi R, Sarosa GI, Usman A (eds). Buku ajar neonatologi. Jakarta: Badan Penerbit IDAI, pp: 406-410.
- Jennifer A, Tioseco, Aly A, Milner J, Patel K, Elmohandes A (2005). Does gender affect neonatal hyperbilirubinemia in low birthweight infants. *Pediatr Crit Care Med*, 6(2): 171-174.
- Kale AV, Sharma PK, Jain AI, Ganjare BK (2016). Factors identifying babies at risk for significant hyperbilirubinemia: A prospective study conducted at a tertiary care center. *International Journal of Contemporary Pediatrics*, 3(4): 1262-1266.
- Kavitha V, Bollipo S, Varahala AM (2016). Clinical study of pathological jaundice in newborn. *IOSR-JDMS*, 15(3): 50-63.

- Kramer LI (1969). Advacement of dermal icterus in the jaundiced newborn. *Am J Dis Child*, 118(3): 454-458.
- Lain SJ, Roberts CI, Bowen JR, Nassar N (2015). Early discharge of infants and risk of redmission for jaundice. *Pediatrics*, 135(2): 314-321.
- Loftin RW, Habli M, Defrando EA, Synder CC, Cormier C, Lewis DF (2010). Late preterm birth. *Rev Obstet Gynecol*, 3(1): 10-19.
- Maisles MJ, Watchko JF, Buthani VK, Stevenson DK (2012). An approach to the management of hyperbilirubinemia in the preterm infant less than 35 week of gestation. *Journal of Perinatology*, 32: 660-664.
- Martin CR, Cloherty JP (2007). Neonatal hyperbilirubinemia. Dalam: Cloherty JP, Eichenwald EC, Stark AR (eds). *Manual of neonatal care*. Edisi ke 6. Philadelphia: Lippincott Williams and Wilkins, pp:181-212.
- Martiza I (2009). Ikterus. Dalam: Juffrie M, Soenarto S, Oswari H, Arief S, Rosalina I, Mulyani N (eds). *Buku ajar gastroenterology-hepatologi*. Jakarta: Badan Penerbit IDAI, pp: 269-294.
- Mauliku EN, Nurjanah A (2010). Faktor-faktor pada ibu bersalin yang berhubungan dengan kejadian hiperbilirubin pada bayi baru lahir di rumah sakit dustira cimahi tahun 2009. *Jurnal Kesehatan Kartika*, 16: 16-25.
- Mishra S, Agarwal R, Deorari AK, Paul VK (2008). Jaundice in the newborn. *Indian Journal of Pediatrics*, 75: 157-163.
- Moore ML (2002). Preterm birth: A continuing challenge. *J Perinat Educ*, 11(4): 37-40.
- Morioka I, Nakamura H, Iwatani S, Wong RJ, Iijima K (2016). International perspectives: Clinical kernikterus in preterm infants in japan. *Neoreviews*, 17(3): e124-e130.
- Murray RK (2009). Porfirin dan pigmen empedu. Dalam: Murray RK, Ganner DK, Rodwell VW (eds). *Terjemahan Brahm UP. Biokimia harper edisi 27*. Jakarta: EGC, pp: 296-300.
- Najib KS, Saki F, Hemmati F, Inaloo S (2013). Incidence, risk factors and causes of severe neonatal hyperbilirubinemia in the south of iran. *Iranian Red Crescent Medical Journal*. 15(3): 260-263.
- Narang A, Kumar P, Kumar R (2001). Neonatal jaundice in very low birth babies. *Indian J Pediatr*, 68(4):307-309.
- Okumura A, Kidokoro H, Shoji H, Nakazawa T, Mimaki M, Oba H, Shimizu T (2009). Kernikterus in preterm infants. *Pediatrics*, 123:e1052-e1058.

- Onyearugha CN, Onyire BN, Ugbama AA (2011). Neonatal jaundice: Prevalence and associated factors as seen in federal medical centre abakaliki, southeast Nigeria. *Journal of Medicine and Research*, 3(3): 40-45.
- Patel BK, Shah JS (2012). Necrotizing enterocolitis in very low birth weight infants: A systemic review. *ISRN Gastroenterology*: 1-7.
- Pietz J, Achanti B, Lilien L, Stepka EC, Merta S (2007). Prevention of necrotizing enterocolitis in preterm infants: A 20-year experience. *Pediatrics*, 119: e164-e170.
- Preudhomme DL (2006). Neonatal jaundice. <http://patients.gi.org/topics/neonatal-jaundice/> -Diakses Juni 2016
- Queensland Government (2010). Neonatal jaundice: Prevention, assessment, and management. [www.health.qld.gov.au/qcg/documents /g jaundice.pdf](http://www.health.qld.gov.au/qcg/documents/g_jaundice.pdf) - Diakses April 2016.
- Rahmi Y, Wahyu W, Anas E (2012). Pengaruh terapi pijat terhadap kenaikan berat badan bayi premature di rsup dr. m. djamil padang. *Ners Jurnal Keperawatan*, 8(2); 129-136.
- Randis TM (2008). Complications associated with premature birth. *American Medical Association*, 10(10): 647-650.
- Scrafford CG, Mullany LC, Katz J, Khatry SK, Leclercq SC, Darmstadt GL, Tielsch JM (2013). Incidence of and risk factors for neonatal jaundice among newborns in southern Nepal. *Tropical Medicine and International Health*, 18(11): 1317-1328.
- Sgro M, Campbell D, Shah (2006). Incidence and causes of severe neonatal hyperbilirubinemia in canada. *CMAJ*, 157(6): 587-590.
- Shilongo SN, Mukeri M, Gonzo M, Moyo SR (2017). Prevalence of critical bilirubin results among neonatal patients in windhoek, Namibia. *SM Journal of Family Medicine*, 1(1): 1001.
- Simonsen KA, Andersonberry AL, Delair SF, Davies HD (2014). Early-onset neonatal sepsis. *Clinical Microbiology Reviews*, 27(1): 21-39.
- Subanada IB, Kari IK, Hamid A (2003). Neurological impairment of children with history of prematurity and neonatal hyperbilirubinemia. *Paediatrica Indonesiana*, 43(3-4): 59-65.
- Sukadi (2008). Hiperbilirubinemia. Dalam: Kosim MS, Yunanto A, Dewi R, Sarosa GI, Usman A (eds). *Buku ajar neonatologi*. Jakarta: Badan Penerbit IDAI, pp: 147-169.

- Tamazi RM, Mustarim, Syah S (2013). Gambaran faktor risiko ikterus neonatorum pada neonatus di ruang perinatology RSUD Raden Mattaher Jambi tahun 2013. *Jambi Medical Journal*, 1(1):1-7.
- Ticker F, Tarcan A, Kilicdag H, Urakan BG (2006). Early onset conjugated hyperbilirubinemia in newborn infants. *Indian Journal of Pediatrics*, 73: 409-412.
- Tobah YS, Lamppa JA, Wick MJ (2014). Premature birth. <http://www.mayoclinic.org/diseases-conditions/prematurebirth/basics/complications/con-20020050> -Diakses Mei 2016
- Tucker J, Mcguire W (2004). Epidemiology of preterm birth. *BMJ*, 329: 675-678.
- Vergnano S, Sharland M, Kazembe P, Mwansambo C, Heath PT (2005). Neonatal sepsis: An international perspective. *Arch Dis Child Fetal Neonatal*, 90:F220- F224.
- Watchko JF (2005). Hyperbilirubinemia. Dalam: Martin RJ, Fanaroff AA, Walsh MC (eds). *Neonatal-perinatal medicine*. USA: Mosby Elsevier, pp: 1063-1075.
- Watchko JF, Maisels (2003). Jaundice in low birthweight infants: Pathobiology and outcome. *Arch Dis Child Fetal Neonatal*, 88: 455-458.
- WHO (2015). Preterm birth. <http://www.who.int/mediacentre/factsheets/fs363/en/> -Diakses Mei 2016.
- Wong RJ, Desandre GH, Sibley E, Stevenson DK (2006). Neonatal jaundice and liver disease. Dalam: Martin RJ, Fanaroff AA, Walsh MC (eds). *Neonatal-perinatal medicine*. USA: Mosby Elsevier, pp: 1419-1465.
- Kementrian Kesehatan RI (2015). Profil kesehatan Indonesia tahun 2014. [www.depkes.go.id/resources/download/pusdatin/profil-kesehatan-indonesia/profil-kesehatan-indonesia-2014.pdf](http://www.depkes.go.id/resources/download/pusdatin/profil-kesehatan-indonesia/profil-kesehatan-indonesia-2014.pdf)