

DAFTAR PUSTAKA

- Adebamowo CA, Spiegelman D, Berkey CS, Danby FW, Rockett HH, Colditz GA, Willett WC *et al* (2006). Milk consumption and acne in adolescent girls. *Dermatol Online J*, 12(4): 1
- Abulnaja KO (2009). Changes in hormone and lipid. Profil of obese adolescent Saudi females with acne vulgaris. *Braz J Med Bio Res*, 42: 501-505.
- Afriyanti RN (2015). Akne vulgaris pada remaja. *Jurnal Majority*, 4(6): 102-109.
- Ailhaud G (2000). Synthetic and recommendation. Childhold obesity: Screening and preventuon. *French Institute of Health and Medical Research (inserm)*, 1: 1-37.
- Anwar AI (2013). Tatalaksana akne vulgaris. Edisi ke 1. Makassar: Dua Satu Press, pp: 59-89
- Azwar A (2004). Tubuh sehat dan ideal dari segi kesehatan. Seminar kesehatan obesitas. FKM UI: Depok.
- Badan Penelitian dan Pengembangan Kesehatan Kementrian Kesehatan RI (2013). Riset Kesehatan Dasar (Riskesdas 2013). Jakarta: Kementrian Kesehatan Republik Indonesia.
- Bagatin E, Timpano DL, Guadanhim LR, Nogueira VM, Terzian LR, Steiner D, Florez M (2014). Acne vulgaris: Prevalence and clinical forms in adolescents from São Paulo, Brazil. *An Bras Dermatol*, 89(3): 428-435.
- Bhate K, Williams HC (2013). Epidemiology of acne vulgaris. *Br J Dermatol*. 168(3): 474-485
- Borgia F, Cannava S, Guarneri F (2004). Correlation between endocrinological parameters and acne severity in adult women. *Acta Derm Venereol*, 84: 201-204.
- Center for Disease Control and Prevention (CDC) (2012). Body mass index: Considerations for Practitioners, 1-4.
- Cordain L, Lindeberg S, Hurtado M, Hill Kim, Eaton B (2002). Acne vulgaris a disease of western civilization. *Arch Dermatol*, 138: 1584-1590.
- Cunliffe WJ, Gollnick GHM (2001). Clinical features. Acne: Diagnosis and management. London: Martin Dunitz, pp: 49-81.

- Darmstadt LG, Al Lane (1999). Akne. Dalam: Wahab, Samik, ed. Nelson ilmu kesehatan anak volume 3. Jakarta: EGC, pp: 2319-2323.
- Das S, Reynolds RV (2014). Recent advances in acne pathogenesis. *Am J Clin Dermatol*, 15(6): 479-488.
- Davey P (2005). *At a glance medicine*. Jakarta: Erlangga, pp: 54-55.
- Degitz K, Plewig G (2005). Adjunctive treatments for acne therapy. *J Dtsch Dermatol Ges*, 3: 92-96.
- Dorland N (2012). *Kamus kedokteran Dorland*. Edisi ke 29, Jakarta: EGC, pp: 120, 505, 909, 2080.
- Draelos ZD (2006). Skin care for the sensitive skin and rosacea patient: The biofilm and new skin cleansing technology. *Cos Derm*, 25:8-10.
- Dreno B, Poli F (2003). Epidemiology of acne. *Dermatology*, 206(1):7-10
- Efendi Z (2003). Peranan kulit dalam mengatasi terjadinya akne vulgaris. Available from <http://library.usu.ac.id/download/fk/histologi-zukesti3.pdf> - Diakses pada 5 April 2016.
- Flier JS, Maratos-FE (2015). Biology obesity. Dalam: *Harrison's principles of internal medicine*. Edisi ke 19. USA: McGraw-Hill Companies, pp: 2386-2391.
- Fulton J (2009). Acne vulgaris. *eMedicine Articles*. Available from <http://emedicine.medscape.com/article/1069804> - Diakses pada 20 Februari 2016.
- Ghods SZ, Orawa H, Zouboulis CC (2009). Prevalence, severity, and severity risk factors of acne in high school pupils : a community-based study. *J Invest Dermatol*, 129(9):2136-2141.
- Gollnick H (2003). Current concepts of the pathogenesis of acne: Implications for drug treatment. *Drugs*, 63: 1579-1596.
- Hanisah A, Omar K, Shah SA (2009). Prevalence of acne and its impact on the quality of life in school-aged adolescents in Malaysia. *J Prim Health Care*, 1(1): 20-25

- Hassink SG (2007). Epidemiology of childhood obesity. Dalam: A clinical guide to pediatric weight management and obesity. Edisi ke 1. USA: Lippincott William & Wilkins, pp: 7-16.
- Ismail NH, Zahara AM, Noor ZA (2012). High glycemic load diet, milk and ice cream consumption are related to acne vulgaris in Malaysian young adult : a case control study. *BMC Dermatol*, 12:13.
- Jae Yoon Jung, Mi Young Yoon, Seong Uk Min, Jong Soo Hong, Yu Sung Choi, Dae Hun Suh (2010). The influence of dietary patterns on acne vulgaris in Koreans. *Eur J Dermatol*, 20(6): 1-5.
- Kaymak Y, Esra A, Nisel I, Aysun B, Demet G, Bulent C (2007). Dietary glycemic index and glucose, insulin, insulin-like Growth Factor-I, insulin-like growth factor binding protein 3 and leptin levels in patient with acne. *J Am Acad Dermatol*, 57(5): 819-823.
- Kabau S (2012). Hubungan antara pemakaian jenis kosmetik dengan kejadian akne vulgaris. *M Med Indones*, 43(1): 32-6.
- Kane AB, Kumar V. (2004). Environmental and nutritional pathology. Dalam: Robbins and cotran pathologic basis of disease. Edisi ke 7. Philadelphia: Elsevier Saunders, pp: 461-466.
- Knutsen-LS, Dawson AL, Dunnick CA, Dellavalle RP (2012). Acne vulgaris: Pathogenesis, treatment, and needs assessment. *Dermatol Clin*, 30(1):99-106.
- Lai KW, Mercurio MG (2009). Update on the Treatment of Acne Vulgaris Update on the Treatment of Acne Vulgaris. *JCOM*, 16(3):115-126
- Lajevardi V, Seyede ZG, Maryam D, Homa K, Zeinab A, Azadeh G (2014). The relationship between body mass index and severity of acne. *Iran J Dermatol*, 17: 13-17.
- Legiawati L (2010). Perawatan kulit pada akne. *Medicinal Jurnal Kedokteran Indonesia*, 2: 17-19.
- Leyden JJ (2003). A review of the use of combination therapies for the treatment of acne vulgaris. *J Am Acad Dermatol*, 49(3): 200-210.
- Lu PH, Hsu CH (2014). Body mass index is negatively associated with acne lesion counts in Taiwanese women with post-adolescent acne. *JEADV*, 10; 1-5

- Lynn DD, Umari T, Dunnick CA, Dellavalle (2016). The epidemiology of acne vulgaris in late adolescence. *Adolesc Health Med Ther*, 7:13-25
- Madison LD, Boston BA (2009). Obesity dalam pediatric practice: Endocrinology. Edisi ke 2. USA: McGraw-Hill Education, pp: 321-341.
- Magin P, Adams J, Heading G, Pond D, Smith W (2006). The causes of acne: a qualitative study of patient perceptions of acne causation and their implications for acne care. *Dermatol Nurs*, 18(2): 344-349.
- Melnik BC, John SM, Plewig G (2013). Acne: Risk indicator for increased body mass index and insulin resistance. *Acta Derm Venereol*, 93: 644-649.
- Menaldi SLSW, Novianto E, Sampurna AT (2016). Akne vulgaris. Dalam: Atlas berwarna dan synopsis penyakit kulit. Jakarta: Badan Penerbit FK UI, pp: 135-137.
- Movita T (2013). Acne Vulgaris. *CDK-203*. 40(3): 269-272
- Must A, Anderson SE (2006). Body mass index in children and adolescents: Considerations for population-based applications. *Int J Obes*, 30: 590–594.
- Nelson AM, Thiboutot DM (2008). Biology of sebaceous glands. Dalam: Wolff K, Goldsmith LA, Katz SI, Gilchrest BA, Paller AS, Leffell DJ. *Dermatology In General Medicine*. McGraw-Hill, 9(1): 687-90.
- Notoatmodjo S (2005). *Metodologi penelitian kesehatan*. Jakarta : Rineka Cipta, p:88.
- Pawin H, Beylot C, Chivot M, Faure M, Poli F, Revus J, Dreno B (2004). Physiopathology of acne vulgaris: recent data, new understanding of the treatments. *Eur J Dermatol*, 14: 4-12.
- Prawirohardjo S (2013). *Ilmu kebidanan*. Jakarta: Yayasan Bina Pustaka Sarwono Prawirohardjo, p: 131
- Pudjiadi AH, Badriul H, Setyo H, Nikmah SI, Ellen PG, Eva DH, Klara Y *et al* (2009). *Pedoman pelayanan medis ikatan dokter anak Indonesia*. Jakarta: IDAI, p: 199.
- Ogden CL, Carroll MD, Curtin LR, McDowell MA, Tabak CJ, Flegal KM (2006). Prevalence of overweight and obesity in the United States, 1994-2004. *JAMA*: 295(13): 1549-1555.

- Rippe JM, Kyle JM, Kathleen JM (2001). Physician involvement in the management of obesity as a primary medical condition. *Obes Res*, 9: 302-311.
- Ramdani R, Sibero HT (2015). Treatment for acne vulgaris. *J Majority*, 4(2): 87-95
- Rzany B, Kahl C (2006). Epidemiology of acne vulgaris. *J Dtsch Dermatol Ges*, 4(1): 8-9.
- Sastroasmoro S, Ismael S (2011). *Dasar-dasar metodologi penelitian klinis*. Edisi ke 5. Jakarta: Sagungseto, p: 99
- Shen Y, Wang T, Zhou C, Wang X, Ding X, Tian S, Liu Y *et al* (2012). Prevalence of acne vulgaris in Chinese adolescents and adults: A community-based study of 17.345 subjects in six cities. *Acta Derm Venereol*, 92(1): 40-44.
- Smith RN, Neil JM, Anna B, Henna M, George AV (2007). A low glycemic load diet, improves symptoms in acne vulgaris patients. *Am J Clin Nutr*, 86: 107-15
- Sugondo S (2014). *Obesitas*. Dalam buku ajar ilmu penyakit dalam Jilid 2. Edisi 6. Jakarta: Interna Publishing, p: 2559-2569.
- Tan JK, Bhate K (2015). A global perspective on the epidemiology of acne. *Brit J Dermatol*, 172(1): 3-12.
- Tasoula E, Gregoriou S, Chalikias J, Lazarou D, Danopoulou I, Katsambas A, Rigopoulos D (2012). The impact of acne vulgaris on quality of life and psychic health in young adolescents in greece, results of a population survey. *Am Bras Dermatol*, 87(6): 862-869.
- Tayel DI, Omneya MA, Yehia FE, Adel EA (2013). Dietary intervention to alleviate acne severity. *Am J Research Communication*, 1(5): 65-79.
- Thiboutot D (2004). Regulation of human sebaceous glands. *J Invest Dermatol*, 123(1): 1-12.
- Tjekyan RM (2008). Kejadian dan faktor risiko akne vulgaris. *M Med Indones*, 43(1): 6-12.
- Truter I (2009). *Acne Vulgaris*. SA Pharmaceutical, 1; 12-19
- Tsai MC, Wenchieh YW, Cheng Yu, Guan Yu, Tzung Jen (2006). Higher body mass index is a significant risk factor for acne formation in schoolchildren. *Eur J Dermatol*, 16(3): 251-253.

- Wasitaatmadja SM (2007). Akne, erupsi akneiformis, rosasea, rinofima. Dalam: Djuanda A, Hamzah M, Aisah S. Ilmu penyakit kulit dan kelamin ed keenam. Jakarta: Badan Penerbit FK UI, p: 253-59.
- Wang Y, Lobstein T (2006). World trends in childhood overweight and obesity. *Int J Pediatr Obes*, 1(1):11-25.
- Wasitaatmadja SM, Arimuko A, Norawati L, Bernadette I, Legiawati L (2016). Pedoman tata laksana akne di Indonesia. Edisi ke 2. Jakarta: Centra Communications, pp: 1-3
- Widjaja ES (2000). Rosasea dan akne vulgaris. In : Harahap M. Ilmu penyakit kulit. Jakarta: Hipokrates, p: 35-45.
- World Health Organization Western Pacific Region (2000). International association for the study of obesity and the international obesity task force. The Asia-Pacific perspective: Redefining obesity and its treatment. Crows Nest, NSW, Australia: Health Communications Australia.
- World Health Organization (2010). 10 facts on obesity. World Health Organization. <http://www.who.int/features/factfiles/obesity/facts/en/> - Diakses pada 4 Mei 2016.
- World Health Organization (2013). Obesitas and overweight. <http://www.who.int/mediacentre/factsheets/fs311/en/> - Diakses pada 4 Mei 2016.
- Zaenglein AL, Graber AM, Thiboutot DM, Strauss JS (2008). Acne vulgaris and acneiform eruptions. In : Freedberg IM, Eisen AZ, Wolff K, eds. Fitzpatrick's dermatology in general medicine. McGraw Hill Inc., 120(4) 690-702.
- Zouboulis CC, Eady A, Philpott M, Goldsmith LA, Orfanos C, Cunliffe WC, Rosenfield R (2005). What is the pathogenesis of acne?. *Exp Dermatol*, 14: 143-52.