

## DAFTAR PUSTAKA

- Adamchic, I., Hauptmann, C., and Tass, P. A. (2012). Changes of oscillatory activity in pitch processing network and related tinnitus relief induced by acoustic CR neuro-modulation. *Front. Syst. Neurosci.* 6:18.
- Ahmed S, Fallah S, Garrido B, Gross A, King M, Morrish T, et.al (2007). Use of portable audio devices. *Journal from Department of Psychology Universitas Toronto*, 35: 35-52.
- American Tinnitus Association (2016). Understanding The Fact. <https://www.ata.org/understanding-facts> - (Accessed on 7 December, 2016)
- Ana G. R. E. E, Ukhun E. A, Shendell G. D, Osisanya P. A. (2012). Acute, Repeated Exposure to Mobile Phone Noise and Audiometric Status of Young Adult Users in a University Community. *International Scholarly Research Network, ISRN Public Health*, Vol. 2012, Article ID 241967, 7 p
- Andersson, G. (2002). Psychological aspects of tinnitus and the application of cognitive-behavioral therapy. *Clinical Psychology Review*, 22, 977-990.
- Andersson, G., Baguley, D. M., McKenna, L., & McFerran, D. (2005). *Tinnitus: A multidisciplinary approach*. London: Whurr Publishers.
- Apple. (2017). <http://headphones.specout.com/l/1105/Apple-EarPods#Reviews&s=rev> - (Accessed on March, 2017).
- ASUS. (2017). [https://www.asus.com/Headphones-earphones/STRIX\\_20/specifications/](https://www.asus.com/Headphones-earphones/STRIX_20/specifications/) - (Accessed on March, 2017).
- Atik A, (2011). Pathophysiology and Treatment of Tinnitus: An Elusive Disease. *Indian J Otolaryngol Head Neck Surg* 66(Suppl 1):S1-S5
- Ayache, D., Earally, F., & Elbaz, P. (2003). Characteristics and postoperative course of tinnitus in otosclerosis. *Otology and Neurotology*, 24, 48-51.
- Baguley, D. M. (2002). Mechanisms of tinnitus. *British Medical Bulletin*, 63, 195-212.
- Baguley, D. M. (2007, Summer). Progress on tinnitus. *ENT News*, 2-4.
- Baguley, D. M., McFerran D., Hall Deborah. (2013). Tinnitus. *The Lancet*. Vol, 382, No.9904, pp 1600-1607

- Baldo, P., Doree, C., Lazzarini, R., Molin, P., & McFerran, D. J. (2008). Antidepressants for patients with tinnitus. *Cochrane Database of Systematic Reviews*, 4
- Bashiruddin J, Soetirto I (2012). Gangguan pendengaran akibat bisung. Dalam:  
Soepardi EA, Iskandar N, Bashiruddin J, Restuti RD. Buku Ajar Ilmu Kesehatan Telinga, Hidung, Tenggorok, Kepala & Leher. Edisi ke 7. Jakarta: Fakultas Kedokteran Universitas Indonesia Press, pp: 49 – 52.
- Beatrice D (2013). Priority medicines for europe and the world “A public health approach to innovation” : Hearing Loss. [http://www.who.int/medicines/areas/priority\\_medicines/BP6\\_21Hearing.pdf](http://www.who.int/medicines/areas/priority_medicines/BP6_21Hearing.pdf) – (Accessed on February, 2017).
- Bhatt A. Reena. (2016). Ear Anatomy. American Association for Hand Surgery, American Society for Surgery of the Hand, American Society of Plastic Surgeons.
- Buchari (2007). Kebisingan industri dan hearing conservation program. Medan: Universitas Sumatera Utara Digital Library.
- Crandell C, Mills TL, Gauthier R (2004). Knowledge, behaviors and attitudes of hearing loss and hearing protection among racially/ethnically diverse young adults. *J Natl Med Assoc* 96: 176-186
- Crummer, R., & Hassan, G. (2004). Diagnostic approach to tinnitus. *American Family Physician*, 69, 120-128.
- Dahlan MS (2012). Langkah-langkah membuat proposal penelitian bidang kedokteran dan kesehatan. Edisi kedua. Jakarta: Sagung Seto.
- DeKalb, Frederick P (2004). Earbud earphone. U.S. Patent No. 6,810,987
- Dobie RA. (2004). Clinical trials and drug therapy for tinnitus. In Snow JB, ed. *Tinnitus: Theory and Management*. Lewiston, NY: BC Decker; 266–277.
- El Refaie, A., Davis, A., Kayan, A., Baskill, J., Lovell, E., & Owen, V. (2004). A questionnaire study of the quality of life and quality of family life of individuals complaining of tinnitus pre- and post-attendance at a tinnitus clinic. *International Journal of Audiology*, 43, 410-416.
- Felchlin I, Hohmann BW, Matefi L.(1988). Personal cassette players: A hazard to hearing? In: Prasher D, Luxon L, Pykko I, editors. *Advances in noise research: Vol. 2, Protection against noise*. London: Whurr; p 95-100

- Fine N, (2010).Critical Review:What is the effect of noisy listening environments on personal listening levels when using a personal listening device?. University of Western Ontario: School of Communication Sciences and Disorders
- Fligor BJ. (2009).Personal listening devices and hearing loss: Seeking evidence of a long term problem through a successful short-term investigation. *Noise Health*;11:129-31
- Flores S. L, Teixeira R A, Rosito S P L, Seimetz M B, and Dall'lgna C. (2015). Pitch and Loudness from Tinnitus in Individuals with Noise-Induced Hearing Loss. *International Archives Otorhinolaryngology*, Vol. 20, No.3
- Folmer, R. L. (2002). Long-term reductions in tinnitus severity. *BMC Ear Nose Throat Disorders*,2, 3-11
- Folmer, R. L., Martin, W. H., & Shi, Y.-B. (2004). Tinnitus: Questions to reveal the cause, answers to provide relief.*Journal of Family Practice*,53, 532-540.
- Franke Wallha"usser-E, Brade J, Balkenhol T, D'Amelio R, Seegmu"ller A, Delb W. (2012). Tinnitus: Distinguishing between Subjectively Perceived Loudness and Tinnitus-Related Distress. *Plos One*. Vol. 7, Issue 4
- Ganong, W. F. Buku Ajar Fisiologi Kedokteran Ganong. Edisi 22, Jakarta:EGC.2003.
- Gilles A, Van Hal G, De Ridder D, Wouters K, de Heyning V. P, (2013). Epidemiology of Noise-Induced Tinnitus and the Attitudes and Beliefs towards Noise and Hearing Protection in Adolescents. *Plos One*. Vol. 8, Issue 7
- Goncalves CL, Dias FAM (2014). Audiological findings in young users of headphones.*Revista CEFAC*, 16(4) : 1097-1108.
- Gunardi S. (2008). Telinga Luar, Telinga Tengah, dan Telinga Dalam. Dalam : Gunardi S. *Anatomi Sistem Pendengaran dan Keseimbangan*. Jakarta: Balai Penerbit Fakultas Kedokteran Universitas Indonesia, pp: 4-48.
- Guyton, A.C., Hall, J.E., (2007). The Sense of Hearing Dalam:Textbook of Medical Physiology. 11<sup>th</sup>ed. India: Saunders Elsevier: 651-662
- Hain, T. C. (2010) Tinnitus. Retrieved from <http://www.dizziness-and-balance.com/disorders/hearing/tinnitus.htm>

- Han In Byung, Ho Won Lee, Tae You Kim, Jun Seong Lim, Kyoung Sik Shin, (2009). Tinnitus: Characteristics, Causes, Mechanisms, and Treatments. Korean Neurological Association. J Clin Neurol;5:11-19
- Henry A. J, Zaugg T. L, Myers P. M, Kendall C. J, Michaelides E, M, (2010). A triage guide for tinnitus. The Journal of Family Practice, Vol. 59 No. 7
- Henry J. A., Dennis C. K., Schechter M. A. (2005). General Review of Tinnitus: Prevalence, Mechanisms, Effects, and Management. Journal of Speech, 1204 Language, and Hearing Research, Vol. 48, pp 1204–1235
- Herman NWP (2011). Prevalensi gangguan pendengaran pada mahasiswa program studi pendidikan dokter Universitas Islam Negeri Syarif Hidayatullah Jakarta tahun 2011. Jakarta, Universitas Islam Negeri Syarif Hidayatullah Jakarta. Skripsi.
- Herrera S, De Lacerda A. B. M, Lürdes D, Rocha F, Alcaràs P. A, Ribeiro L. H., (2016). Amplified music with headphones and its implications on hearing health in teens. International Tinnitus Journal.;20(1):42-47.
- Holmes S. and Padgham D. Nigel. (2011). Ringing in the Ears: Narrative Review of Tinnitus and Its Impact. Faculty of Health and Social Care, Canterbury, Christ Church University, Canterbury, Kent, UK, Biological Research for Nursing 13 (1)
- Hoover A, Krishnamurti S. (2010). Survey of College Students' MP3 Listening: Habits, Safety Issues, Attitudes, and Education. Am J Audiol;19:73-83
- Howard D, McLaren S, Fasoli L, Wunungmurra A, (2011). Dangerous Listening. Aboriginal & Islander Health Worker Journal, Vol 3 5, Number 1
- Jastreboff, P. J. (2007). Tinnitus retraining therapy. Progress in Brain Research, 166, 415–423.
- Keith, S. E., Michaud, D. S., and Chiu, V. (2008) 1. "Evaluating the maximum playback sound levels from portable digital audio devices," J. Acoust. Soc. Am. 123, 4227–4237.
- Kementerian Kesehatan Republik Indonesia (2011). Seri pedoman tatalaksana penyakit akibat kerja bagi petugas kesehatan: Penyakit THT Akibat Kerja. Jakarta: Kementerian Kesehatan Republik Indonesia.
- Kementerian Tenaga Kerja dan Transmigrasi (2011). Peraturan Menteri Tenaga Kerja dan Transmigrasi Republik Indonesia nomor Per.13/MEN/X/2011 tentang nilai ambang batas faktor fisika dan faktor kimia di tempat kerja.



[www.pnk3.com/files/perpu/503421Permen%20NAB%20dan%20NAK.pdf](http://www.pnk3.com/files/perpu/503421Permen%20NAB%20dan%20NAK.pdf) (Accessed on Maret, 2017).

- Keppler H, Dhooge Ingeborg, Degeest Sofie, Vinck Bart. (2015). The effects of a hearing education program on recreational noise exposure, attitudes and beliefs toward noise, hearing loss, and hearing protector devices in young adults. *Noise and Health Journal*, Vol. 17, Issue 78
- Kim Hyun-Jong et al., (2015). Analysis of the Prevalence and Associated Risk Factors of Tinnitus in Adults. *Plos One*. DOI:10.1371/journal.pone.0127578
- Kim Myung Gu, Seok Min Hong, Hyun Joon Shim, Young Doe Kim, Chang Il Cha, and Seung Geun Yeo. (2009). Hearing Threshold of Korean Adolescents Associated with the Use of Personal Music Players. *Yonsei Med J* 50(6): 771-776
- Langguth B et al. (2013) Tinnitus: causes and clinical management. *Lancet Neurol*. 12:920-930.
- Laoh A, (2015). Hubungan Penggunaan earphone terhadap Fungsi Pendengaran pada Mahasiswa Angkatan 2012 Fakultas Kedokteran Universitas Sam Ratulangi. *Jurnal Kedokteran Komunitas dan Tropik* : Vol. III Nomor 3
- Leancy F K dan Mulyono. (2013). Hubungan Karakteristik dengan Peningkatan Ambang Pendengaran Penerbang di Balai Kesehatan Penerbangan Jakarta. *The Indonesian Journal of Occupational Safety and Health*. Vol. 2, No.1, pp 1-9
- Levey, S., Fligor, B. J., Ginocchi, C., & Kagimbi, L. (2012). The effects of noise-induced hearing loss on children and young adults. *Contemporary Issues in Communication Science & Disorders*, 39, 76–83 8p
- Levey S, Levey T, Fligor J. B., (2011). Noise Exposure Estimates of Urban MP3 Player Users. *Journal of Speech, Language, and Hearing Research*: Vol.54, pp 263-277
- Liston, S.L., Duvall, A.J., Embriologi, Anatomi dan Fisiologi Telinga. Dalam: Adams, G.L., Boie, Jr., dan Highler, P.A., (1997). *Buku Ajar Penyakit THT*. 6<sup>th</sup> ed. Jakarta: EGC Penerbit Buku Kedokteran: 27-38.
- Londero, A., Peignard, P., Malinvaud, D., Nicolas-Puel, C., Avan, P., & Bonfils, P. (2004). Apport des thérapies cognitives et comportementales dans la prise en charge des acouphènes. Implication de l'anxiété et de la dépression. *Annales d'Oto-laryngologie et de Chirurgie Cervico-faciale*, 121, 334-345.

- Luz TS, Borja ALF. (2012). Hearing Symptoms Personal Stereo. *Int Arch Otorhinolaryngol*;16(2):163-9
- Madiyono, B., Moeslichan, M.S., Sastroasmoro, S., Budiman, I., dan Purwanto, S.H., (2011). *Perkiraan Besar Sampel. Dalam: Sastroasmoro Sudigdo dan Ismael Sofyan. Dasar - dasar Metodologi Penelitian Klinis. Edisi ke-4. Jakarta: Sagung Seto, halaman 376.*
- Manisha N , Mohammed N.A. , Somayaji G, Kallikkadan H, Mubeena (2015).  
Effects of Personal Music Players and Mobiles with Ear Phones on Hearing in Students. *IOSR Journal of Dental and Medical Sciences (IOSR-JDMS)* . intensitas 14, Issue 2 Ver. VI, PP 31-35
- Marianne F. dan Ashutosh K. (2016). *Anatomy and Physiology of The Ear.* Roper ST. Francis.
- Marron et al. (2015). College Students' Personal Listening Device Usage and Knowledge. *International Journal of Audiology.* 54: 384–390
- Martin H. M, Folmer Robert L, and Baker Y-B. (2005). Tinnitus and Sound. *Soundscape, Vol. 6, Number 1, pp: 15-17*
- Martinez-Devesa, P., Perera, R., Theodoulou, M., & Waddell, A. (2010). Cognitive behavioural therapy for tinnitus. *Cochrane Database of Systematic Reviews*, 8(9), Article No. CD005233.
- Mazurek B, Olze H, Haupt H and Szczepek J. A, (2010). The More the Worse: the Grade of Noise-Induced Hearing Loss Associates with the Severity of Tinnitus. *Int. J. Environ. Res. Public Health*, 7, 3071-3079
- McKenna, L. (2008). Tinnitus explained. *Quiet: Journal of the British Tinnitus Association*, 19, 4-6.
- McNeill K, Keith SE, Feder K, Konkle AT, Michaud DS. (2010). MP3 player listening habits of 17 to 23 year old university students. *J Acoust Soc Am.*;128(2):646-53.
- Moller, A.R. (2006) *Hearing: Anatomy, Physiology, and Disorders of the Auditory System. 2nd Edition, Academic Press*
- National Institutes on Deafness and Other Communication Disorders. (2014). *Noise Induced Hearing Loss.*
- Neeman-Kaplan R, Chava Muchnik, and Noam Amir. (2016). Listening to music with personal listening devices: monitoring the noise dose using a smartphone application. *International Journal of Audiology*, pp: 1-8
- Nondahl DM, Cruickshanks KJ, Huang G-H, et al. (2011). Tinnitus and its risk factors in the Beaver Dam Offspring Study. *Int J Audiol*;50(5):313–320.

- Nugroho D A (2015) Hubungan Frekuensi dan intensitas tinitus subjektif dengan kualitas hidup pasien, FK Undip, ORLI Vol.45 No.1
- OPPO. (2017). <https://www.oppodigital.com/headphones-pm-3/headphones-PM-3-Features.aspx> - (Accessed on March, 2017).
- Peng Phyllis dan Har-El G. (2002). Anatomi Telinga. Dalam : Lucente E. F. dan Har-El G. Buku Ajar Ilmu THT Esensial. Edisi ke-5. Jakarta: ECG, pp:5-11
- Pierre V. P, Johnson AC, Fridberger A, (2015). Subjective and Clinically Assessed Hearing Loss; A Cross-Sectional Register-Based Study on a Swedish Population Aged 18 through 50 Years. Plos One. DOI:10.1371/journal.pone.0123290
- Phonak (2014). <https://www.phonak.com/in/en/hearing-loss/tinnitus.html> (Accessed on February, 2017).
- Portnuff, C. D. F., and Fligor, B. J.(2006)1. "Output levels of portable digitalmusic Players," Paper presented at theNoise-Induced Hearing Loss inChildren at Work and Play Conference, Cincinnati, OH
- Rahadian J, Praswoto NA, Haryono R (2010). Pengaruh penggunaan *earphone* terhadap fungsi pendengaran remaja. Majalah Kedokteran Indonesia, 60(10): 468 – 473.
- Rambe A (2003). Gangguan pendengaran akibat bising. Medan: Universitas Sumatera Utara Digital Library
- Rief,W.,Weise, C., Kley, N., &Martin, A. (2005). Psychophysiologic treatment of chronic tinnitus: A randomized clinical trial. Psychosomatic Medicine, 67, 833-838.
- Salim SL, Hartanto DD, Sylvia M (2014). Perancangan kampanye bijak menggunakan *earphone*. <http://studentjournal.petra.ac.id/index.php/dkv/article/download/1894/1699> - (Accessed on February, 2017).
- Samsung. (2017). <http://www.samsung.com/nz/mobile-accessories/in-ear-fit-headphone-eg920b/EO-EG920BWEGWW/> - (Accessed on March, 2017).
- Sarah N. Ayu. (2016). Hubungan penggunaan *earphone* dengan gangguan pendengaran pada siswa SMA Negeri 9 Manado. Jurnal Kedokteran Klinik, Vol.1, No.1
- Sazili M. (2013). Hubungan perilaku bermain game online menggunakan *earphone* dengan gangguan fungsi pendengaran pada remaja usia 12-19 tahun di counter game online AS net dan Fathan net perum Cipta

Emerald Kelurahan Belian Kota Batam Tahun 2013.  
<http://www.academia.edu/5218118/Jurnal> - (Accessed on April, 2017).

Shah S, Gopal B, Reis J, Novak M.(2009). Hear today, gone tomorrow: an assessment of portable entertainment player use and hearing acuity in a community sample. *J Am Board Fam Med* ;22:17–23.

Shier D, Butler J, Lewis R (2009). *Hole's essentials of human anatomy & physiology*. Edisi kesebelas. New York: Mc Graw Hill Companies, pp:270-275

Silvestre R. A. A, Ribas A., Marques Jair M, de Lacerda A. B. M, (2013). Tinnitus in adolescents and its relation to the use of personal sound systems. *International Tinnitus Journal*;18(2):138-142

Silvestre RA, Ribas A, Hammerschmidt R, de Lacerda AB. (2016). High-frequency profile in adolescents and its relationship with the use of personal stereo devices. *J Pediatr (Rio J)*. 92:206-11.

Snell RS (2012). *Clinical anatomy by regions*. Edisi kesembilan. Philadelphia: Lippincott Williams & Wilkins, pp: 562-569

Soetirto I, Hendarmin H, Bashiruddin J (2012). Gangguan pendengaran. Dalam: Soepardi EA, Iskandar N, Bashiruddin J, Restuti RD. *Buku Ajar Ilmu Kesehatan Telinga, Hidung, Tenggorok, Kepala & Leher*. Edisi ke 7. Jakarta : Fakultas Kedokteran Universitas Indonesia Press. pp: 10 – 22

Sony. (2017). <https://www.sony.co.uk/electronics/headband-headphones/mdr-xb950bt/specifications> - (Accessed on March, 2017)

Stein, J. (2013). Millennials: The me me me generation. *TIME Magazine*. Retrieved February, 2017, from <http://time.com/247/millennials-the-me-me-me-generation/>

Stephenson L S. (2012). *Effects of Persona Music Player with Headphone Use on Hearing Acuity Among College-Age Student*. Oxford, Miami University. A Thesis

Sunny D. O, Nkiruka C. A, Abayomi O. S, (2012). Subjective tinnitus and its association with use of ear phones among students of the College of Medicine, University of Lagos, Nigeria. *International Tinnitus Journal*;17(2):169-72.

Syakila N (2014). Hubungan lama paparan penggunaan earphone musik terhadap terjadinya gangguan pendengaran akibat bising pada mahasiswa fakultas kedokteran universitas syiah kuala. Banda Aceh : Universitas Syiah Kuala.



- Tabraiz S, Asif M. B, Iftekhhar, Ishtiaq T. (2014). A Potential Source of Hearing Impairment: Headphones. Technical Journal University Environmental Engineering Department, (UET) Taxila, Pakistan. Vol. 19, No. IV
- Thrasher, R., & Allen, G. (2005). Middle ear, otitis media with effusion. Retrieved from eMedicine at <http://www.emedicine.com/ent/topic209.htm> (accessed on 7 December, 2016)
- Tortora, G.J., dan Derrickson, B.H., 2009. Principles of Anatomy and Physiology. 12<sup>th</sup>ed. Asia: John Wiley and Sons, Inc: 620-628.
- Valente M, Valente LM, Goebel J (1992). High frequency thresholds: circumaural earphone versus insert earphone. Journal of the American Academy of Audiology, 3(6): 410-418.
- Vogel I, Brug J, Van der Ploeg CP, Raat H (2011). Adolescents Risky MP3 Player Listening and Its Psychosocial Correlates. Health Aeduc Res, 26: 254-264.
- Warner-Czyz A.D & Cain S. (2016). Age and gender differences in children and adolescents' attitudes toward noise. International Journal of Audiology; 55: 83-92
- Williams M Grace. (2016). Attitudes and Practices Among College Students Relative To Personal Listening Device Usage And Hearing Conversations. Oxford.
- Williams W. (2005). Noise exposure levels from personal stereo use. Int J Audiol; 44: 231-6
- Wongso Lily, Danes Vennetta R., Supit Wenny. (2013). Perbandingan Dampak Penggunaan earphone Terhadap Fungsi Pendengaran Pada Penyiar Radio Dan Yang Bukan Penyiar Radio Di Kota Manado. Jurnal Biomedik (JBM), intensitas 5, Nomor 1, Suplemen, Maret 2013, halaman S53-59.
- World Health Organization, (2015). Hearing loss due to recreational exposure to loud sounds. Geneva: World Health Organization
- Xiaomi. (2017). <http://headphones.specout.com/l/6705/Xiaomi-Mi-In-Earphones-Pro> - (Accessed on March, 2017).
- Yew S. Kenneth. (2014). Diagnostic Approach to Patients with Tinnitus. American Family Physician, Vol. 89, Number 2
- Zachriat, C., & Kro`ner-Herwig, B. (2004). Treating chronic tinnitus: Comparison of cognitive-behavioural and habituation-based treatments. Cognitive Behaviour Therapy, 33, 187-198

- Zain TR (2016). Gambaran perilaku remaja terhadap penggunaan earphone pada siswa SMA Negeri Kota Padang. Padang, Universitas Andalas. Skripsi.
- Zia Sadaf et al., (2014). Noise-Induced Hearing Loss related to Personal Music Players- Awareness Level among the Young users in a Developing Country. Journal of the Dow University of Health Sciences Karachi 2014, Vol. 8 (1): 11-15

